

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

LDS HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 520
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 24,698 | 100.0 | 100.0 | 100.0 | 290,507,376 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 4,548 | 18.4 | 17.1 | 21.0 | 18,694,178 | 6.4 | 8.6 | 7.9 |
| Obstetric (MDC 14) | 4,820 | 19.5 | 18.8 | 22.2 | 19,581,978 | 6.7 | 6.1 | 9.9 |
| Pediatric Medical (Age 0-17) | 116 | 0.5 | 0.9 | 3.4 | 1,393,645 | 0.5 | 1.2 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 142 | 0.6 | 0.8 | 1.0 | 3,413,559 | 1.2 | 1.6 | 1.3 |
| Other Medical | 5,907 | 23.9 | 25.3 | 26.4 | 53,504,686 | 18.4 | 18.8 | 24.8 |
| Other Surgery/Procedure | 7,573 | 30.7 | 30.3 | 20.9 | 173,235,720 | 59.6 | 55.1 | 46.6 |
| Psychiatric (MDC 19) | 673 | 2.7 | 2.5 | 2.1 | 4,950,464 | 1.7 | 1.9 | 2.0 |
| Rehabilitation (DRG 462) | 279 | 1.1 | 1.5 | 0.7 | 8,521,705 | 2.9 | 3.6 | 2.0 |
| Others | 640 | 2.6 | 2.8 | 2.2 | 7,211,441 | 2.5 | 3.0 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 1,120 | 4.5 | 6.0 | 3.8 | 15,714,294 | 5.4 | 7.7 | 5.7 |
| 2 Eye | 33 | 0.1 | 0.3 | 0.1 | 254,965 | 0.1 | 0.2 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 115 | 0.5 | 1.0 | 0.9 | 1,130,574 | 0.4 | 0.9 | 0.8 |
| 4 Respiratory System | 1,077 | 4.4 | 4.4 | 6.5 | 16,089,527 | 5.5 | 5.6 | 8.1 |
| 5 Circulatory System | 3,719 | 15.1 | 12.9 | 10.2 | 87,713,406 | 30.2 | 21.7 | 20.2 |
| 6 Digestive System | 1,498 | 6.1 | 5.7 | 6.7 | 18,667,547 | 6.4 | 5.6 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 706 | 2.9 | 2.4 | 2.2 | 15,524,938 | 5.3 | 3.6 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 2,229 | 9.0 | 9.6 | 8.4 | 30,285,376 | 10.4 | 10.7 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 292 | 1.2 | 1.5 | 1.3 | 2,971,102 | 1.0 | 1.7 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 415 | 1.7 | 1.7 | 2.2 | 3,747,056 | 1.3 | 1.2 | 1.9 |
| 11 Kidney & Urinary Tract | 545 | 2.2 | 2.6 | 2.1 | 9,124,658 | 3.1 | 3.5 | 2.6 |
| 12 Male Reproductive System | 166 | 0.7 | 0.9 | 0.7 | 1,324,849 | 0.5 | 0.6 | 0.7 |
| 13 Female Reproductive System | 905 | 3.7 | 2.9 | 3.6 | 6,540,280 | 2.3 | 1.9 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 4,832 | 19.6 | 18.9 | 22.3 | 19,681,204 | 6.8 | 6.1 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 4,585 | 18.6 | 17.4 | 21.4 | 19,548,883 | 6.7 | 9.4 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 83 | 0.3 | 0.5 | 0.5 | 1,542,843 | 0.5 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 226 | 0.9 | 1.7 | 0.7 | 6,905,774 | 2.4 | 3.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 258 | 1.0 | 1.2 | 1.2 | 5,002,681 | 1.7 | 2.0 | 2.0 |
| 19 Mental Diseases and Disorders | 673 | 2.7 | 2.5 | 2.1 | 4,950,464 | 1.7 | 1.9 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 383 | 1.6 | 1.0 | 0.6 | 1,746,642 | 0.6 | 0.4 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 303 | 1.2 | 1.4 | 1.1 | 3,302,386 | 1.1 | 1.4 | 1.1 |
| 22 Burns | . | . | 0.6 | 0.1 | . | . | 2.3 | 0.9 |
| 23 Factors Influencing Health Status | 328 | 1.3 | 1.8 | 1.0 | 10,306,380 | 3.5 | 4.1 | 2.3 |
| 24 Multiple Significant Trauma | 194 | 0.8 | 0.8 | 0.3 | 8,041,171 | 2.8 | 2.6 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 12 | 0.0 | 0.2 | 0.1 | 375,473 | 0.1 | 0.2 | 0.1 |
| Unknown | 1 | 0.0 | 0.1 | 0.1 | 14,902 | 0.0 | 0.1 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

UNIVERSITY OF UTAH HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 425
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 19,351 | 100.0 | 100.0 | 100.0 | 311,868,167 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 3,001 | 15.5 | 17.1 | 21.0 | 33,373,393 | 10.7 | 8.6 | 7.9 |
| Obstetric (MDC 14) | 3,478 | 18.0 | 18.8 | 22.2 | 16,913,874 | 5.4 | 6.1 | 9.9 |
| Pediatric Medical (Age 0-17) | 279 | 1.4 | 0.9 | 3.4 | 6,122,826 | 2.0 | 1.2 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 223 | 1.2 | 0.8 | 1.0 | 6,495,095 | 2.1 | 1.6 | 1.3 |
| Other Medical | 5,217 | 27.0 | 25.3 | 26.4 | 59,995,179 | 19.2 | 18.8 | 24.8 |
| Other Surgery/Procedure | 5,758 | 29.8 | 30.3 | 20.9 | 158,375,254 | 50.8 | 55.1 | 46.6 |
| Psychiatric (MDC 19) | 413 | 2.1 | 2.5 | 2.1 | 6,642,414 | 2.1 | 1.9 | 2.0 |
| Rehabilitation (DRG 462) | 386 | 2.0 | 1.5 | 0.7 | 13,011,314 | 4.2 | 3.6 | 2.0 |
| Others | 596 | 3.1 | 2.8 | 2.2 | 10,938,818 | 3.5 | 3.0 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 1,542 | 8.0 | 6.0 | 3.8 | 30,838,127 | 9.9 | 7.7 | 5.7 |
| 2 Eye | 81 | 0.4 | 0.3 | 0.1 | 830,052 | 0.3 | 0.2 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 331 | 1.7 | 1.0 | 0.9 | 4,183,773 | 1.3 | 0.9 | 0.8 |
| 4 Respiratory System | 866 | 4.5 | 4.4 | 6.5 | 17,783,642 | 5.7 | 5.6 | 8.1 |
| 5 Circulatory System | 1,951 | 10.1 | 12.9 | 10.2 | 43,142,851 | 13.8 | 21.7 | 20.2 |
| 6 Digestive System | 1,018 | 5.3 | 5.7 | 6.7 | 15,296,321 | 4.9 | 5.6 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 352 | 1.8 | 2.4 | 2.2 | 5,929,636 | 1.9 | 3.6 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 1,994 | 10.3 | 9.6 | 8.4 | 33,920,672 | 10.9 | 10.7 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 390 | 2.0 | 1.5 | 1.3 | 7,444,954 | 2.4 | 1.7 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 329 | 1.7 | 1.7 | 2.2 | 3,682,601 | 1.2 | 1.2 | 1.9 |
| 11 Kidney & Urinary Tract | 605 | 3.1 | 2.6 | 2.1 | 11,962,975 | 3.8 | 3.5 | 2.6 |
| 12 Male Reproductive System | 231 | 1.2 | 0.9 | 0.7 | 2,490,087 | 0.8 | 0.6 | 0.7 |
| 13 Female Reproductive System | 376 | 1.9 | 2.9 | 3.6 | 4,650,134 | 1.5 | 1.9 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 3,483 | 18.0 | 18.9 | 22.3 | 16,983,840 | 5.4 | 6.1 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 3,066 | 15.8 | 17.4 | 21.4 | 37,329,701 | 12.0 | 9.4 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 156 | 0.8 | 0.5 | 0.5 | 3,285,858 | 1.1 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 527 | 2.7 | 1.7 | 0.7 | 16,107,616 | 5.2 | 3.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 272 | 1.4 | 1.2 | 1.2 | 6,952,986 | 2.2 | 2.0 | 2.0 |
| 19 Mental Diseases and Disorders | 413 | 2.1 | 2.5 | 2.1 | 6,642,414 | 2.1 | 1.9 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 50 | 0.3 | 1.0 | 0.6 | 457,381 | 0.1 | 0.4 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 327 | 1.7 | 1.4 | 1.1 | 4,908,260 | 1.6 | 1.4 | 1.1 |
| 22 Burns | 250 | 1.3 | 0.6 | 0.1 | 13,805,662 | 4.4 | 2.3 | 0.9 |
| 23 Factors Influencing Health Status | 451 | 2.3 | 1.8 | 1.0 | 14,223,114 | 4.6 | 4.1 | 2.3 |
| 24 Multiple Significant Trauma | 160 | 0.8 | 0.8 | 0.3 | 7,543,775 | 2.4 | 2.6 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 65 | 0.3 | 0.2 | 0.1 | 1,051,373 | 0.3 | 0.2 | 0.1 |
| Unknown | 65 | 0.3 | 0.1 | 0.1 | 420,362 | 0.1 | 0.1 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Paracelsus Health Care

COUNTY: Salt Lake BED SIZE: 200
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 5,945 | 100.0 | 100.0 | 100.0 | 48,195,325 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 1,344 | 22.6 | 18.8 | 21.0 | 3,578,813 | 7.4 | 8.2 | 7.9 |
| Obstetric (MDC 14) | 1,436 | 24.2 | 19.9 | 22.2 | 6,128,661 | 12.7 | 8.8 | 9.9 |
| Pediatric Medical (Age 0-17) | 14 | 0.2 | 3.9 | 3.4 | 32,802 | 0.1 | 3.1 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 7 | 0.1 | 0.9 | 1.0 | 38,520 | 0.1 | 0.9 | 1.3 |
| Other Medical | 1,583 | 26.6 | 24.5 | 26.4 | 12,620,927 | 26.2 | 21.8 | 24.8 |
| Other Surgery/Procedure | 1,286 | 21.6 | 24.7 | 20.9 | 22,689,698 | 47.1 | 48.9 | 46.6 |
| Psychiatric (MDC 19) | 7 | 0.1 | 2.9 | 2.1 | 35,459 | 0.1 | 2.2 | 2.0 |
| Rehabilitation (DRG 462) | 177 | 3.0 | 1.0 | 0.7 | 1,828,730 | 3.8 | 1.6 | 2.0 |
| Others | 91 | 1.5 | 3.3 | 2.2 | 1,241,715 | 2.6 | 4.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 203 | 3.4 | 3.9 | 3.8 | 1,888,894 | 3.9 | 5.0 | 5.7 |
| 2 Eye | 4 | 0.1 | 0.1 | 0.1 | 41,797 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 14 | 0.2 | 0.8 | 0.9 | 206,794 | 0.4 | 0.6 | 0.8 |
| 4 Respiratory System | 394 | 6.6 | 6.4 | 6.5 | 3,685,929 | 7.6 | 7.8 | 8.1 |
| 5 Circulatory System | 765 | 12.9 | 12.4 | 10.2 | 13,652,644 | 28.3 | 25.7 | 20.2 |
| 6 Digestive System | 357 | 6.0 | 6.5 | 6.7 | 4,176,347 | 8.7 | 7.3 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 119 | 2.0 | 2.0 | 2.2 | 1,513,000 | 3.1 | 2.8 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 356 | 6.0 | 10.4 | 8.4 | 4,762,057 | 9.9 | 14.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 91 | 1.5 | 1.3 | 1.3 | 927,695 | 1.9 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 98 | 1.6 | 2.7 | 2.2 | 736,184 | 1.5 | 2.6 | 1.9 |
| 11 Kidney & Urinary Tract | 118 | 2.0 | 1.8 | 2.1 | 1,119,562 | 2.3 | 1.7 | 2.6 |
| 12 Male Reproductive System | 80 | 1.3 | 0.6 | 0.7 | 832,172 | 1.7 | 0.6 | 0.7 |
| 13 Female Reproductive System | 216 | 3.6 | 3.5 | 3.6 | 1,475,105 | 3.1 | 2.6 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 1,438 | 24.2 | 19.9 | 22.3 | 6,174,358 | 12.8 | 8.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 1,348 | 22.7 | 19.4 | 21.4 | 3,580,594 | 7.4 | 9.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 21 | 0.4 | 0.5 | 0.5 | 163,883 | 0.3 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 20 | 0.3 | 0.6 | 0.7 | 216,605 | 0.4 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 47 | 0.8 | 1.3 | 1.2 | 549,048 | 1.1 | 2.1 | 2.0 |
| 19 Mental Diseases and Disorders | 7 | 0.1 | 2.9 | 2.1 | 35,459 | 0.1 | 2.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 11 | 0.2 | 0.5 | 0.6 | 38,444 | 0.1 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 49 | 0.8 | 0.9 | 1.1 | 386,454 | 0.8 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 185 | 3.1 | 1.1 | 1.0 | 2,020,033 | 4.2 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 2 | 0.0 | 0.2 | 0.3 | 4,505 | 0.0 | 0.6 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | 0.1 | 5,845 | 0.0 | 0.1 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 1,918 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

ST. MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Columbia Healthcare, Inc.

COUNTY: Salt Lake BED SIZE: 276
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 18,876 | 100.0 | 100.0 | 100.0 | 168,144,895 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 3,161 | 16.7 | 18.8 | 21.0 | 5,394,171 | 3.2 | 8.2 | 7.9 |
| Obstetric (MDC 14) | 3,408 | 18.1 | 19.9 | 22.2 | 12,909,427 | 7.7 | 8.8 | 9.9 |
| Pediatric Medical (Age 0-17) | 174 | 0.9 | 3.9 | 3.4 | 925,525 | 0.6 | 3.1 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 131 | 0.7 | 0.9 | 1.0 | 972,016 | 0.6 | 0.9 | 1.3 |
| Other Medical | 5,681 | 30.1 | 24.5 | 26.4 | 43,312,726 | 25.8 | 21.8 | 24.8 |
| Other Surgery/Procedure | 5,731 | 30.4 | 24.7 | 20.9 | 96,436,689 | 57.4 | 48.9 | 46.6 |
| Psychiatric (MDC 19) | 14 | 0.1 | 2.9 | 2.1 | 67,700 | 0.0 | 2.2 | 2.0 |
| Rehabilitation (DRG 462) | 2 | 0.0 | 1.0 | 0.7 | 11,129 | 0.0 | 1.6 | 2.0 |
| Others | 574 | 3.0 | 3.3 | 2.2 | 8,115,512 | 4.8 | 4.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 679 | 3.6 | 3.9 | 3.8 | 6,667,173 | 4.0 | 5.0 | 5.7 |
| 2 Eye | 19 | 0.1 | 0.1 | 0.1 | 124,562 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 113 | 0.6 | 0.8 | 0.9 | 882,017 | 0.5 | 0.6 | 0.8 |
| 4 Respiratory System | 1,093 | 5.8 | 6.4 | 6.5 | 11,792,836 | 7.0 | 7.8 | 8.1 |
| 5 Circulatory System | 2,782 | 14.7 | 12.4 | 10.2 | 49,619,983 | 29.5 | 25.7 | 20.2 |
| 6 Digestive System | 1,384 | 7.3 | 6.5 | 6.7 | 13,654,393 | 8.1 | 7.3 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 425 | 2.3 | 2.0 | 2.2 | 5,896,927 | 3.5 | 2.8 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 2,503 | 13.3 | 10.4 | 8.4 | 31,450,546 | 18.7 | 14.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 318 | 1.7 | 1.3 | 1.3 | 2,218,231 | 1.3 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 888 | 4.7 | 2.7 | 2.2 | 9,016,842 | 5.4 | 2.6 | 1.9 |
| 11 Kidney & Urinary Tract | 348 | 1.8 | 1.8 | 2.1 | 3,006,792 | 1.8 | 1.7 | 2.6 |
| 12 Male Reproductive System | 92 | 0.5 | 0.6 | 0.7 | 622,516 | 0.4 | 0.6 | 0.7 |
| 13 Female Reproductive System | 900 | 4.8 | 3.5 | 3.6 | 6,116,854 | 3.6 | 2.6 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 3,411 | 18.1 | 19.9 | 22.3 | 12,970,558 | 7.7 | 8.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 3,219 | 17.1 | 19.4 | 21.4 | 5,953,057 | 3.5 | 9.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 99 | 0.5 | 0.5 | 0.5 | 745,970 | 0.4 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 124 | 0.7 | 0.6 | 0.7 | 1,715,811 | 1.0 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 216 | 1.1 | 1.3 | 1.2 | 3,553,200 | 2.1 | 2.1 | 2.0 |
| 19 Mental Diseases and Disorders | 14 | 0.1 | 2.9 | 2.1 | 67,700 | 0.0 | 2.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 25 | 0.1 | 0.5 | 0.6 | 149,359 | 0.1 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 183 | 1.0 | 0.9 | 1.1 | 1,458,094 | 0.9 | 0.9 | 1.1 |
| 22 Burns | 3 | 0.0 | 0.0 | 0.1 | 44,199 | 0.0 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 10 | 0.1 | 1.1 | 1.0 | 32,259 | 0.0 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 11 | 0.1 | 0.2 | 0.3 | 170,127 | 0.1 | 0.6 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 12 | 0.1 | 0.0 | 0.1 | 196,406 | 0.1 | 0.1 | 0.1 |
| Unknown | 5 | 0.0 | 0.0 | 0.1 | 18,483 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

UTAH VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.

COUNTY: Utah BED SIZE: 395
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 20,138 | 100.0 | 100.0 | 100.0 | 167,808,647 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 3,729 | 18.5 | 18.8 | 21.0 | 17,565,528 | 10.5 | 8.2 | 7.9 |
| Obstetric (MDC 14) | 3,935 | 19.5 | 19.9 | 22.2 | 13,502,070 | 8.0 | 8.8 | 9.9 |
| Pediatric Medical (Age 0-17) | 1,290 | 6.4 | 3.9 | 3.4 | 9,841,780 | 5.9 | 3.1 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 299 | 1.5 | 0.9 | 1.0 | 2,193,016 | 1.3 | 0.9 | 1.3 |
| Other Medical | 3,932 | 19.5 | 24.5 | 26.4 | 31,318,388 | 18.7 | 21.8 | 24.8 |
| Other Surgery/Procedure | 4,660 | 23.1 | 24.7 | 20.9 | 74,386,708 | 44.3 | 48.9 | 46.6 |
| Psychiatric (MDC 19) | 1,110 | 5.5 | 2.9 | 2.1 | 6,636,595 | 4.0 | 2.2 | 2.0 |
| Rehabilitation (DRG 462) | 205 | 1.0 | 1.0 | 0.7 | 4,097,576 | 2.4 | 1.6 | 2.0 |
| Others | 978 | 4.9 | 3.3 | 2.2 | 8,266,987 | 4.9 | 4.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 789 | 3.9 | 3.9 | 3.8 | 8,614,972 | 5.1 | 5.0 | 5.7 |
| 2 Eye | 31 | 0.2 | 0.1 | 0.1 | 179,409 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 206 | 1.0 | 0.8 | 0.9 | 1,122,160 | 0.7 | 0.6 | 0.8 |
| 4 Respiratory System | 1,345 | 6.7 | 6.4 | 6.5 | 13,655,098 | 8.1 | 7.8 | 8.1 |
| 5 Circulatory System | 2,510 | 12.5 | 12.4 | 10.2 | 41,921,471 | 25.0 | 25.7 | 20.2 |
| 6 Digestive System | 1,238 | 6.1 | 6.5 | 6.7 | 10,876,477 | 6.5 | 7.3 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 355 | 1.8 | 2.0 | 2.2 | 3,863,582 | 2.3 | 2.8 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 2,136 | 10.6 | 10.4 | 8.4 | 20,902,751 | 12.5 | 14.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 199 | 1.0 | 1.3 | 1.3 | 1,294,731 | 0.8 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 385 | 1.9 | 2.7 | 2.2 | 2,132,394 | 1.3 | 2.6 | 1.9 |
| 11 Kidney & Urinary Tract | 353 | 1.8 | 1.8 | 2.1 | 2,592,579 | 1.5 | 1.7 | 2.6 |
| 12 Male Reproductive System | 118 | 0.6 | 0.6 | 0.7 | 990,329 | 0.6 | 0.6 | 0.7 |
| 13 Female Reproductive System | 322 | 1.6 | 3.5 | 3.6 | 1,978,947 | 1.2 | 2.6 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 3,939 | 19.6 | 19.9 | 22.3 | 13,675,999 | 8.1 | 8.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 3,979 | 19.8 | 19.4 | 21.4 | 23,048,010 | 13.7 | 9.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 83 | 0.4 | 0.5 | 0.5 | 694,994 | 0.4 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 86 | 0.4 | 0.6 | 0.7 | 1,624,531 | 1.0 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 323 | 1.6 | 1.3 | 1.2 | 4,570,229 | 2.7 | 2.1 | 2.0 |
| 19 Mental Diseases and Disorders | 1,110 | 5.5 | 2.9 | 2.1 | 6,636,595 | 4.0 | 2.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 133 | 0.7 | 0.5 | 0.6 | 463,914 | 0.3 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 199 | 1.0 | 0.9 | 1.1 | 1,498,112 | 0.9 | 0.9 | 1.1 |
| 22 Burns | 6 | 0.0 | 0.0 | 0.1 | 52,001 | 0.0 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 248 | 1.2 | 1.1 | 1.0 | 4,393,849 | 2.6 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 40 | 0.2 | 0.2 | 0.3 | 967,405 | 0.6 | 0.6 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 4 | 0.0 | 0.0 | 0.1 | 53,675 | 0.0 | 0.1 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 4,434 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

MCKAY DEE HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.

COUNTY: Weber BED SIZE: 428
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 16,219 | 100.0 | 100.0 | 100.0 | 132,743,323 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 3,273 | 20.2 | 18.8 | 21.0 | 16,026,984 | 12.1 | 8.2 | 7.9 |
| Obstetric (MDC 14) | 3,415 | 21.1 | 19.9 | 22.2 | 13,128,014 | 9.9 | 8.8 | 9.9 |
| Pediatric Medical (Age 0-17) | 894 | 5.5 | 3.9 | 3.4 | 5,299,745 | 4.0 | 3.1 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 138 | 0.9 | 0.9 | 1.0 | 1,211,984 | 0.9 | 0.9 | 1.3 |
| Other Medical | 3,805 | 23.5 | 24.5 | 26.4 | 25,487,784 | 19.2 | 21.8 | 24.8 |
| Other Surgery/Procedure | 3,450 | 21.3 | 24.7 | 20.9 | 59,398,323 | 44.7 | 48.9 | 46.6 |
| Psychiatric (MDC 19) | 639 | 3.9 | 2.9 | 2.1 | 4,566,012 | 3.4 | 2.2 | 2.0 |
| Rehabilitation (DRG 462) | 227 | 1.4 | 1.0 | 0.7 | 2,482,392 | 1.9 | 1.6 | 2.0 |
| Others | 378 | 2.3 | 3.3 | 2.2 | 5,142,085 | 3.9 | 4.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 740 | 4.6 | 3.9 | 3.8 | 8,434,665 | 6.4 | 5.0 | 5.7 |
| 2 Eye | 10 | 0.1 | 0.1 | 0.1 | 106,173 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 160 | 1.0 | 0.8 | 0.9 | 1,019,070 | 0.8 | 0.6 | 0.8 |
| 4 Respiratory System | 1,080 | 6.7 | 6.4 | 6.5 | 11,365,666 | 8.6 | 7.8 | 8.1 |
| 5 Circulatory System | 1,519 | 9.4 | 12.4 | 10.2 | 27,464,440 | 20.7 | 25.7 | 20.2 |
| 6 Digestive System | 1,012 | 6.2 | 6.5 | 6.7 | 8,899,271 | 6.7 | 7.3 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 298 | 1.8 | 2.0 | 2.2 | 3,188,895 | 2.4 | 2.8 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 1,366 | 8.4 | 10.4 | 8.4 | 17,674,608 | 13.3 | 14.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 179 | 1.1 | 1.3 | 1.3 | 1,157,542 | 0.9 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 307 | 1.9 | 2.7 | 2.2 | 1,363,814 | 1.0 | 2.6 | 1.9 |
| 11 Kidney & Urinary Tract | 294 | 1.8 | 1.8 | 2.1 | 2,051,134 | 1.5 | 1.7 | 2.6 |
| 12 Male Reproductive System | 92 | 0.6 | 0.6 | 0.7 | 480,068 | 0.4 | 0.6 | 0.7 |
| 13 Female Reproductive System | 730 | 4.5 | 3.5 | 3.6 | 3,890,043 | 2.9 | 2.6 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 3,416 | 21.1 | 19.9 | 22.3 | 13,131,622 | 9.9 | 8.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 3,338 | 20.6 | 19.4 | 21.4 | 17,378,052 | 13.1 | 9.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 74 | 0.5 | 0.5 | 0.5 | 958,786 | 0.7 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 114 | 0.7 | 0.6 | 0.7 | 681,499 | 0.5 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 213 | 1.3 | 1.3 | 1.2 | 2,362,184 | 1.8 | 2.1 | 2.0 |
| 19 Mental Diseases and Disorders | 639 | 3.9 | 2.9 | 2.1 | 4,566,012 | 3.4 | 2.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 158 | 1.0 | 0.5 | 0.6 | 551,894 | 0.4 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 147 | 0.9 | 0.9 | 1.1 | 1,426,779 | 1.1 | 0.9 | 1.1 |
| 22 Burns | 3 | 0.0 | 0.0 | 0.1 | 20,336 | 0.0 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 255 | 1.6 | 1.1 | 1.0 | 2,678,138 | 2.0 | 1.8 | 2.3 |
| 24 Multiple Significant Trauma | 72 | 0.4 | 0.2 | 0.3 | 1,872,546 | 1.4 | 0.6 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 3 | 0.0 | 0.0 | 0.1 | 20,085 | 0.0 | 0.1 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Davis BED SIZE: 128
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 4,114 | 100.0 | 100.0 | 100.0 | 29,658,706 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 692 | 16.8 | 22.3 | 21.0 | 1,058,103 | 3.6 | 6.1 | 7.9 |
| Obstetric (MDC 14) | 708 | 17.2 | 23.2 | 22.2 | 2,687,041 | 9.1 | 12.9 | 9.9 |
| Pediatric Medical (Age 0-17) | 31 | 0.8 | 3.3 | 3.4 | 127,414 | 0.4 | 2.3 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 17 | 0.4 | 0.9 | 1.0 | 119,642 | 0.4 | 1.0 | 1.3 |
| Other Medical | 1,426 | 34.7 | 29.1 | 26.4 | 11,771,549 | 39.7 | 36.2 | 24.8 |
| Other Surgery/Procedure | 918 | 22.3 | 16.5 | 20.9 | 11,595,366 | 39.1 | 34.9 | 46.6 |
| Psychiatric (MDC 19) | 294 | 7.1 | 2.0 | 2.1 | 2,015,615 | 6.8 | 2.1 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.3 | 0.7 | . | . | 0.7 | 2.0 |
| Others | 28 | 0.7 | 2.4 | 2.2 | 283,976 | 1.0 | 3.8 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 132 | 3.2 | 3.4 | 3.8 | 969,061 | 3.3 | 5.0 | 5.7 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 19 | 0.5 | 0.6 | 0.9 | 129,982 | 0.4 | 0.7 | 0.8 |
| 4 Respiratory System | 280 | 6.8 | 6.8 | 6.5 | 3,474,233 | 11.7 | 10.7 | 8.1 |
| 5 Circulatory System | 409 | 9.9 | 9.1 | 10.2 | 4,101,343 | 13.8 | 16.0 | 20.2 |
| 6 Digestive System | 305 | 7.4 | 6.7 | 6.7 | 3,060,918 | 10.3 | 9.9 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 107 | 2.6 | 2.1 | 2.2 | 1,128,827 | 3.8 | 3.6 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 539 | 13.1 | 8.5 | 8.4 | 6,179,670 | 20.8 | 15.2 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 54 | 1.3 | 1.1 | 1.3 | 499,488 | 1.7 | 1.2 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 71 | 1.7 | 1.9 | 2.2 | 420,675 | 1.4 | 1.7 | 1.9 |
| 11 Kidney & Urinary Tract | 68 | 1.7 | 1.9 | 2.1 | 516,818 | 1.7 | 2.2 | 2.6 |
| 12 Male Reproductive System | 45 | 1.1 | 0.8 | 0.7 | 412,325 | 1.4 | 1.0 | 0.7 |
| 13 Female Reproductive System | 230 | 5.6 | 4.6 | 3.6 | 1,627,290 | 5.5 | 4.8 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 709 | 17.2 | 23.2 | 22.3 | 2,690,004 | 9.1 | 12.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 700 | 17.0 | 22.6 | 21.4 | 1,081,938 | 3.6 | 6.5 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 12 | 0.3 | 0.4 | 0.5 | 110,488 | 0.4 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 10 | 0.2 | 0.4 | 0.7 | 112,035 | 0.4 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 53 | 1.3 | 1.1 | 1.2 | 490,682 | 1.7 | 2.0 | 2.0 |
| 19 Mental Diseases and Disorders | 294 | 7.1 | 2.0 | 2.1 | 2,015,615 | 6.8 | 2.1 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 23 | 0.6 | 1.1 | 0.6 | 72,940 | 0.2 | 0.7 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 43 | 1.0 | 1.1 | 1.1 | 439,145 | 1.5 | 1.2 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 6 | 0.1 | 0.5 | 1.0 | 38,135 | 0.1 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 5 | 0.1 | 0.1 | 0.3 | 87,094 | 0.3 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care

COUNTY: Davis BED SIZE: 126
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 7,769 | 100.0 | 100.0 | 100.0 | 37,302,800 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 1,923 | 24.8 | 22.3 | 21.0 | 3,294,756 | 8.8 | 6.1 | 7.9 |
| Obstetric (MDC 14) | 2,025 | 26.1 | 23.2 | 22.2 | 5,758,391 | 15.4 | 12.9 | 9.9 |
| Pediatric Medical (Age 0-17) | 335 | 4.3 | 3.3 | 3.4 | 1,015,829 | 2.7 | 2.3 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 86 | 1.1 | 0.9 | 1.0 | 585,904 | 1.6 | 1.0 | 1.3 |
| Other Medical | 1,971 | 25.4 | 29.1 | 26.4 | 12,150,206 | 32.6 | 36.2 | 24.8 |
| Other Surgery/Procedure | 1,152 | 14.8 | 16.5 | 20.9 | 12,248,510 | 32.8 | 34.9 | 46.6 |
| Psychiatric (MDC 19) | 237 | 3.1 | 2.0 | 2.1 | 1,872,166 | 5.0 | 2.1 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.3 | 0.7 | . | . | 0.7 | 2.0 |
| Others | 40 | 0.5 | 2.4 | 2.2 | 377,038 | 1.0 | 3.8 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 180 | 2.3 | 3.4 | 3.8 | 1,402,675 | 3.8 | 5.0 | 5.7 |
| 2 Eye | 7 | 0.1 | 0.1 | 0.1 | 40,256 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 56 | 0.7 | 0.6 | 0.9 | 292,784 | 0.8 | 0.7 | 0.8 |
| 4 Respiratory System | 478 | 6.2 | 6.8 | 6.5 | 2,815,682 | 7.5 | 10.7 | 8.1 |
| 5 Circulatory System | 629 | 8.1 | 9.1 | 10.2 | 6,198,249 | 16.6 | 16.0 | 20.2 |
| 6 Digestive System | 519 | 6.7 | 6.7 | 6.7 | 3,810,426 | 10.2 | 9.9 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 150 | 1.9 | 2.1 | 2.2 | 1,238,594 | 3.3 | 3.6 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 335 | 4.3 | 8.5 | 8.4 | 3,497,663 | 9.4 | 15.2 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 91 | 1.2 | 1.1 | 1.3 | 520,799 | 1.4 | 1.2 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 195 | 2.5 | 1.9 | 2.2 | 792,511 | 2.1 | 1.7 | 1.9 |
| 11 Kidney & Urinary Tract | 127 | 1.6 | 1.9 | 2.1 | 692,693 | 1.9 | 2.2 | 2.6 |
| 12 Male Reproductive System | 65 | 0.8 | 0.8 | 0.7 | 416,386 | 1.1 | 1.0 | 0.7 |
| 13 Female Reproductive System | 497 | 6.4 | 4.6 | 3.6 | 3,159,480 | 8.5 | 4.8 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 2,025 | 26.1 | 23.2 | 22.3 | 5,758,391 | 15.4 | 12.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 1,958 | 25.2 | 22.6 | 21.4 | 3,456,219 | 9.3 | 6.5 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 27 | 0.3 | 0.4 | 0.5 | 231,635 | 0.6 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 9 | 0.1 | 0.4 | 0.7 | 81,484 | 0.2 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 68 | 0.9 | 1.1 | 1.2 | 385,360 | 1.0 | 2.0 | 2.0 |
| 19 Mental Diseases and Disorders | 237 | 3.1 | 2.0 | 2.1 | 1,872,166 | 5.0 | 2.1 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 22 | 0.3 | 1.1 | 0.6 | 156,948 | 0.4 | 0.7 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 85 | 1.1 | 1.1 | 1.1 | 447,344 | 1.2 | 1.2 | 1.1 |
| 22 Burns | 1 | 0.0 | 0.0 | 0.1 | 2,679 | 0.0 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 4 | 0.1 | 0.5 | 1.0 | 4,764 | 0.0 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 2 | 0.0 | 0.1 | 0.3 | 27,493 | 0.1 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 2 | 0.0 | 0.0 | 0.1 | 119 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

COTTONWOOD HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 IHC, Inc.

COUNTY: Salt Lake BED SIZE: 213
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 14,735 | 100.0 | 100.0 | 100.0 | 75,851,650 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 3,508 | 23.8 | 22.3 | 21.0 | 4,554,133 | 6.0 | 6.1 | 7.9 |
| Obstetric (MDC 14) | 3,637 | 24.7 | 23.2 | 22.2 | 12,766,840 | 16.8 | 12.9 | 9.9 |
| Pediatric Medical (Age 0-17) | 311 | 2.1 | 3.3 | 3.4 | 1,026,053 | 1.4 | 2.3 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 158 | 1.1 | 0.9 | 1.0 | 593,411 | 0.8 | 1.0 | 1.3 |
| Other Medical | 3,901 | 26.5 | 29.1 | 26.4 | 28,111,404 | 37.1 | 36.2 | 24.8 |
| Other Surgery/Procedure | 2,454 | 16.7 | 16.5 | 20.9 | 22,731,672 | 30.0 | 34.9 | 46.6 |
| Psychiatric (MDC 19) | 20 | 0.1 | 2.0 | 2.1 | 96,058 | 0.1 | 2.1 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.3 | 0.7 | . | . | 0.7 | 2.0 |
| Others | 746 | 5.1 | 2.4 | 2.2 | 5,972,078 | 7.9 | 3.8 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 551 | 3.7 | 3.4 | 3.8 | 4,267,814 | 5.6 | 5.0 | 5.7 |
| 2 Eye | 14 | 0.1 | 0.1 | 0.1 | 76,042 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 70 | 0.5 | 0.6 | 0.9 | 414,714 | 0.5 | 0.7 | 0.8 |
| 4 Respiratory System | 857 | 5.8 | 6.8 | 6.5 | 8,804,598 | 11.6 | 10.7 | 8.1 |
| 5 Circulatory System | 1,197 | 8.1 | 9.1 | 10.2 | 10,353,137 | 13.6 | 16.0 | 20.2 |
| 6 Digestive System | 1,048 | 7.1 | 6.7 | 6.7 | 6,766,785 | 8.9 | 9.9 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 311 | 2.1 | 2.1 | 2.2 | 2,368,526 | 3.1 | 3.6 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 1,387 | 9.4 | 8.5 | 8.4 | 11,924,168 | 15.7 | 15.2 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 150 | 1.0 | 1.1 | 1.3 | 888,346 | 1.2 | 1.2 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 275 | 1.9 | 1.9 | 2.2 | 1,501,016 | 2.0 | 1.7 | 1.9 |
| 11 Kidney & Urinary Tract | 303 | 2.1 | 1.9 | 2.1 | 2,089,991 | 2.8 | 2.2 | 2.6 |
| 12 Male Reproductive System | 127 | 0.9 | 0.8 | 0.7 | 831,389 | 1.1 | 1.0 | 0.7 |
| 13 Female Reproductive System | 715 | 4.9 | 4.6 | 3.6 | 3,726,921 | 4.9 | 4.8 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 3,639 | 24.7 | 23.2 | 22.3 | 12,775,750 | 16.8 | 12.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 3,553 | 24.1 | 22.6 | 21.4 | 4,695,879 | 6.2 | 6.5 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 67 | 0.5 | 0.4 | 0.5 | 503,645 | 0.7 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 73 | 0.5 | 0.4 | 0.7 | 1,019,420 | 1.3 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 154 | 1.0 | 1.1 | 1.2 | 1,570,714 | 2.1 | 2.0 | 2.0 |
| 19 Mental Diseases and Disorders | 20 | 0.1 | 2.0 | 2.1 | 96,058 | 0.1 | 2.1 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 21 | 0.1 | 1.1 | 0.6 | 106,345 | 0.1 | 0.7 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 176 | 1.2 | 1.1 | 1.1 | 920,721 | 1.2 | 1.2 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 17 | 0.1 | 0.5 | 1.0 | 47,904 | 0.1 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 8 | 0.1 | 0.1 | 0.3 | 81,478 | 0.1 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 2 | 0.0 | 0.0 | 0.1 | 20,290 | 0.0 | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care

COUNTY: Salt Lake BED SIZE: 139
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 3,027 | 100.0 | 100.0 | 100.0 | 18,516,784 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 486 | 16.1 | 22.3 | 21.0 | 354,662 | 1.9 | 6.1 | 7.9 |
| Obstetric (MDC 14) | 510 | 16.8 | 23.2 | 22.2 | 1,462,116 | 7.9 | 12.9 | 9.9 |
| Pediatric Medical (Age 0-17) | 104 | 3.4 | 3.3 | 3.4 | 343,768 | 1.9 | 2.3 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 25 | 0.8 | 0.9 | 1.0 | 226,357 | 1.2 | 1.0 | 1.3 |
| Other Medical | 1,326 | 43.8 | 29.1 | 26.4 | 9,188,601 | 49.6 | 36.2 | 24.8 |
| Other Surgery/Procedure | 479 | 15.8 | 16.5 | 20.9 | 6,375,975 | 34.4 | 34.9 | 46.6 |
| Psychiatric (MDC 19) | 3 | 0.1 | 2.0 | 2.1 | 14,241 | 0.1 | 2.1 | 2.0 |
| Rehabilitation (DRG 462) | 78 | 2.6 | 0.3 | 0.7 | 413,113 | 2.2 | 0.7 | 2.0 |
| Others | 16 | 0.5 | 2.4 | 2.2 | 137,951 | 0.7 | 3.8 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 90 | 3.0 | 3.4 | 3.8 | 629,346 | 3.4 | 5.0 | 5.7 |
| 2 Eye | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 26 | 0.9 | 0.6 | 0.9 | 213,360 | 1.2 | 0.7 | 0.8 |
| 4 Respiratory System | 364 | 12.0 | 6.8 | 6.5 | 2,785,954 | 15.0 | 10.7 | 8.1 |
| 5 Circulatory System | 428 | 14.1 | 9.1 | 10.2 | 3,340,889 | 18.0 | 16.0 | 20.2 |
| 6 Digestive System | 279 | 9.2 | 6.7 | 6.7 | 2,761,651 | 14.9 | 9.9 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 100 | 3.3 | 2.1 | 2.2 | 1,122,115 | 6.1 | 3.6 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 248 | 8.2 | 8.5 | 8.4 | 2,661,811 | 14.4 | 15.2 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 46 | 1.5 | 1.1 | 1.3 | 255,104 | 1.4 | 1.2 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 61 | 2.0 | 1.9 | 2.2 | 308,606 | 1.7 | 1.7 | 1.9 |
| 11 Kidney & Urinary Tract | 61 | 2.0 | 1.9 | 2.1 | 326,320 | 1.8 | 2.2 | 2.6 |
| 12 Male Reproductive System | 6 | 0.2 | 0.8 | 0.7 | 33,900 | 0.2 | 1.0 | 0.7 |
| 13 Female Reproductive System | 98 | 3.2 | 4.6 | 3.6 | 602,313 | 3.3 | 4.8 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 511 | 16.9 | 23.2 | 22.3 | 1,462,116 | 7.9 | 12.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 490 | 16.2 | 22.6 | 21.4 | 360,022 | 1.9 | 6.5 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 19 | 0.6 | 0.4 | 0.5 | 153,418 | 0.8 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 1 | 0.0 | 0.4 | 0.7 | 3,651 | 0.0 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 42 | 1.4 | 1.1 | 1.2 | 465,439 | 2.5 | 2.0 | 2.0 |
| 19 Mental Diseases and Disorders | 3 | 0.1 | 2.0 | 2.1 | 14,241 | 0.1 | 2.1 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 7 | 0.2 | 1.1 | 0.6 | 39,856 | 0.2 | 0.7 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 58 | 1.9 | 1.1 | 1.1 | 473,194 | 2.6 | 1.2 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 83 | 2.7 | 0.5 | 1.0 | 453,195 | 2.4 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 5 | 0.2 | 0.1 | 0.3 | 49,757 | 0.3 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 526 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Utah BED SIZE: 126
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 5,103 | 100.0 | 100.0 | 100.0 | 35,267,074 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 1,141 | 22.4 | 22.3 | 21.0 | 1,645,716 | 4.7 | 6.1 | 7.9 |
| Obstetric (MDC 14) | 1,204 | 23.6 | 23.2 | 22.2 | 4,097,231 | 11.6 | 12.9 | 9.9 |
| Pediatric Medical (Age 0-17) | 247 | 4.8 | 3.3 | 3.4 | 1,183,242 | 3.4 | 2.3 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 34 | 0.7 | 0.9 | 1.0 | 310,347 | 0.9 | 1.0 | 1.3 |
| Other Medical | 1,401 | 27.5 | 29.1 | 26.4 | 12,557,272 | 35.6 | 36.2 | 24.8 |
| Other Surgery/Procedure | 720 | 14.1 | 16.5 | 20.9 | 12,005,290 | 34.0 | 34.9 | 46.6 |
| Psychiatric (MDC 19) | 202 | 4.0 | 2.0 | 2.1 | 1,025,572 | 2.9 | 2.1 | 2.0 |
| Rehabilitation (DRG 462) | 70 | 1.4 | 0.3 | 0.7 | 1,454,639 | 4.1 | 0.7 | 2.0 |
| Others | 84 | 1.6 | 2.4 | 2.2 | 987,765 | 2.8 | 3.8 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 178 | 3.5 | 3.4 | 3.8 | 1,735,300 | 4.9 | 5.0 | 5.7 |
| 2 Eye | 2 | 0.0 | 0.1 | 0.1 | 5,625 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 34 | 0.7 | 0.6 | 0.9 | 281,664 | 0.8 | 0.7 | 0.8 |
| 4 Respiratory System | 346 | 6.8 | 6.8 | 6.5 | 3,818,264 | 10.8 | 10.7 | 8.1 |
| 5 Circulatory System | 352 | 6.9 | 9.1 | 10.2 | 3,226,638 | 9.1 | 16.0 | 20.2 |
| 6 Digestive System | 266 | 5.2 | 6.7 | 6.7 | 3,850,617 | 10.9 | 9.9 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 96 | 1.9 | 2.1 | 2.2 | 1,393,901 | 4.0 | 3.6 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 507 | 9.9 | 8.5 | 8.4 | 6,983,562 | 19.8 | 15.2 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 37 | 0.7 | 1.1 | 1.3 | 310,424 | 0.9 | 1.2 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 82 | 1.6 | 1.9 | 2.2 | 479,804 | 1.4 | 1.7 | 1.9 |
| 11 Kidney & Urinary Tract | 100 | 2.0 | 1.9 | 2.1 | 791,425 | 2.2 | 2.2 | 2.6 |
| 12 Male Reproductive System | 57 | 1.1 | 0.8 | 0.7 | 587,815 | 1.7 | 1.0 | 0.7 |
| 13 Female Reproductive System | 144 | 2.8 | 4.6 | 3.6 | 968,255 | 2.7 | 4.8 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 1,204 | 23.6 | 23.2 | 22.3 | 4,097,231 | 11.6 | 12.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 1,164 | 22.8 | 22.6 | 21.4 | 1,766,087 | 5.0 | 6.5 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 16 | 0.3 | 0.4 | 0.5 | 128,770 | 0.4 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 5 | 0.1 | 0.4 | 0.7 | 54,271 | 0.2 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 83 | 1.6 | 1.1 | 1.2 | 1,269,564 | 3.6 | 2.0 | 2.0 |
| 19 Mental Diseases and Disorders | 202 | 4.0 | 2.0 | 2.1 | 1,025,572 | 2.9 | 2.1 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 62 | 1.2 | 1.1 | 0.6 | 243,420 | 0.7 | 0.7 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 34 | 0.7 | 1.1 | 1.1 | 257,431 | 0.7 | 1.2 | 1.1 |
| 22 Burns | 4 | 0.1 | 0.0 | 0.1 | 39,052 | 0.1 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 109 | 2.1 | 0.5 | 1.0 | 1,647,245 | 4.7 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 19 | 0.4 | 0.1 | 0.3 | 305,137 | 0.9 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Weber BED SIZE: 227
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 8,313 | 100.0 | 100.0 | 100.0 | 53,016,075 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 1,834 | 22.1 | 22.3 | 21.0 | 4,420,921 | 8.3 | 6.1 | 7.9 |
| Obstetric (MDC 14) | 1,910 | 23.0 | 23.2 | 22.2 | 5,515,175 | 10.4 | 12.9 | 9.9 |
| Pediatric Medical (Age 0-17) | 375 | 4.5 | 3.3 | 3.4 | 1,968,646 | 3.7 | 2.3 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 55 | 0.7 | 0.9 | 1.0 | 548,041 | 1.0 | 1.0 | 1.3 |
| Other Medical | 2,505 | 30.1 | 29.1 | 26.4 | 16,502,701 | 31.1 | 36.2 | 24.8 |
| Other Surgery/Procedure | 1,385 | 16.7 | 16.5 | 20.9 | 22,097,533 | 41.7 | 34.9 | 46.6 |
| Psychiatric (MDC 19) | 113 | 1.4 | 2.0 | 2.1 | 335,295 | 0.6 | 2.1 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.3 | 0.7 | . | . | 0.7 | 2.0 |
| Others | 136 | 1.6 | 2.4 | 2.2 | 1,627,763 | 3.1 | 3.8 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 333 | 4.0 | 3.4 | 3.8 | 3,432,014 | 6.5 | 5.0 | 5.7 |
| 2 Eye | 6 | 0.1 | 0.1 | 0.1 | 29,046 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 62 | 0.7 | 0.6 | 0.9 | 517,193 | 1.0 | 0.7 | 0.8 |
| 4 Respiratory System | 584 | 7.0 | 6.8 | 6.5 | 4,887,986 | 9.2 | 10.7 | 8.1 |
| 5 Circulatory System | 887 | 10.7 | 9.1 | 10.2 | 12,633,220 | 23.8 | 16.0 | 20.2 |
| 6 Digestive System | 462 | 5.6 | 6.7 | 6.7 | 4,477,047 | 8.4 | 9.9 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 143 | 1.7 | 2.1 | 2.2 | 1,616,973 | 3.0 | 3.6 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 641 | 7.7 | 8.5 | 8.4 | 6,777,856 | 12.8 | 15.2 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 98 | 1.2 | 1.1 | 1.3 | 609,655 | 1.1 | 1.2 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 151 | 1.8 | 1.9 | 2.2 | 757,658 | 1.4 | 1.7 | 1.9 |
| 11 Kidney & Urinary Tract | 142 | 1.7 | 1.9 | 2.1 | 1,092,364 | 2.1 | 2.2 | 2.6 |
| 12 Male Reproductive System | 26 | 0.3 | 0.8 | 0.7 | 184,555 | 0.3 | 1.0 | 0.7 |
| 13 Female Reproductive System | 299 | 3.6 | 4.6 | 3.6 | 1,782,667 | 3.4 | 4.8 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 1,912 | 23.0 | 23.2 | 22.3 | 5,527,816 | 10.4 | 12.9 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 1,868 | 22.5 | 22.6 | 21.4 | 4,915,458 | 9.3 | 6.5 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 10 | 0.1 | 0.4 | 0.5 | 85,436 | 0.2 | 0.5 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 73 | 0.9 | 0.4 | 0.7 | 679,498 | 1.3 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 88 | 1.1 | 1.1 | 1.2 | 698,499 | 1.3 | 2.0 | 2.0 |
| 19 Mental Diseases and Disorders | 113 | 1.4 | 2.0 | 2.1 | 335,295 | 0.6 | 2.1 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 326 | 3.9 | 1.1 | 0.6 | 1,063,167 | 2.0 | 0.7 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 59 | 0.7 | 1.1 | 1.1 | 417,275 | 0.8 | 1.2 | 1.1 |
| 22 Burns | 2 | 0.0 | 0.0 | 0.1 | 4,651 | 0.0 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 2 | 0.0 | 0.5 | 1.0 | 3,389 | 0.0 | 0.9 | 2.3 |
| 24 Multiple Significant Trauma | 24 | 0.3 | 0.1 | 0.3 | 477,422 | 0.9 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 2 | 0.0 | 0.0 | 0.1 | 9,935 | 0.0 | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

JORDAN VALLEY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 Paracelsus Health Care

COUNTY: Salt Lake BED SIZE: 50
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 4,376 | 100.0 | 100.0 | 100.0 | 8,630,575 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 1,446 | 33.0 | 32.9 | 21.0 | 956,559 | 11.1 | 9.8 | 7.9 |
| Obstetric (MDC 14) | 1,554 | 35.5 | 34.2 | 22.2 | 2,623,194 | 30.4 | 29.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 173 | 4.0 | 2.7 | 3.4 | 176,672 | 2.0 | 2.2 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 18 | 0.4 | 0.8 | 1.0 | 74,835 | 0.9 | 1.2 | 1.3 |
| Other Medical | 882 | 20.2 | 18.3 | 26.4 | 2,724,755 | 31.6 | 27.9 | 24.8 |
| Other Surgery/Procedure | 292 | 6.7 | 10.4 | 20.9 | 2,038,694 | 23.6 | 28.1 | 46.6 |
| Psychiatric (MDC 19) | 4 | 0.1 | 0.1 | 2.1 | 20,161 | 0.2 | 0.2 | 2.0 |
| Rehabilitation (DRG 462) | . | . | . | 0.7 | . | . | . | 2.0 |
| Others | 7 | 0.2 | 0.5 | 2.2 | 15,704 | 0.2 | 1.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 64 | 1.5 | 1.8 | 3.8 | 254,309 | 2.9 | 3.1 | 5.7 |
| 2 Eye | 3 | 0.1 | 0.0 | 0.1 | 0 | 0.0 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 35 | 0.8 | 0.8 | 0.9 | 115,314 | 1.3 | 1.0 | 0.8 |
| 4 Respiratory System | 250 | 5.7 | 5.1 | 6.5 | 620,835 | 7.2 | 10.2 | 8.1 |
| 5 Circulatory System | 129 | 2.9 | 4.3 | 10.2 | 540,331 | 6.3 | 6.5 | 20.2 |
| 6 Digestive System | 257 | 5.9 | 5.2 | 6.7 | 818,455 | 9.5 | 9.7 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 89 | 2.0 | 1.4 | 2.2 | 608,961 | 7.1 | 3.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 114 | 2.6 | 4.3 | 8.4 | 706,544 | 8.2 | 12.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 22 | 0.5 | 0.7 | 1.3 | 58,788 | 0.7 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 48 | 1.1 | 1.3 | 2.2 | 159,954 | 1.9 | 1.5 | 1.9 |
| 11 Kidney & Urinary Tract | 60 | 1.4 | 1.5 | 2.1 | 209,932 | 2.4 | 2.3 | 2.6 |
| 12 Male Reproductive System | 5 | 0.1 | 0.3 | 0.7 | 12,104 | 0.1 | 0.7 | 0.7 |
| 13 Female Reproductive System | 185 | 4.2 | 3.7 | 3.6 | 660,671 | 7.7 | 5.5 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 1,554 | 35.5 | 34.2 | 22.3 | 2,623,194 | 30.4 | 29.3 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 1,467 | 33.5 | 33.1 | 21.4 | 976,199 | 11.3 | 9.9 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 10 | 0.2 | 0.3 | 0.5 | 35,514 | 0.4 | 0.7 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 2 | 0.0 | 0.1 | 0.7 | 0 | 0.0 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 27 | 0.6 | 0.7 | 1.2 | 74,367 | 0.9 | 1.2 | 2.0 |
| 19 Mental Diseases and Disorders | 4 | 0.1 | 0.1 | 2.1 | 20,161 | 0.2 | 0.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 3 | 0.1 | 0.1 | 0.6 | 10,665 | 0.1 | 0.1 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 34 | 0.8 | 0.7 | 1.1 | 100,240 | 1.2 | 0.8 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 4 | 0.1 | 0.1 | 1.0 | 5,279 | 0.1 | 0.1 | 2.3 |
| 24 Multiple Significant Trauma | 5 | 0.1 | 0.1 | 0.3 | 0 | 0.0 | 0.2 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 2 | 0.0 | 0.0 | 0.1 | 14,748 | 0.2 | 0.0 | 0.1 |
| Unknown | 3 | 0.1 | 0.0 | 0.1 | 4,011 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Salt Lake BED SIZE: 70
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 6,636 | 100.0 | 100.0 | 100.0 | 26,448,051 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 1,864 | 28.1 | 32.9 | 21.0 | 2,038,701 | 7.7 | 9.8 | 7.9 |
| Obstetric (MDC 14) | 1,922 | 29.0 | 34.2 | 22.2 | 6,123,330 | 23.2 | 29.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 32 | 0.5 | 2.7 | 3.4 | 106,356 | 0.4 | 2.2 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 98 | 1.5 | 0.8 | 1.0 | 381,157 | 1.4 | 1.2 | 1.3 |
| Other Medical | 1,620 | 24.4 | 18.3 | 26.4 | 9,056,554 | 34.2 | 27.9 | 24.8 |
| Other Surgery/Procedure | 1,065 | 16.0 | 10.4 | 20.9 | 8,553,220 | 32.3 | 28.1 | 46.6 |
| Psychiatric (MDC 19) | 11 | 0.2 | 0.1 | 2.1 | 43,548 | 0.2 | 0.2 | 2.0 |
| Rehabilitation (DRG 462) | . | . | . | 0.7 | . | . | . | 2.0 |
| Others | 24 | 0.4 | 0.5 | 2.2 | 145,186 | 0.5 | 1.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 149 | 2.2 | 1.8 | 3.8 | 902,457 | 3.4 | 3.1 | 5.7 |
| 2 Eye | 2 | 0.0 | 0.0 | 0.1 | 7,483 | 0.0 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 101 | 1.5 | 0.8 | 0.9 | 470,273 | 1.8 | 1.0 | 0.8 |
| 4 Respiratory System | 322 | 4.9 | 5.1 | 6.5 | 3,162,810 | 12.0 | 10.2 | 8.1 |
| 5 Circulatory System | 466 | 7.0 | 4.3 | 10.2 | 2,224,567 | 8.4 | 6.5 | 20.2 |
| 6 Digestive System | 475 | 7.2 | 5.2 | 6.7 | 3,050,246 | 11.5 | 9.7 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 149 | 2.2 | 1.4 | 2.2 | 1,203,045 | 4.5 | 3.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 356 | 5.4 | 4.3 | 8.4 | 2,973,186 | 11.2 | 12.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 71 | 1.1 | 0.7 | 1.3 | 382,833 | 1.4 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 110 | 1.7 | 1.3 | 2.2 | 462,031 | 1.7 | 1.5 | 1.9 |
| 11 Kidney & Urinary Tract | 122 | 1.8 | 1.5 | 2.1 | 711,089 | 2.7 | 2.3 | 2.6 |
| 12 Male Reproductive System | 22 | 0.3 | 0.3 | 0.7 | 166,535 | 0.6 | 0.7 | 0.7 |
| 13 Female Reproductive System | 329 | 5.0 | 3.7 | 3.6 | 1,657,125 | 6.3 | 5.5 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 1,923 | 29.0 | 34.2 | 22.3 | 6,125,777 | 23.2 | 29.3 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 1,869 | 28.2 | 33.1 | 21.4 | 2,060,682 | 7.8 | 9.9 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 23 | 0.3 | 0.3 | 0.5 | 123,233 | 0.5 | 0.7 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 8 | 0.1 | 0.1 | 0.7 | 39,851 | 0.2 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 41 | 0.6 | 0.7 | 1.2 | 275,921 | 1.0 | 1.2 | 2.0 |
| 19 Mental Diseases and Disorders | 11 | 0.2 | 0.1 | 2.1 | 43,548 | 0.2 | 0.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 7 | 0.1 | 0.1 | 0.6 | 29,187 | 0.1 | 0.1 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 65 | 1.0 | 0.7 | 1.1 | 237,334 | 0.9 | 0.8 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 3 | 0.0 | 0.1 | 1.0 | 18,756 | 0.1 | 0.1 | 2.3 |
| 24 Multiple Significant Trauma | 11 | 0.2 | 0.1 | 0.3 | 97,784 | 0.4 | 0.2 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | 0.1 | 22,300 | 0.1 | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Utah BED SIZE: 20
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 3,039 | 100.0 | 100.0 | 100.0 | 7,169,697 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 1,395 | 45.9 | 32.9 | 21.0 | 1,466,554 | 20.5 | 9.8 | 7.9 |
| Obstetric (MDC 14) | 1,446 | 47.6 | 34.2 | 22.2 | 4,723,211 | 65.9 | 29.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 6 | 0.2 | 2.7 | 3.4 | 13,331 | 0.2 | 2.2 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 9 | 0.3 | 0.8 | 1.0 | 38,360 | 0.5 | 1.2 | 1.3 |
| Other Medical | 80 | 2.6 | 18.3 | 26.4 | 345,260 | 4.8 | 27.9 | 24.8 |
| Other Surgery/Procedure | 98 | 3.2 | 10.4 | 20.9 | 550,447 | 7.7 | 28.1 | 46.6 |
| Psychiatric (MDC 19) | . | . | 0.1 | 2.1 | . | . | 0.2 | 2.0 |
| Rehabilitation (DRG 462) | . | . | . | 0.7 | . | . | . | 2.0 |
| Others | 5 | 0.2 | 0.5 | 2.2 | 32,535 | 0.5 | 1.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 17 | 0.6 | 1.8 | 3.8 | 126,364 | 1.8 | 3.1 | 5.7 |
| 2 Eye | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 3 | 0.1 | 0.8 | 0.9 | 7,849 | 0.1 | 1.0 | 0.8 |
| 4 Respiratory System | 15 | 0.5 | 5.1 | 6.5 | 69,147 | 1.0 | 10.2 | 8.1 |
| 5 Circulatory System | 10 | 0.3 | 4.3 | 10.2 | 45,301 | 0.6 | 6.5 | 20.2 |
| 6 Digestive System | 23 | 0.8 | 5.2 | 6.7 | 101,358 | 1.4 | 9.7 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 3 | 0.1 | 1.4 | 2.2 | 9,846 | 0.1 | 3.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 31 | 1.0 | 4.3 | 8.4 | 200,941 | 2.8 | 12.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 4 | 0.1 | 0.7 | 1.3 | 18,220 | 0.3 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 11 | 0.4 | 1.3 | 2.2 | 34,515 | 0.5 | 1.5 | 1.9 |
| 11 Kidney & Urinary Tract | 9 | 0.3 | 1.5 | 2.1 | 19,382 | 0.3 | 2.3 | 2.6 |
| 12 Male Reproductive System | . | . | 0.3 | 0.7 | . | . | 0.7 | 0.7 |
| 13 Female Reproductive System | 56 | 1.8 | 3.7 | 3.6 | 291,728 | 4.1 | 5.5 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 1,447 | 47.6 | 34.2 | 22.3 | 4,726,253 | 65.9 | 29.3 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 1,395 | 45.9 | 33.1 | 21.4 | 1,466,554 | 20.5 | 9.9 | 8.7 |
| 16 Blood and Blood-Forming Disorders | . | . | 0.3 | 0.5 | . | . | 0.7 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 1 | 0.0 | 0.1 | 0.7 | 1,084 | 0.0 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 4 | 0.1 | 0.7 | 1.2 | 13,881 | 0.2 | 1.2 | 2.0 |
| 19 Mental Diseases and Disorders | . | . | 0.1 | 2.1 | . | . | 0.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 0.1 | 0.6 | . | . | 0.1 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 4 | 0.1 | 0.7 | 1.1 | 13,588 | 0.2 | 0.8 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 6 | 0.2 | 0.1 | 1.0 | 23,687 | 0.3 | 0.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.2 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Utah BED SIZE: 72
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 6,960 | 100.0 | 100.0 | 100.0 | 20,879,984 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 2,319 | 33.3 | 32.9 | 21.0 | 2,343,780 | 11.2 | 9.8 | 7.9 |
| Obstetric (MDC 14) | 2,384 | 34.3 | 34.2 | 22.2 | 6,558,018 | 31.4 | 29.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 323 | 4.6 | 2.7 | 3.4 | 1,010,798 | 4.8 | 2.2 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 46 | 0.7 | 0.8 | 1.0 | 235,445 | 1.1 | 1.2 | 1.3 |
| Other Medical | 1,231 | 17.7 | 18.3 | 26.4 | 5,788,949 | 27.7 | 27.9 | 24.8 |
| Other Surgery/Procedure | 645 | 9.3 | 10.4 | 20.9 | 4,883,293 | 23.4 | 28.1 | 46.6 |
| Psychiatric (MDC 19) | 9 | 0.1 | 0.1 | 2.1 | 45,304 | 0.2 | 0.2 | 2.0 |
| Rehabilitation (DRG 462) | . | . | . | 0.7 | . | . | . | 2.0 |
| Others | 3 | 0.0 | 0.5 | 2.2 | 14,397 | 0.1 | 1.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 142 | 2.0 | 1.8 | 3.8 | 619,600 | 3.0 | 3.1 | 5.7 |
| 2 Eye | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 23 | 0.3 | 0.8 | 0.9 | 63,991 | 0.3 | 1.0 | 0.8 |
| 4 Respiratory System | 480 | 6.9 | 5.1 | 6.5 | 2,606,164 | 12.5 | 10.2 | 8.1 |
| 5 Circulatory System | 253 | 3.6 | 4.3 | 10.2 | 1,034,901 | 5.0 | 6.5 | 20.2 |
| 6 Digestive System | 332 | 4.8 | 5.2 | 6.7 | 1,854,110 | 8.9 | 9.7 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 63 | 0.9 | 1.4 | 2.2 | 380,644 | 1.8 | 3.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 275 | 4.0 | 4.3 | 8.4 | 2,331,005 | 11.2 | 12.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 46 | 0.7 | 0.7 | 1.3 | 196,902 | 0.9 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 89 | 1.3 | 1.3 | 2.2 | 296,336 | 1.4 | 1.5 | 1.9 |
| 11 Kidney & Urinary Tract | 114 | 1.6 | 1.5 | 2.1 | 516,152 | 2.5 | 2.3 | 2.6 |
| 12 Male Reproductive System | 32 | 0.5 | 0.3 | 0.7 | 161,842 | 0.8 | 0.7 | 0.7 |
| 13 Female Reproductive System | 208 | 3.0 | 3.7 | 3.6 | 973,247 | 4.7 | 5.5 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 2,385 | 34.3 | 34.2 | 22.3 | 6,560,621 | 31.4 | 29.3 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 2,331 | 33.5 | 33.1 | 21.4 | 2,376,655 | 11.4 | 9.9 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 27 | 0.4 | 0.3 | 0.5 | 149,775 | 0.7 | 0.7 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 11 | 0.2 | 0.1 | 0.7 | 63,294 | 0.3 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 77 | 1.1 | 0.7 | 1.2 | 413,130 | 2.0 | 1.2 | 2.0 |
| 19 Mental Diseases and Disorders | 9 | 0.1 | 0.1 | 2.1 | 45,304 | 0.2 | 0.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 7 | 0.1 | 0.1 | 0.6 | 12,596 | 0.1 | 0.1 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 37 | 0.5 | 0.7 | 1.1 | 140,091 | 0.7 | 0.8 | 1.1 |
| 22 Burns | 3 | 0.0 | 0.0 | 0.1 | 5,583 | 0.0 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 8 | 0.1 | 0.1 | 1.0 | 16,847 | 0.1 | 0.1 | 2.3 |
| 24 Multiple Significant Trauma | 8 | 0.1 | 0.1 | 0.3 | 61,190 | 0.3 | 0.2 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

TIMPANOGOS REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=5)
 Columbia Healthcare, Inc.

COUNTY: Utah BED SIZE: 47
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 2,629 | 100.0 | 100.0 | 100.0 | 15,536,639 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 744 | 28.3 | 32.9 | 21.0 | 921,343 | 5.9 | 9.8 | 7.9 |
| Obstetric (MDC 14) | 786 | 29.9 | 34.2 | 22.2 | 2,978,612 | 19.2 | 29.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 106 | 4.0 | 2.7 | 3.4 | 426,281 | 2.7 | 2.2 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 24 | 0.9 | 0.8 | 1.0 | 179,174 | 1.2 | 1.2 | 1.3 |
| Other Medical | 506 | 19.2 | 18.3 | 26.4 | 4,009,920 | 25.8 | 27.9 | 24.8 |
| Other Surgery/Procedure | 367 | 14.0 | 10.4 | 20.9 | 6,057,159 | 39.0 | 28.1 | 46.6 |
| Psychiatric (MDC 19) | 6 | 0.2 | 0.1 | 2.1 | 34,908 | 0.2 | 0.2 | 2.0 |
| Rehabilitation (DRG 462) | . | . | . | 0.7 | . | . | . | 2.0 |
| Others | 90 | 3.4 | 0.5 | 2.2 | 929,242 | 6.0 | 1.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 59 | 2.2 | 1.8 | 3.8 | 560,469 | 3.6 | 3.1 | 5.7 |
| 2 Eye | 6 | 0.2 | 0.0 | 0.1 | 18,996 | 0.1 | 0.0 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 20 | 0.8 | 0.8 | 0.9 | 155,670 | 1.0 | 1.0 | 0.8 |
| 4 Respiratory System | 142 | 5.4 | 5.1 | 6.5 | 1,599,276 | 10.3 | 10.2 | 8.1 |
| 5 Circulatory System | 153 | 5.8 | 4.3 | 10.2 | 1,262,527 | 8.1 | 6.5 | 20.2 |
| 6 Digestive System | 141 | 5.4 | 5.2 | 6.7 | 1,793,432 | 11.5 | 9.7 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 37 | 1.4 | 1.4 | 2.2 | 569,149 | 3.7 | 3.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 236 | 9.0 | 4.3 | 8.4 | 3,261,484 | 21.0 | 12.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 20 | 0.8 | 0.7 | 1.3 | 222,862 | 1.4 | 1.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 47 | 1.8 | 1.3 | 2.2 | 222,064 | 1.4 | 1.5 | 1.9 |
| 11 Kidney & Urinary Tract | 51 | 1.9 | 1.5 | 2.1 | 373,978 | 2.4 | 2.3 | 2.6 |
| 12 Male Reproductive System | 14 | 0.5 | 0.3 | 0.7 | 177,432 | 1.1 | 0.7 | 0.7 |
| 13 Female Reproductive System | 88 | 3.3 | 3.7 | 3.6 | 742,715 | 4.8 | 5.5 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 786 | 29.9 | 34.2 | 22.3 | 2,978,612 | 19.2 | 29.3 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 757 | 28.8 | 33.1 | 21.4 | 946,166 | 6.1 | 9.9 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 16 | 0.6 | 0.3 | 0.5 | 213,598 | 1.4 | 0.7 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 3 | 0.1 | 0.1 | 0.7 | 15,772 | 0.1 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 20 | 0.8 | 0.7 | 1.2 | 185,657 | 1.2 | 1.2 | 2.0 |
| 19 Mental Diseases and Disorders | 6 | 0.2 | 0.1 | 2.1 | 34,908 | 0.2 | 0.2 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.1 | 0.1 | 0.6 | 25,372 | 0.2 | 0.1 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 21 | 0.8 | 0.7 | 1.1 | 135,435 | 0.9 | 0.8 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 1 | 0.0 | 0.1 | 1.0 | 4,657 | 0.0 | 0.1 | 2.3 |
| 24 Multiple Significant Trauma | 3 | 0.1 | 0.1 | 0.3 | 36,408 | 0.2 | 0.2 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Box Elder BED SIZE: 49
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,888 | 100.0 | 100.0 | 100.0 | 7,587,875 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 517 | 27.4 | 21.4 | 21.0 | 414,124 | 5.5 | 6.2 | 7.9 |
| Obstetric (MDC 14) | 521 | 27.6 | 22.4 | 22.2 | 1,624,453 | 21.4 | 12.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 72 | 3.8 | 4.7 | 3.4 | 185,136 | 2.4 | 3.5 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 21 | 1.1 | 1.4 | 1.0 | 121,791 | 1.6 | 1.6 | 1.3 |
| Other Medical | 442 | 23.4 | 28.4 | 26.4 | 1,972,803 | 26.0 | 32.7 | 24.8 |
| Other Surgery/Procedure | 306 | 16.2 | 18.8 | 20.9 | 3,214,962 | 42.4 | 39.7 | 46.6 |
| Psychiatric (MDC 19) | . | . | 2.0 | 2.1 | . | . | 2.4 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.4 | 0.7 | . | . | 0.6 | 2.0 |
| Others | 9 | 0.5 | 0.6 | 2.2 | 54,606 | 0.7 | 1.0 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 54 | 2.9 | 2.8 | 3.8 | 212,132 | 2.8 | 3.5 | 5.7 |
| 2 Eye | 2 | 0.1 | 0.1 | 0.1 | 8,088 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 2 | 0.1 | 0.8 | 0.9 | 3,530 | 0.0 | 0.7 | 0.8 |
| 4 Respiratory System | 123 | 6.5 | 7.4 | 6.5 | 627,352 | 8.3 | 11.2 | 8.1 |
| 5 Circulatory System | 64 | 3.4 | 8.4 | 10.2 | 280,693 | 3.7 | 11.8 | 20.2 |
| 6 Digestive System | 147 | 7.8 | 8.7 | 6.7 | 1,026,711 | 13.5 | 13.4 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 50 | 2.6 | 2.8 | 2.2 | 345,340 | 4.6 | 4.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 124 | 6.6 | 7.5 | 8.4 | 1,447,177 | 19.1 | 15.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 20 | 1.1 | 1.6 | 1.3 | 109,835 | 1.4 | 1.7 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 48 | 2.5 | 2.3 | 2.2 | 178,045 | 2.3 | 2.1 | 1.9 |
| 11 Kidney & Urinary Tract | 27 | 1.4 | 2.0 | 2.1 | 127,825 | 1.7 | 2.1 | 2.6 |
| 12 Male Reproductive System | 7 | 0.4 | 0.7 | 0.7 | 39,667 | 0.5 | 0.8 | 0.7 |
| 13 Female Reproductive System | 77 | 4.1 | 3.9 | 3.6 | 624,417 | 8.2 | 4.7 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 522 | 27.6 | 22.4 | 22.3 | 1,627,296 | 21.4 | 12.2 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 523 | 27.7 | 21.8 | 21.4 | 426,368 | 5.6 | 6.6 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 3 | 0.2 | 0.5 | 0.5 | 9,508 | 0.1 | 0.6 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | 0.4 | 0.7 | . | . | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 29 | 1.5 | 1.6 | 1.2 | 144,107 | 1.9 | 2.4 | 2.0 |
| 19 Mental Diseases and Disorders | . | . | 2.0 | 2.1 | . | . | 2.4 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 1 | 0.1 | 0.3 | 0.6 | 4,038 | 0.1 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 32 | 1.7 | 1.2 | 1.1 | 165,688 | 2.2 | 1.2 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 30 | 1.6 | 0.6 | 1.0 | 128,369 | 1.7 | 0.8 | 2.3 |
| 24 Multiple Significant Trauma | 3 | 0.2 | 0.2 | 0.3 | 51,689 | 0.7 | 0.7 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Cache BED SIZE: 148
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 8,831 | 100.0 | 100.0 | 100.0 | 34,157,052 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 2,276 | 25.8 | 21.4 | 21.0 | 2,921,760 | 8.6 | 6.2 | 7.9 |
| Obstetric (MDC 14) | 2,336 | 26.5 | 22.4 | 22.2 | 6,390,714 | 18.7 | 12.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 472 | 5.3 | 4.7 | 3.4 | 1,632,670 | 4.8 | 3.5 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 122 | 1.4 | 1.4 | 1.0 | 540,062 | 1.6 | 1.6 | 1.3 |
| Other Medical | 2,030 | 23.0 | 28.4 | 26.4 | 10,262,147 | 30.0 | 32.7 | 24.8 |
| Other Surgery/Procedure | 1,297 | 14.7 | 18.8 | 20.9 | 10,475,314 | 30.7 | 39.7 | 46.6 |
| Psychiatric (MDC 19) | 263 | 3.0 | 2.0 | 2.1 | 1,671,025 | 4.9 | 2.4 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.4 | 0.7 | . | . | 0.6 | 2.0 |
| Others | 35 | 0.4 | 0.6 | 2.2 | 263,359 | 0.8 | 1.0 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 164 | 1.9 | 2.8 | 3.8 | 766,458 | 2.2 | 3.5 | 5.7 |
| 2 Eye | 8 | 0.1 | 0.1 | 0.1 | 35,918 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 100 | 1.1 | 0.8 | 0.9 | 370,266 | 1.1 | 0.7 | 0.8 |
| 4 Respiratory System | 518 | 5.9 | 7.4 | 6.5 | 2,623,627 | 7.7 | 11.2 | 8.1 |
| 5 Circulatory System | 599 | 6.8 | 8.4 | 10.2 | 3,873,398 | 11.3 | 11.8 | 20.2 |
| 6 Digestive System | 696 | 7.9 | 8.7 | 6.7 | 4,260,024 | 12.5 | 13.4 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 226 | 2.6 | 2.8 | 2.2 | 1,412,007 | 4.1 | 4.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 438 | 5.0 | 7.5 | 8.4 | 4,170,043 | 12.2 | 15.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 126 | 1.4 | 1.6 | 1.3 | 558,280 | 1.6 | 1.7 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 204 | 2.3 | 2.3 | 2.2 | 670,138 | 2.0 | 2.1 | 1.9 |
| 11 Kidney & Urinary Tract | 152 | 1.7 | 2.0 | 2.1 | 573,106 | 1.7 | 2.1 | 2.6 |
| 12 Male Reproductive System | 67 | 0.8 | 0.7 | 0.7 | 255,812 | 0.7 | 0.8 | 0.7 |
| 13 Female Reproductive System | 308 | 3.5 | 3.9 | 3.6 | 1,336,356 | 3.9 | 4.7 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 2,340 | 26.5 | 22.4 | 22.3 | 6,401,046 | 18.7 | 12.2 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 2,307 | 26.1 | 21.8 | 21.4 | 3,268,470 | 9.6 | 6.6 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 45 | 0.5 | 0.5 | 0.5 | 229,141 | 0.7 | 0.6 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 15 | 0.2 | 0.4 | 0.7 | 221,074 | 0.6 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 110 | 1.2 | 1.6 | 1.2 | 853,601 | 2.5 | 2.4 | 2.0 |
| 19 Mental Diseases and Disorders | 263 | 3.0 | 2.0 | 2.1 | 1,671,025 | 4.9 | 2.4 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 36 | 0.4 | 0.3 | 0.6 | 124,532 | 0.4 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 90 | 1.0 | 1.2 | 1.1 | 314,727 | 0.9 | 1.2 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 2 | 0.0 | 0.6 | 1.0 | 9,928 | 0.0 | 0.8 | 2.3 |
| 24 Multiple Significant Trauma | 14 | 0.2 | 0.2 | 0.3 | 146,768 | 0.4 | 0.7 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 3 | 0.0 | 0.0 | 0.1 | 11,308 | 0.0 | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Carbon BED SIZE: 74
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 2,627 | 100.0 | 100.0 | 100.0 | 17,862,854 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 418 | 15.9 | 21.4 | 21.0 | 897,693 | 5.0 | 6.2 | 7.9 |
| Obstetric (MDC 14) | 452 | 17.2 | 22.4 | 22.2 | 1,788,249 | 10.0 | 12.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 197 | 7.5 | 4.7 | 3.4 | 814,078 | 4.6 | 3.5 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 31 | 1.2 | 1.4 | 1.0 | 406,525 | 2.3 | 1.6 | 1.3 |
| Other Medical | 927 | 35.3 | 28.4 | 26.4 | 6,041,102 | 33.8 | 32.7 | 24.8 |
| Other Surgery/Procedure | 458 | 17.4 | 18.8 | 20.9 | 6,586,350 | 36.9 | 39.7 | 46.6 |
| Psychiatric (MDC 19) | 1 | 0.0 | 2.0 | 2.1 | 5,548 | 0.0 | 2.4 | 2.0 |
| Rehabilitation (DRG 462) | 113 | 4.3 | 0.4 | 0.7 | 876,164 | 4.9 | 0.6 | 2.0 |
| Others | 30 | 1.1 | 0.6 | 2.2 | 447,145 | 2.5 | 1.0 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 60 | 2.3 | 2.8 | 3.8 | 403,496 | 2.3 | 3.5 | 5.7 |
| 2 Eye | 2 | 0.1 | 0.1 | 0.1 | 13,163 | 0.1 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 26 | 1.0 | 0.8 | 0.9 | 127,211 | 0.7 | 0.7 | 0.8 |
| 4 Respiratory System | 291 | 11.1 | 7.4 | 6.5 | 2,023,791 | 11.3 | 11.2 | 8.1 |
| 5 Circulatory System | 245 | 9.3 | 8.4 | 10.2 | 1,599,516 | 9.0 | 11.8 | 20.2 |
| 6 Digestive System | 270 | 10.3 | 8.7 | 6.7 | 2,583,684 | 14.5 | 13.4 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 74 | 2.8 | 2.8 | 2.2 | 863,951 | 4.8 | 4.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 218 | 8.3 | 7.5 | 8.4 | 3,431,616 | 19.2 | 15.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 50 | 1.9 | 1.6 | 1.3 | 394,242 | 2.2 | 1.7 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 84 | 3.2 | 2.3 | 2.2 | 524,266 | 2.9 | 2.1 | 1.9 |
| 11 Kidney & Urinary Tract | 31 | 1.2 | 2.0 | 2.1 | 182,235 | 1.0 | 2.1 | 2.6 |
| 12 Male Reproductive System | 30 | 1.1 | 0.7 | 0.7 | 169,556 | 0.9 | 0.8 | 0.7 |
| 13 Female Reproductive System | 113 | 4.3 | 3.9 | 3.6 | 1,010,450 | 5.7 | 4.7 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 452 | 17.2 | 22.4 | 22.3 | 1,788,249 | 10.0 | 12.2 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 437 | 16.6 | 21.8 | 21.4 | 939,014 | 5.3 | 6.6 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 12 | 0.5 | 0.5 | 0.5 | 101,156 | 0.6 | 0.6 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 6 | 0.2 | 0.4 | 0.7 | 67,713 | 0.4 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 55 | 2.1 | 1.6 | 1.2 | 438,284 | 2.5 | 2.4 | 2.0 |
| 19 Mental Diseases and Disorders | 1 | 0.0 | 2.0 | 2.1 | 5,548 | 0.0 | 2.4 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 5 | 0.2 | 0.3 | 0.6 | 20,460 | 0.1 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 43 | 1.6 | 1.2 | 1.1 | 179,301 | 1.0 | 1.2 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 115 | 4.4 | 0.6 | 1.0 | 915,111 | 5.1 | 0.8 | 2.3 |
| 24 Multiple Significant Trauma | 7 | 0.3 | 0.2 | 0.3 | 80,841 | 0.5 | 0.7 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Iron BED SIZE: 48
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 2,408 | 100.0 | 100.0 | 100.0 | 9,410,045 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 694 | 28.8 | 21.4 | 21.0 | 714,248 | 7.6 | 6.2 | 7.9 |
| Obstetric (MDC 14) | 709 | 29.4 | 22.4 | 22.2 | 1,622,396 | 17.2 | 12.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 85 | 3.5 | 4.7 | 3.4 | 377,430 | 4.0 | 3.5 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 19 | 0.8 | 1.4 | 1.0 | 130,463 | 1.4 | 1.6 | 1.3 |
| Other Medical | 491 | 20.4 | 28.4 | 26.4 | 2,577,741 | 27.4 | 32.7 | 24.8 |
| Other Surgery/Procedure | 380 | 15.8 | 18.8 | 20.9 | 3,780,626 | 40.2 | 39.7 | 46.6 |
| Psychiatric (MDC 19) | 2 | 0.1 | 2.0 | 2.1 | 5,891 | 0.1 | 2.4 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.4 | 0.7 | . | . | 0.6 | 2.0 |
| Others | 28 | 1.2 | 0.6 | 2.2 | 201,250 | 2.1 | 1.0 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 40 | 1.7 | 2.8 | 3.8 | 185,284 | 2.0 | 3.5 | 5.7 |
| 2 Eye | 7 | 0.3 | 0.1 | 0.1 | 27,605 | 0.3 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 9 | 0.4 | 0.8 | 0.9 | 48,033 | 0.5 | 0.7 | 0.8 |
| 4 Respiratory System | 131 | 5.4 | 7.4 | 6.5 | 845,900 | 9.0 | 11.2 | 8.1 |
| 5 Circulatory System | 105 | 4.4 | 8.4 | 10.2 | 548,337 | 5.8 | 11.8 | 20.2 |
| 6 Digestive System | 174 | 7.2 | 8.7 | 6.7 | 1,384,389 | 14.7 | 13.4 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 59 | 2.5 | 2.8 | 2.2 | 492,689 | 5.2 | 4.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 212 | 8.8 | 7.5 | 8.4 | 2,069,220 | 22.0 | 15.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 27 | 1.1 | 1.6 | 1.3 | 150,554 | 1.6 | 1.7 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 30 | 1.2 | 2.3 | 2.2 | 154,241 | 1.6 | 2.1 | 1.9 |
| 11 Kidney & Urinary Tract | 55 | 2.3 | 2.0 | 2.1 | 265,021 | 2.8 | 2.1 | 2.6 |
| 12 Male Reproductive System | 6 | 0.2 | 0.7 | 0.7 | 33,868 | 0.4 | 0.8 | 0.7 |
| 13 Female Reproductive System | 81 | 3.4 | 3.9 | 3.6 | 432,663 | 4.6 | 4.7 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 710 | 29.5 | 22.4 | 22.3 | 1,624,388 | 17.3 | 12.2 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 699 | 29.0 | 21.8 | 21.4 | 719,830 | 7.6 | 6.6 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 10 | 0.4 | 0.5 | 0.5 | 93,353 | 1.0 | 0.6 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 1 | 0.0 | 0.4 | 0.7 | 14,815 | 0.2 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 14 | 0.6 | 1.6 | 1.2 | 65,258 | 0.7 | 2.4 | 2.0 |
| 19 Mental Diseases and Disorders | 2 | 0.1 | 2.0 | 2.1 | 5,891 | 0.1 | 2.4 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 7 | 0.3 | 0.3 | 0.6 | 22,492 | 0.2 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 23 | 1.0 | 1.2 | 1.1 | 164,868 | 1.8 | 1.2 | 1.1 |
| 22 Burns | 1 | 0.0 | 0.0 | 0.1 | 3,429 | 0.0 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | . | . | 0.6 | 1.0 | . | . | 0.8 | 2.3 |
| 24 Multiple Significant Trauma | 3 | 0.1 | 0.2 | 0.3 | 49,653 | 0.5 | 0.7 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | 0.0 | 0.1 | 6,695 | 0.1 | 0.0 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 1,571 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

ASHLEY VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Uintah BED SIZE: 39
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,715 | 100.0 | 100.0 | 100.0 | 7,654,494 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 285 | 16.6 | 21.4 | 21.0 | 195,089 | 2.5 | 6.2 | 7.9 |
| Obstetric (MDC 14) | 302 | 17.6 | 22.4 | 22.2 | 827,667 | 10.8 | 12.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 88 | 5.1 | 4.7 | 3.4 | 237,810 | 3.1 | 3.5 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 22 | 1.3 | 1.4 | 1.0 | 143,366 | 1.9 | 1.6 | 1.3 |
| Other Medical | 770 | 44.9 | 28.4 | 26.4 | 3,601,114 | 47.0 | 32.7 | 24.8 |
| Other Surgery/Procedure | 243 | 14.2 | 18.8 | 20.9 | 2,607,619 | 34.1 | 39.7 | 46.6 |
| Psychiatric (MDC 19) | 2 | 0.1 | 2.0 | 2.1 | 10,545 | 0.1 | 2.4 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.4 | 0.7 | . | . | 0.6 | 2.0 |
| Others | 3 | 0.2 | 0.6 | 2.2 | 31,284 | 0.4 | 1.0 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 26 | 1.5 | 2.8 | 3.8 | 112,605 | 1.5 | 3.5 | 5.7 |
| 2 Eye | 1 | 0.1 | 0.1 | 0.1 | 1,936 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 7 | 0.4 | 0.8 | 0.9 | 16,540 | 0.2 | 0.7 | 0.8 |
| 4 Respiratory System | 246 | 14.3 | 7.4 | 6.5 | 1,363,673 | 17.8 | 11.2 | 8.1 |
| 5 Circulatory System | 215 | 12.5 | 8.4 | 10.2 | 1,150,806 | 15.0 | 11.8 | 20.2 |
| 6 Digestive System | 208 | 12.1 | 8.7 | 6.7 | 1,550,926 | 20.3 | 13.4 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 37 | 2.2 | 2.8 | 2.2 | 254,164 | 3.3 | 4.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 117 | 6.8 | 7.5 | 8.4 | 851,347 | 11.1 | 15.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 34 | 2.0 | 1.6 | 1.3 | 137,890 | 1.8 | 1.7 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 42 | 2.4 | 2.3 | 2.2 | 166,859 | 2.2 | 2.1 | 1.9 |
| 11 Kidney & Urinary Tract | 59 | 3.4 | 2.0 | 2.1 | 220,488 | 2.9 | 2.1 | 2.6 |
| 12 Male Reproductive System | 3 | 0.2 | 0.7 | 0.7 | 10,732 | 0.1 | 0.8 | 0.7 |
| 13 Female Reproductive System | 51 | 3.0 | 3.9 | 3.6 | 349,243 | 4.6 | 4.7 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 302 | 17.6 | 22.4 | 22.3 | 827,667 | 10.8 | 12.2 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 286 | 16.7 | 21.8 | 21.4 | 196,348 | 2.6 | 6.6 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 9 | 0.5 | 0.5 | 0.5 | 26,382 | 0.3 | 0.6 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 3 | 0.2 | 0.4 | 0.7 | 20,803 | 0.3 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 41 | 2.4 | 1.6 | 1.2 | 247,740 | 3.2 | 2.4 | 2.0 |
| 19 Mental Diseases and Disorders | 2 | 0.1 | 2.0 | 2.1 | 10,545 | 0.1 | 2.4 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 3 | 0.2 | 0.3 | 0.6 | 8,721 | 0.1 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 20 | 1.2 | 1.2 | 1.1 | 116,233 | 1.5 | 1.2 | 1.1 |
| 22 Burns | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 1 | 0.1 | 0.6 | 1.0 | 1,703 | 0.0 | 0.8 | 2.3 |
| 24 Multiple Significant Trauma | 2 | 0.1 | 0.2 | 0.3 | 11,143 | 0.1 | 0.7 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

DIXIE MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Washington BED SIZE: 137
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 10,943 | 100.0 | 100.0 | 100.0 | 61,601,200 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 1,904 | 17.4 | 21.4 | 21.0 | 3,395,292 | 5.5 | 6.2 | 7.9 |
| Obstetric (MDC 14) | 2,045 | 18.7 | 22.4 | 22.2 | 4,654,177 | 7.6 | 12.2 | 9.9 |
| Pediatric Medical (Age 0-17) | 416 | 3.8 | 4.7 | 3.4 | 1,565,450 | 2.5 | 3.5 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 169 | 1.5 | 1.4 | 1.0 | 934,897 | 1.5 | 1.6 | 1.3 |
| Other Medical | 3,401 | 31.1 | 28.4 | 26.4 | 20,822,720 | 33.8 | 32.7 | 24.8 |
| Other Surgery/Procedure | 2,645 | 24.2 | 18.8 | 20.9 | 28,163,607 | 45.7 | 39.7 | 46.6 |
| Psychiatric (MDC 19) | 300 | 2.7 | 2.0 | 2.1 | 1,621,234 | 2.6 | 2.4 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.4 | 0.7 | . | . | 0.6 | 2.0 |
| Others | 63 | 0.6 | 0.6 | 2.2 | 443,823 | 0.7 | 1.0 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 448 | 4.1 | 2.8 | 3.8 | 3,100,964 | 5.0 | 3.5 | 5.7 |
| 2 Eye | 3 | 0.0 | 0.1 | 0.1 | 22,458 | 0.0 | 0.1 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 88 | 0.8 | 0.8 | 0.9 | 398,990 | 0.6 | 0.7 | 0.8 |
| 4 Respiratory System | 800 | 7.3 | 7.4 | 6.5 | 7,962,673 | 12.9 | 11.2 | 8.1 |
| 5 Circulatory System | 1,161 | 10.6 | 8.4 | 10.2 | 8,902,427 | 14.5 | 11.8 | 20.2 |
| 6 Digestive System | 972 | 8.9 | 8.7 | 6.7 | 7,720,026 | 12.5 | 13.4 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 359 | 3.3 | 2.8 | 2.2 | 2,816,162 | 4.6 | 4.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 1,009 | 9.2 | 7.5 | 8.4 | 9,485,821 | 15.4 | 15.5 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 194 | 1.8 | 1.6 | 1.3 | 981,436 | 1.6 | 1.7 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 252 | 2.3 | 2.3 | 2.2 | 1,151,572 | 1.9 | 2.1 | 1.9 |
| 11 Kidney & Urinary Tract | 243 | 2.2 | 2.0 | 2.1 | 1,539,973 | 2.5 | 2.1 | 2.6 |
| 12 Male Reproductive System | 77 | 0.7 | 0.7 | 0.7 | 567,870 | 0.9 | 0.8 | 0.7 |
| 13 Female Reproductive System | 479 | 4.4 | 3.9 | 3.6 | 2,776,036 | 4.5 | 4.7 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 2,047 | 18.7 | 22.4 | 22.3 | 4,663,241 | 7.6 | 12.2 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 1,944 | 17.8 | 21.8 | 21.4 | 3,567,298 | 5.8 | 6.6 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 66 | 0.6 | 0.5 | 0.5 | 403,484 | 0.7 | 0.6 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 79 | 0.7 | 0.4 | 0.7 | 738,405 | 1.2 | 0.8 | 1.9 |
| 18 Infectious and Parasitic DDS | 193 | 1.8 | 1.6 | 1.2 | 1,563,203 | 2.5 | 2.4 | 2.0 |
| 19 Mental Diseases and Disorders | 300 | 2.7 | 2.0 | 2.1 | 1,621,234 | 2.6 | 2.4 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 32 | 0.3 | 0.3 | 0.6 | 123,823 | 0.2 | 0.2 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 133 | 1.2 | 1.2 | 1.1 | 717,068 | 1.2 | 1.2 | 1.1 |
| 22 Burns | 8 | 0.1 | 0.0 | 0.1 | 55,141 | 0.1 | 0.0 | 0.9 |
| 23 Factors Influencing Health Status | 19 | 0.2 | 0.6 | 1.0 | 55,611 | 0.1 | 0.8 | 2.3 |
| 24 Multiple Significant Trauma | 33 | 0.3 | 0.2 | 0.3 | 620,919 | 1.0 | 0.7 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 3 | 0.0 | 0.0 | 0.1 | 42,188 | 0.1 | 0.0 | 0.1 |
| Unknown | 1 | 0.0 | 0.0 | 0.1 | 3,179 | 0.0 | 0.0 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 36
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 598 | 100.0 | 100.0 | 100.0 | 833,138 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 82 | 13.7 | 17.6 | 21.0 | 39,341 | 4.7 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 87 | 14.5 | 19.0 | 22.2 | 154,292 | 18.5 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 35 | 5.9 | 9.2 | 3.4 | 39,723 | 4.8 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 6 | 1.0 | 1.7 | 1.0 | 9,887 | 1.2 | 2.1 | 1.3 |
| Other Medical | 322 | 53.8 | 41.7 | 26.4 | 533,907 | 64.1 | 48.8 | 24.8 |
| Other Surgery/Procedure | 11 | 1.8 | 9.2 | 20.9 | 24,523 | 2.9 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 2 | 0.3 | 0.4 | 2.1 | 796 | 0.1 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | 53 | 8.9 | 1.2 | 2.2 | 30,670 | 3.7 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 21 | 3.5 | 3.3 | 3.8 | 41,026 | 4.9 | 3.7 | 5.7 |
| 2 Eye | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 7 | 1.2 | 1.7 | 0.9 | 4,417 | 0.5 | 1.1 | 0.8 |
| 4 Respiratory System | 82 | 13.7 | 13.8 | 6.5 | 140,810 | 16.9 | 18.5 | 8.1 |
| 5 Circulatory System | 89 | 14.9 | 8.8 | 10.2 | 152,682 | 18.3 | 10.8 | 20.2 |
| 6 Digestive System | 52 | 8.7 | 10.4 | 6.7 | 77,282 | 9.3 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 7 | 1.2 | 2.9 | 2.2 | 16,129 | 1.9 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 8 | 1.3 | 3.2 | 8.4 | 12,118 | 1.5 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 13 | 2.2 | 2.0 | 1.3 | 24,023 | 2.9 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 13 | 2.2 | 3.5 | 2.2 | 16,680 | 2.0 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 30 | 5.0 | 3.3 | 2.1 | 48,152 | 5.8 | 3.7 | 2.6 |
| 12 Male Reproductive System | 1 | 0.2 | 0.2 | 0.7 | . | . | 0.2 | 0.7 |
| 13 Female Reproductive System | 21 | 3.5 | 2.6 | 3.6 | 37,545 | 4.5 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 87 | 14.5 | 19.1 | 22.3 | 154,292 | 18.5 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 76 | 12.7 | 17.9 | 21.4 | 42,846 | 5.1 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 1 | 0.2 | 0.6 | 0.5 | 613 | 0.1 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | 0.2 | 0.7 | . | . | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 10 | 1.7 | 1.3 | 1.2 | 10,527 | 1.3 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 2 | 0.3 | 0.4 | 2.1 | 796 | 0.1 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 0.4 | 0.6 | . | . | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 9 | 1.5 | 1.1 | 1.1 | 13,642 | 1.6 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 5 | 0.8 | 1.3 | 1.0 | 5,717 | 0.7 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.2 | 0.1 | 0.3 | 2,235 | 0.3 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 63 | 10.5 | 1.1 | 0.1 | 31,607 | 3.8 | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

MILFORD VALLEY MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 34
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 461 | 100.0 | 100.0 | 100.0 | 1,534,956 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 23 | 5.0 | 17.6 | 21.0 | 29,618 | 1.9 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 23 | 5.0 | 19.0 | 22.2 | 64,781 | 4.2 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 84 | 18.2 | 9.2 | 3.4 | 172,688 | 11.3 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 2 | 0.4 | 1.7 | 1.0 | 2,584 | 0.2 | 2.1 | 1.3 |
| Other Medical | 303 | 65.7 | 41.7 | 26.4 | 1,121,616 | 73.1 | 48.8 | 24.8 |
| Other Surgery/Procedure | 19 | 4.1 | 9.2 | 20.9 | 118,034 | 7.7 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 2 | 0.4 | 0.4 | 2.1 | 5,248 | 0.3 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | 5 | 1.1 | 1.2 | 2.2 | 20,388 | 1.3 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 18 | 3.9 | 3.3 | 3.8 | 35,153 | 2.3 | 3.7 | 5.7 |
| 2 Eye | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 22 | 4.8 | 1.7 | 0.9 | 43,858 | 2.9 | 1.1 | 0.8 |
| 4 Respiratory System | 117 | 25.4 | 13.8 | 6.5 | 427,438 | 27.8 | 18.5 | 8.1 |
| 5 Circulatory System | 67 | 14.5 | 8.8 | 10.2 | 188,464 | 12.3 | 10.8 | 20.2 |
| 6 Digestive System | 71 | 15.4 | 10.4 | 6.7 | 292,979 | 19.1 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 19 | 4.1 | 2.9 | 2.2 | 66,478 | 4.3 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 14 | 3.0 | 3.2 | 8.4 | 77,774 | 5.1 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 15 | 3.3 | 2.0 | 1.3 | 42,207 | 2.7 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 12 | 2.6 | 3.5 | 2.2 | 46,088 | 3.0 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 17 | 3.7 | 3.3 | 2.1 | 50,624 | 3.3 | 3.7 | 2.6 |
| 12 Male Reproductive System | 1 | 0.2 | 0.2 | 0.7 | 1,202 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 10 | 2.2 | 2.6 | 3.6 | 72,511 | 4.7 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 27 | 5.9 | 19.1 | 22.3 | 84,868 | 5.5 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 26 | 5.6 | 17.9 | 21.4 | 32,568 | 2.1 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 2 | 0.4 | 0.6 | 0.5 | 5,138 | 0.3 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 1 | 0.2 | 0.2 | 0.7 | 1,273 | 0.1 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 10 | 2.2 | 1.3 | 1.2 | 31,681 | 2.1 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 2 | 0.4 | 0.4 | 2.1 | 5,248 | 0.3 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 3 | 0.7 | 0.4 | 0.6 | 9,848 | 0.6 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 5 | 1.1 | 1.1 | 1.1 | 10,716 | 0.7 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 1 | 0.2 | 1.3 | 1.0 | 8,539 | 0.6 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 1 | 0.2 | 1.1 | 0.1 | 301 | 0.0 | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Box Elder BED SIZE: 20
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 522 | 100.0 | 100.0 | 100.0 | 1,460,245 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 80 | 15.3 | 17.6 | 21.0 | 51,270 | 3.5 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 85 | 16.3 | 19.0 | 22.2 | 194,145 | 13.3 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 51 | 9.8 | 9.2 | 3.4 | 92,909 | 6.4 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 19 | 3.6 | 1.7 | 1.0 | 56,786 | 3.9 | 2.1 | 1.3 |
| Other Medical | 205 | 39.3 | 41.7 | 26.4 | 592,953 | 40.6 | 48.8 | 24.8 |
| Other Surgery/Procedure | 80 | 15.3 | 9.2 | 20.9 | 460,867 | 31.6 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 1 | 0.2 | 0.4 | 2.1 | 1,404 | 0.1 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | 1 | 0.2 | 1.2 | 2.2 | 9,911 | 0.7 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 13 | 2.5 | 3.3 | 3.8 | 26,061 | 1.8 | 3.7 | 5.7 |
| 2 Eye | 1 | 0.2 | 0.5 | 0.1 | 2,921 | 0.2 | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 2 | 0.4 | 1.7 | 0.9 | 2,660 | 0.2 | 1.1 | 0.8 |
| 4 Respiratory System | 93 | 17.8 | 13.8 | 6.5 | 270,072 | 18.5 | 18.5 | 8.1 |
| 5 Circulatory System | 39 | 7.5 | 8.8 | 10.2 | 113,735 | 7.8 | 10.8 | 20.2 |
| 6 Digestive System | 89 | 17.0 | 10.4 | 6.7 | 319,721 | 21.9 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 14 | 2.7 | 2.9 | 2.2 | 90,195 | 6.2 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 24 | 4.6 | 3.2 | 8.4 | 144,349 | 9.9 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 9 | 1.7 | 2.0 | 1.3 | 24,652 | 1.7 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 18 | 3.4 | 3.5 | 2.2 | 37,433 | 2.6 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 21 | 4.0 | 3.3 | 2.1 | 52,586 | 3.6 | 3.7 | 2.6 |
| 12 Male Reproductive System | 1 | 0.2 | 0.2 | 0.7 | 955 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 24 | 4.6 | 2.6 | 3.6 | 106,089 | 7.3 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 85 | 16.3 | 19.1 | 22.3 | 194,145 | 13.3 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 80 | 15.3 | 17.9 | 21.4 | 51,270 | 3.5 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | . | . | 0.6 | 0.5 | . | . | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 3 | 0.6 | 0.2 | 0.7 | 11,357 | 0.8 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 4 | 0.8 | 1.3 | 1.2 | 9,731 | 0.7 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 1 | 0.2 | 0.4 | 2.1 | 1,404 | 0.1 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 0.4 | 0.6 | . | . | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 1 | 0.2 | 1.1 | 1.1 | 909 | 0.1 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | . | . | 1.3 | 1.0 | . | . | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Duchesne
 OWNERSHIP: Government

BED SIZE: 42
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 2,051 | 100.0 | 100.0 | 100.0 | 6,476,328 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 393 | 19.2 | 17.6 | 21.0 | 337,053 | 5.2 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 470 | 22.9 | 19.0 | 22.2 | 1,247,498 | 19.3 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 196 | 9.6 | 9.2 | 3.4 | 486,949 | 7.5 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 29 | 1.4 | 1.7 | 1.0 | 106,615 | 1.6 | 2.1 | 1.3 |
| Other Medical | 672 | 32.8 | 41.7 | 26.4 | 2,771,799 | 42.8 | 48.8 | 24.8 |
| Other Surgery/Procedure | 232 | 11.3 | 9.2 | 20.9 | 1,514,599 | 23.4 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 1 | 0.0 | 0.4 | 2.1 | 4,036 | 0.1 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | 58 | 2.8 | 1.2 | 2.2 | 7,779 | 0.1 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 42 | 2.0 | 3.3 | 3.8 | 158,434 | 2.4 | 3.7 | 5.7 |
| 2 Eye | 3 | 0.1 | 0.5 | 0.1 | 7,113 | 0.1 | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 32 | 1.6 | 1.7 | 0.9 | 98,997 | 1.5 | 1.1 | 0.8 |
| 4 Respiratory System | 202 | 9.8 | 13.8 | 6.5 | 900,027 | 13.9 | 18.5 | 8.1 |
| 5 Circulatory System | 156 | 7.6 | 8.8 | 10.2 | 808,857 | 12.5 | 10.8 | 20.2 |
| 6 Digestive System | 180 | 8.8 | 10.4 | 6.7 | 867,637 | 13.4 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 89 | 4.3 | 2.9 | 2.2 | 477,850 | 7.4 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 54 | 2.6 | 3.2 | 8.4 | 254,793 | 3.9 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 45 | 2.2 | 2.0 | 1.3 | 157,771 | 2.4 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 82 | 4.0 | 3.5 | 2.2 | 226,096 | 3.5 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 49 | 2.4 | 3.3 | 2.1 | 139,995 | 2.2 | 3.7 | 2.6 |
| 12 Male Reproductive System | 3 | 0.1 | 0.2 | 0.7 | 5,642 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 94 | 4.6 | 2.6 | 3.6 | 477,873 | 7.4 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 473 | 23.1 | 19.1 | 22.3 | 1,255,277 | 19.4 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 398 | 19.4 | 17.9 | 21.4 | 343,361 | 5.3 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 9 | 0.4 | 0.6 | 0.5 | 26,344 | 0.4 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 2 | 0.1 | 0.2 | 0.7 | 3,280 | 0.1 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 23 | 1.1 | 1.3 | 1.2 | 113,738 | 1.8 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 1 | 0.0 | 0.4 | 2.1 | 4,036 | 0.1 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 20 | 1.0 | 0.4 | 0.6 | 31,241 | 0.5 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 24 | 1.2 | 1.1 | 1.1 | 102,323 | 1.6 | 0.9 | 1.1 |
| 22 Burns | 1 | 0.0 | 0.1 | 0.1 | 1,124 | 0.0 | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 14 | 0.7 | 1.3 | 1.0 | 14,518 | 0.2 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 55 | 2.7 | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Garfield BED SIZE: 44
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 346 | 100.0 | 100.0 | 100.0 | 929,733 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 40 | 11.6 | 17.6 | 21.0 | 31,371 | 3.4 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 46 | 13.3 | 19.0 | 22.2 | 121,774 | 13.1 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 62 | 17.9 | 9.2 | 3.4 | 131,280 | 14.1 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 6 | 1.7 | 1.7 | 1.0 | 26,718 | 2.9 | 2.1 | 1.3 |
| Other Medical | 183 | 52.9 | 41.7 | 26.4 | 572,413 | 61.6 | 48.8 | 24.8 |
| Other Surgery/Procedure | 8 | 2.3 | 9.2 | 20.9 | 45,405 | 4.9 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 1 | 0.3 | 0.4 | 2.1 | 772 | 0.1 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | . | . | 1.2 | 2.2 | . | . | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 17 | 4.9 | 3.3 | 3.8 | 36,008 | 3.9 | 3.7 | 5.7 |
| 2 Eye | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 9 | 2.6 | 1.7 | 0.9 | 18,753 | 2.0 | 1.1 | 0.8 |
| 4 Respiratory System | 71 | 20.5 | 13.8 | 6.5 | 264,934 | 28.5 | 18.5 | 8.1 |
| 5 Circulatory System | 30 | 8.7 | 8.8 | 10.2 | 97,003 | 10.4 | 10.8 | 20.2 |
| 6 Digestive System | 50 | 14.5 | 10.4 | 6.7 | 132,212 | 14.2 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 12 | 3.5 | 2.9 | 2.2 | 39,304 | 4.2 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 5 | 1.4 | 3.2 | 8.4 | 11,945 | 1.3 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 4 | 1.2 | 2.0 | 1.3 | 8,748 | 0.9 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 20 | 5.8 | 3.5 | 2.2 | 45,859 | 4.9 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 17 | 4.9 | 3.3 | 2.1 | 51,338 | 5.5 | 3.7 | 2.6 |
| 12 Male Reproductive System | 1 | 0.3 | 0.2 | 0.7 | 1,060 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 5 | 1.4 | 2.6 | 3.6 | 28,747 | 3.1 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 46 | 13.3 | 19.1 | 22.3 | 121,774 | 13.1 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 40 | 11.6 | 17.9 | 21.4 | 31,371 | 3.4 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | . | . | 0.6 | 0.5 | . | . | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | 0.2 | 0.7 | . | . | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 6 | 1.7 | 1.3 | 1.2 | 16,998 | 1.8 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 1 | 0.3 | 0.4 | 2.1 | 772 | 0.1 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 3 | 0.9 | 0.4 | 0.6 | 6,493 | 0.7 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 7 | 2.0 | 1.1 | 1.1 | 12,299 | 1.3 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 1 | 0.3 | 1.3 | 1.0 | 665 | 0.1 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.3 | 0.1 | 0.3 | 3,452 | 0.4 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

ALLEN MEMORIAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: Grand
 OWNERSHIP: Government

BED SIZE: 38
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 699 | 100.0 | 100.0 | 100.0 | 2,573,394 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 90 | 12.9 | 17.6 | 21.0 | 64,019 | 2.5 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 18 | 2.6 | 19.0 | 22.2 | 65,151 | 2.5 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 65 | 9.3 | 9.2 | 3.4 | 135,123 | 5.3 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 13 | 1.9 | 1.7 | 1.0 | 84,010 | 3.3 | 2.1 | 1.3 |
| Other Medical | 414 | 59.2 | 41.7 | 26.4 | 1,457,495 | 56.6 | 48.8 | 24.8 |
| Other Surgery/Procedure | 91 | 13.0 | 9.2 | 20.9 | 737,993 | 28.7 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 6 | 0.9 | 0.4 | 2.1 | 17,069 | 0.7 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | 2 | 0.3 | 1.2 | 2.2 | 12,533 | 0.5 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 25 | 3.6 | 3.3 | 3.8 | 104,328 | 4.1 | 3.7 | 5.7 |
| 2 Eye | 2 | 0.3 | 0.5 | 0.1 | 5,050 | 0.2 | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 7 | 1.0 | 1.7 | 0.9 | 12,025 | 0.5 | 1.1 | 0.8 |
| 4 Respiratory System | 105 | 15.0 | 13.8 | 6.5 | 381,463 | 14.8 | 18.5 | 8.1 |
| 5 Circulatory System | 57 | 8.2 | 8.8 | 10.2 | 231,061 | 9.0 | 10.8 | 20.2 |
| 6 Digestive System | 103 | 14.7 | 10.4 | 6.7 | 509,087 | 19.8 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 16 | 2.3 | 2.9 | 2.2 | 138,818 | 5.4 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 17 | 2.4 | 3.2 | 8.4 | 53,104 | 2.1 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 19 | 2.7 | 2.0 | 1.3 | 50,904 | 2.0 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 28 | 4.0 | 3.5 | 2.2 | 93,919 | 3.6 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 35 | 5.0 | 3.3 | 2.1 | 112,654 | 4.4 | 3.7 | 2.6 |
| 12 Male Reproductive System | 2 | 0.3 | 0.2 | 0.7 | 3,629 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 29 | 4.1 | 2.6 | 3.6 | 214,196 | 8.3 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 18 | 2.6 | 19.1 | 22.3 | 65,151 | 2.5 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 96 | 13.7 | 17.9 | 21.4 | 70,677 | 2.7 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 5 | 0.7 | 0.6 | 0.5 | 17,260 | 0.7 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 1 | 0.1 | 0.2 | 0.7 | 5,964 | 0.2 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 11 | 1.6 | 1.3 | 1.2 | 112,840 | 4.4 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 6 | 0.9 | 0.4 | 2.1 | 17,069 | 0.7 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 5 | 0.7 | 0.4 | 0.6 | 11,389 | 0.4 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 10 | 1.4 | 1.1 | 1.1 | 37,779 | 1.5 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 97 | 13.9 | 1.3 | 1.0 | 277,512 | 10.8 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 3 | 0.4 | 0.1 | 0.3 | 34,982 | 1.4 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 2 | 0.3 | 1.1 | 0.1 | 12,533 | 0.5 | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

CENTRAL VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Juab BED SIZE: 31
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 719 | 100.0 | 100.0 | 100.0 | 2,431,348 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 107 | 14.9 | 17.6 | 21.0 | 87,801 | 3.6 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 118 | 16.4 | 19.0 | 22.2 | 322,574 | 13.3 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 114 | 15.9 | 9.2 | 3.4 | 325,524 | 13.4 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 8 | 1.1 | 1.7 | 1.0 | 34,799 | 1.4 | 2.1 | 1.3 |
| Other Medical | 322 | 44.8 | 41.7 | 26.4 | 1,312,672 | 54.0 | 48.8 | 24.8 |
| Other Surgery/Procedure | 43 | 6.0 | 9.2 | 20.9 | 317,284 | 13.0 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 7 | 1.0 | 0.4 | 2.1 | 30,695 | 1.3 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | . | . | 1.2 | 2.2 | . | . | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 23 | 3.2 | 3.3 | 3.8 | 89,303 | 3.7 | 3.7 | 5.7 |
| 2 Eye | 1 | 0.1 | 0.5 | 0.1 | 2,887 | 0.1 | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 5 | 0.7 | 1.7 | 0.9 | 16,166 | 0.7 | 1.1 | 0.8 |
| 4 Respiratory System | 160 | 22.3 | 13.8 | 6.5 | 705,335 | 29.0 | 18.5 | 8.1 |
| 5 Circulatory System | 59 | 8.2 | 8.8 | 10.2 | 239,590 | 9.9 | 10.8 | 20.2 |
| 6 Digestive System | 75 | 10.4 | 10.4 | 6.7 | 284,094 | 11.7 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 23 | 3.2 | 2.9 | 2.2 | 155,681 | 6.4 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 11 | 1.5 | 3.2 | 8.4 | 32,705 | 1.3 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 11 | 1.5 | 2.0 | 1.3 | 33,282 | 1.4 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 30 | 4.2 | 3.5 | 2.2 | 83,174 | 3.4 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 25 | 3.5 | 3.3 | 2.1 | 89,051 | 3.7 | 3.7 | 2.6 |
| 12 Male Reproductive System | 1 | 0.1 | 0.2 | 0.7 | 1,891 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 18 | 2.5 | 2.6 | 3.6 | 125,615 | 5.2 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 118 | 16.4 | 19.1 | 22.3 | 322,574 | 13.3 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 114 | 15.9 | 17.9 | 21.4 | 103,415 | 4.3 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 2 | 0.3 | 0.6 | 0.5 | 4,178 | 0.2 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | 0.2 | 0.7 | . | . | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 14 | 1.9 | 1.3 | 1.2 | 44,787 | 1.8 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 7 | 1.0 | 0.4 | 2.1 | 30,695 | 1.3 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 3 | 0.4 | 0.4 | 0.6 | 6,680 | 0.3 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 12 | 1.7 | 1.1 | 1.1 | 33,279 | 1.4 | 0.9 | 1.1 |
| 22 Burns | 2 | 0.3 | 0.1 | 0.1 | 7,515 | 0.3 | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | . | . | 1.3 | 1.0 | . | . | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.1 | 0.1 | 0.3 | 3,416 | 0.1 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | 4 | 0.6 | 0.0 | 0.1 | 16,037 | 0.7 | 0.0 | 0.1 |
| Unknown | . | . | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: Kane
 OWNERSHIP: Government

BED SIZE: 33
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 344 | 100.0 | 100.0 | 100.0 | 1,068,044 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 34 | 9.9 | 17.6 | 21.0 | 20,496 | 1.9 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 35 | 10.2 | 19.0 | 22.2 | 104,999 | 9.8 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 43 | 12.5 | 9.2 | 3.4 | 118,688 | 11.1 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | 1.7 | 1.0 | . | . | 2.1 | 1.3 |
| Other Medical | 194 | 56.4 | 41.7 | 26.4 | 638,646 | 59.8 | 48.8 | 24.8 |
| Other Surgery/Procedure | 17 | 4.9 | 9.2 | 20.9 | 115,853 | 10.8 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 3 | 0.9 | 0.4 | 2.1 | 4,203 | 0.4 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | 7 | 2.0 | 0.1 | 0.7 | 16,058 | 1.5 | 0.1 | 2.0 |
| Others | 11 | 3.2 | 1.2 | 2.2 | 49,100 | 4.6 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 19 | 5.5 | 3.3 | 3.8 | 43,601 | 4.1 | 3.7 | 5.7 |
| 2 Eye | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 6 | 1.7 | 1.7 | 0.9 | 12,628 | 1.2 | 1.1 | 0.8 |
| 4 Respiratory System | 67 | 19.5 | 13.8 | 6.5 | 323,727 | 30.3 | 18.5 | 8.1 |
| 5 Circulatory System | 41 | 11.9 | 8.8 | 10.2 | 110,927 | 10.4 | 10.8 | 20.2 |
| 6 Digestive System | 20 | 5.8 | 10.4 | 6.7 | 64,348 | 6.0 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 2 | 0.6 | 2.9 | 2.2 | 5,697 | 0.5 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 18 | 5.2 | 3.2 | 8.4 | 39,375 | 3.7 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 10 | 2.9 | 2.0 | 1.3 | 22,164 | 2.1 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 21 | 6.1 | 3.5 | 2.2 | 39,174 | 3.7 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 16 | 4.7 | 3.3 | 2.1 | 44,197 | 4.1 | 3.7 | 2.6 |
| 12 Male Reproductive System | . | . | 0.2 | 0.7 | . | . | 0.2 | 0.7 |
| 13 Female Reproductive System | 15 | 4.4 | 2.6 | 3.6 | 98,213 | 9.2 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 35 | 10.2 | 19.1 | 22.3 | 104,999 | 9.8 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 37 | 10.8 | 17.9 | 21.4 | 25,706 | 2.4 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 4 | 1.2 | 0.6 | 0.5 | 14,318 | 1.3 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | 0.2 | 0.7 | . | . | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 5 | 1.5 | 1.3 | 1.2 | 22,589 | 2.1 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 3 | 0.9 | 0.4 | 2.1 | 4,203 | 0.4 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 0.4 | 0.6 | . | . | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 3 | 0.9 | 1.1 | 1.1 | 13,534 | 1.3 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 11 | 3.2 | 1.3 | 1.0 | 29,544 | 2.8 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 11 | 3.2 | 1.1 | 0.1 | 49,100 | 4.6 | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

FILLMORE COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Millard BED SIZE: 20
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 236 | 100.0 | 100.0 | 100.0 | 639,954 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 42 | 17.8 | 17.6 | 21.0 | 35,755 | 5.6 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 46 | 19.5 | 19.0 | 22.2 | 105,426 | 16.5 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 20 | 8.5 | 9.2 | 3.4 | 46,304 | 7.2 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 6 | 2.5 | 1.7 | 1.0 | 44,717 | 7.0 | 2.1 | 1.3 |
| Other Medical | 115 | 48.7 | 41.7 | 26.4 | 377,867 | 59.0 | 48.8 | 24.8 |
| Other Surgery/Procedure | 7 | 3.0 | 9.2 | 20.9 | 29,885 | 4.7 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | . | . | 0.4 | 2.1 | . | . | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | . | . | 1.2 | 2.2 | . | . | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 15 | 6.4 | 3.3 | 3.8 | 42,229 | 6.6 | 3.7 | 5.7 |
| 2 Eye | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | . | . | 1.7 | 0.9 | . | . | 1.1 | 0.8 |
| 4 Respiratory System | 37 | 15.7 | 13.8 | 6.5 | 129,915 | 20.3 | 18.5 | 8.1 |
| 5 Circulatory System | 21 | 8.9 | 8.8 | 10.2 | 60,700 | 9.5 | 10.8 | 20.2 |
| 6 Digestive System | 19 | 8.1 | 10.4 | 6.7 | 87,979 | 13.7 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 3 | 1.3 | 2.9 | 2.2 | 16,785 | 2.6 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 3 | 1.3 | 3.2 | 8.4 | 7,873 | 1.2 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 2 | 0.8 | 2.0 | 1.3 | 7,528 | 1.2 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 20 | 8.5 | 3.5 | 2.2 | 54,557 | 8.5 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 8 | 3.4 | 3.3 | 2.1 | 20,878 | 3.3 | 3.7 | 2.6 |
| 12 Male Reproductive System | . | . | 0.2 | 0.7 | . | . | 0.2 | 0.7 |
| 13 Female Reproductive System | 3 | 1.3 | 2.6 | 3.6 | 10,922 | 1.7 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 46 | 19.5 | 19.1 | 22.3 | 105,426 | 16.5 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 45 | 19.1 | 17.9 | 21.4 | 39,173 | 6.1 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 4 | 1.7 | 0.6 | 0.5 | 23,116 | 3.6 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | 0.2 | 0.7 | . | . | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 6 | 2.5 | 1.3 | 1.2 | 26,974 | 4.2 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | . | . | 0.4 | 2.1 | . | . | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 0.4 | 0.6 | . | . | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 3 | 1.3 | 1.1 | 1.1 | 4,755 | 0.7 | 0.9 | 1.1 |
| 22 Burns | 1 | 0.4 | 0.1 | 0.1 | 1,143 | 0.2 | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | . | . | 1.3 | 1.0 | . | . | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

DELTA COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Millard BED SIZE: 20
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 414 | 100.0 | 100.0 | 100.0 | 1,098,320 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 113 | 27.3 | 17.6 | 21.0 | 110,973 | 10.1 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 116 | 28.0 | 19.0 | 22.2 | 320,358 | 29.2 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 17 | 4.1 | 9.2 | 3.4 | 31,906 | 2.9 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 11 | 2.7 | 1.7 | 1.0 | 37,332 | 3.4 | 2.1 | 1.3 |
| Other Medical | 147 | 35.5 | 41.7 | 26.4 | 537,042 | 48.9 | 48.8 | 24.8 |
| Other Surgery/Procedure | 10 | 2.4 | 9.2 | 20.9 | 60,711 | 5.5 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | . | . | 0.4 | 2.1 | . | . | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | . | . | 1.2 | 2.2 | . | . | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 5 | 1.2 | 3.3 | 3.8 | 14,074 | 1.3 | 3.7 | 5.7 |
| 2 Eye | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 6 | 1.4 | 1.7 | 0.9 | 11,295 | 1.0 | 1.1 | 0.8 |
| 4 Respiratory System | 28 | 6.8 | 13.8 | 6.5 | 131,245 | 11.9 | 18.5 | 8.1 |
| 5 Circulatory System | 36 | 8.7 | 8.8 | 10.2 | 139,152 | 12.7 | 10.8 | 20.2 |
| 6 Digestive System | 33 | 8.0 | 10.4 | 6.7 | 124,478 | 11.3 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 4 | 1.0 | 2.9 | 2.2 | 15,012 | 1.4 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 7 | 1.7 | 3.2 | 8.4 | 32,105 | 2.9 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 8 | 1.9 | 2.0 | 1.3 | 34,853 | 3.2 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 21 | 5.1 | 3.5 | 2.2 | 62,179 | 5.7 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 15 | 3.6 | 3.3 | 2.1 | 29,912 | 2.7 | 3.7 | 2.6 |
| 12 Male Reproductive System | 2 | 0.5 | 0.2 | 0.7 | 7,924 | 0.7 | 0.2 | 0.7 |
| 13 Female Reproductive System | 3 | 0.7 | 2.6 | 3.6 | 16,768 | 1.5 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 116 | 28.0 | 19.1 | 22.3 | 320,358 | 29.2 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 114 | 27.5 | 17.9 | 21.4 | 111,689 | 10.2 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 4 | 1.0 | 0.6 | 0.5 | 14,517 | 1.3 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | 0.2 | 0.7 | . | . | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 8 | 1.9 | 1.3 | 1.2 | 21,671 | 2.0 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | . | . | 0.4 | 2.1 | . | . | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 1 | 0.2 | 0.4 | 0.6 | 1,269 | 0.1 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 2 | 0.5 | 1.1 | 1.1 | 7,225 | 0.7 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 1 | 0.2 | 1.3 | 1.0 | 2,598 | 0.2 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

SAN JUAN HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: San Juan
 OWNERSHIP: Government

BED SIZE: 36
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 762 | 100.0 | 100.0 | 100.0 | 1,733,466 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 174 | 22.8 | 17.6 | 21.0 | 115,703 | 6.7 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 189 | 24.8 | 19.0 | 22.2 | 514,782 | 29.7 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 68 | 8.9 | 9.2 | 3.4 | 140,509 | 8.1 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 40 | 5.2 | 1.7 | 1.0 | 94,227 | 5.4 | 2.1 | 1.3 |
| Other Medical | 158 | 20.7 | 41.7 | 26.4 | 477,380 | 27.5 | 48.8 | 24.8 |
| Other Surgery/Procedure | 127 | 16.7 | 9.2 | 20.9 | 383,052 | 22.1 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 2 | 0.3 | 0.4 | 2.1 | 2,423 | 0.1 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | 4 | 0.5 | 1.2 | 2.2 | 5,390 | 0.3 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 12 | 1.6 | 3.3 | 3.8 | 31,734 | 1.8 | 3.7 | 5.7 |
| 2 Eye | 50 | 6.6 | 0.5 | 0.1 | 119,950 | 6.9 | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 39 | 5.1 | 1.7 | 0.9 | 92,480 | 5.3 | 1.1 | 0.8 |
| 4 Respiratory System | 87 | 11.4 | 13.8 | 6.5 | 252,722 | 14.6 | 18.5 | 8.1 |
| 5 Circulatory System | 38 | 5.0 | 8.8 | 10.2 | 108,914 | 6.3 | 10.8 | 20.2 |
| 6 Digestive System | 45 | 5.9 | 10.4 | 6.7 | 98,333 | 5.7 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 16 | 2.1 | 2.9 | 2.2 | 96,093 | 5.5 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 28 | 3.7 | 3.2 | 8.4 | 74,267 | 4.3 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 17 | 2.2 | 2.0 | 1.3 | 52,002 | 3.0 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 9 | 1.2 | 3.5 | 2.2 | 29,839 | 1.7 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 12 | 1.6 | 3.3 | 2.1 | 36,878 | 2.1 | 3.7 | 2.6 |
| 12 Male Reproductive System | 4 | 0.5 | 0.2 | 0.7 | 6,471 | 0.4 | 0.2 | 0.7 |
| 13 Female Reproductive System | 10 | 1.3 | 2.6 | 3.6 | 38,399 | 2.2 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 189 | 24.8 | 19.1 | 22.3 | 514,782 | 29.7 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 179 | 23.5 | 17.9 | 21.4 | 122,798 | 7.1 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 3 | 0.4 | 0.6 | 0.5 | 13,923 | 0.8 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 2 | 0.3 | 0.2 | 0.7 | 4,041 | 0.2 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 4 | 0.5 | 1.3 | 1.2 | 10,271 | 0.6 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 2 | 0.3 | 0.4 | 2.1 | 2,423 | 0.1 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.3 | 0.4 | 0.6 | 2,537 | 0.1 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 4 | 0.5 | 1.1 | 1.1 | 5,495 | 0.3 | 0.9 | 1.1 |
| 22 Burns | 1 | 0.1 | 0.1 | 0.1 | 2,721 | 0.2 | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 5 | 0.7 | 1.3 | 1.0 | 11,003 | 0.6 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 4 | 0.5 | 1.1 | 0.1 | 5,390 | 0.3 | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

GUNNISON VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Sanpete
 OWNERSHIP: Government

BED SIZE: 21
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,216 | 100.0 | 100.0 | 100.0 | 3,435,512 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 263 | 21.6 | 17.6 | 21.0 | 300,943 | 8.8 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 341 | 28.0 | 19.0 | 22.2 | 899,480 | 26.2 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 92 | 7.6 | 9.2 | 3.4 | 200,781 | 5.8 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 12 | 1.0 | 1.7 | 1.0 | 59,528 | 1.7 | 2.1 | 1.3 |
| Other Medical | 438 | 36.0 | 41.7 | 26.4 | 1,600,547 | 46.6 | 48.8 | 24.8 |
| Other Surgery/Procedure | 57 | 4.7 | 9.2 | 20.9 | 336,972 | 9.8 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 2 | 0.2 | 0.4 | 2.1 | 8,538 | 0.2 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | 9 | 0.7 | 0.1 | 0.7 | 26,453 | 0.8 | 0.1 | 2.0 |
| Others | 2 | 0.2 | 1.2 | 2.2 | 2,270 | 0.1 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 51 | 4.2 | 3.3 | 3.8 | 156,852 | 4.6 | 3.7 | 5.7 |
| 2 Eye | 2 | 0.2 | 0.5 | 0.1 | 2,833 | 0.1 | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 32 | 2.6 | 1.7 | 0.9 | 59,033 | 1.7 | 1.1 | 0.8 |
| 4 Respiratory System | 130 | 10.7 | 13.8 | 6.5 | 521,652 | 15.2 | 18.5 | 8.1 |
| 5 Circulatory System | 70 | 5.8 | 8.8 | 10.2 | 251,087 | 7.3 | 10.8 | 20.2 |
| 6 Digestive System | 107 | 8.8 | 10.4 | 6.7 | 403,903 | 11.8 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 29 | 2.4 | 2.9 | 2.2 | 190,801 | 5.6 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 34 | 2.8 | 3.2 | 8.4 | 133,994 | 3.9 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 35 | 2.9 | 2.0 | 1.3 | 124,924 | 3.6 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 25 | 2.1 | 3.5 | 2.2 | 77,959 | 2.3 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 27 | 2.2 | 3.3 | 2.1 | 93,906 | 2.7 | 3.7 | 2.6 |
| 12 Male Reproductive System | 2 | 0.2 | 0.2 | 0.7 | 2,749 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 12 | 1.0 | 2.6 | 3.6 | 47,827 | 1.4 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 343 | 28.2 | 19.1 | 22.3 | 901,750 | 26.2 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 266 | 21.9 | 17.9 | 21.4 | 303,964 | 8.8 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 12 | 1.0 | 0.6 | 0.5 | 44,027 | 1.3 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 2 | 0.2 | 0.2 | 0.7 | 4,283 | 0.1 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 13 | 1.1 | 1.3 | 1.2 | 49,018 | 1.4 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 2 | 0.2 | 0.4 | 2.1 | 8,538 | 0.2 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.2 | 0.4 | 0.6 | 2,118 | 0.1 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 8 | 0.7 | 1.1 | 1.1 | 10,739 | 0.3 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 12 | 1.0 | 1.3 | 1.0 | 43,554 | 1.3 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

SANPETE VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Sanpete BED SIZE: 20
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 488 | 100.0 | 100.0 | 100.0 | 1,784,453 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 109 | 22.3 | 17.6 | 21.0 | 110,786 | 6.2 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 124 | 25.4 | 19.0 | 22.2 | 433,612 | 24.3 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 28 | 5.7 | 9.2 | 3.4 | 82,066 | 4.6 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 4 | 0.8 | 1.7 | 1.0 | 28,956 | 1.6 | 2.1 | 1.3 |
| Other Medical | 194 | 39.8 | 41.7 | 26.4 | 860,149 | 48.2 | 48.8 | 24.8 |
| Other Surgery/Procedure | 29 | 5.9 | 9.2 | 20.9 | 268,884 | 15.1 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | . | . | 0.4 | 2.1 | . | . | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | . | . | 1.2 | 2.2 | . | . | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 15 | 3.1 | 3.3 | 3.8 | 67,808 | 3.8 | 3.7 | 5.7 |
| 2 Eye | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 1 | 0.2 | 1.7 | 0.9 | 379 | 0.0 | 1.1 | 0.8 |
| 4 Respiratory System | 76 | 15.6 | 13.8 | 6.5 | 387,513 | 21.7 | 18.5 | 8.1 |
| 5 Circulatory System | 32 | 6.6 | 8.8 | 10.2 | 119,475 | 6.7 | 10.8 | 20.2 |
| 6 Digestive System | 42 | 8.6 | 10.4 | 6.7 | 246,676 | 13.8 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 9 | 1.8 | 2.9 | 2.2 | 85,018 | 4.8 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 9 | 1.8 | 3.2 | 8.4 | 44,921 | 2.5 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 12 | 2.5 | 2.0 | 1.3 | 55,576 | 3.1 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 14 | 2.9 | 3.5 | 2.2 | 65,276 | 3.7 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 12 | 2.5 | 3.3 | 2.1 | 35,936 | 2.0 | 3.7 | 2.6 |
| 12 Male Reproductive System | 1 | 0.2 | 0.2 | 0.7 | 1,911 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 6 | 1.2 | 2.6 | 3.6 | 34,534 | 1.9 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 125 | 25.6 | 19.1 | 22.3 | 436,176 | 24.4 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 109 | 22.3 | 17.9 | 21.4 | 110,786 | 6.2 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 2 | 0.4 | 0.6 | 0.5 | 6,201 | 0.3 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 3 | 0.6 | 0.2 | 0.7 | 8,049 | 0.5 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 10 | 2.0 | 1.3 | 1.2 | 46,923 | 2.6 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | . | . | 0.4 | 2.1 | . | . | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 1 | 0.2 | 0.4 | 0.6 | 2,361 | 0.1 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 7 | 1.4 | 1.1 | 1.1 | 15,990 | 0.9 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 1 | 0.2 | 1.3 | 1.0 | 8,840 | 0.5 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 1 | 0.2 | 0.1 | 0.3 | 4,104 | 0.2 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

SEVIER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Sevier BED SIZE: 42
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,403 | 100.0 | 100.0 | 100.0 | 5,499,898 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 226 | 16.1 | 17.6 | 21.0 | 161,246 | 2.9 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 250 | 17.8 | 19.0 | 22.2 | 731,195 | 13.3 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 146 | 10.4 | 9.2 | 3.4 | 405,451 | 7.4 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 17 | 1.2 | 1.7 | 1.0 | 88,937 | 1.6 | 2.1 | 1.3 |
| Other Medical | 646 | 46.0 | 41.7 | 26.4 | 3,055,213 | 55.6 | 48.8 | 24.8 |
| Other Surgery/Procedure | 104 | 7.4 | 9.2 | 20.9 | 1,026,084 | 18.7 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 13 | 0.9 | 0.4 | 2.1 | 29,975 | 0.5 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | 1 | 0.1 | 1.2 | 2.2 | 1,797 | 0.0 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 72 | 5.1 | 3.3 | 3.8 | 281,036 | 5.1 | 3.7 | 5.7 |
| 2 Eye | 1 | 0.1 | 0.5 | 0.1 | 1,412 | 0.0 | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 18 | 1.3 | 1.7 | 0.9 | 38,029 | 0.7 | 1.1 | 0.8 |
| 4 Respiratory System | 240 | 17.1 | 13.8 | 6.5 | 1,435,080 | 26.1 | 18.5 | 8.1 |
| 5 Circulatory System | 144 | 10.3 | 8.8 | 10.2 | 630,498 | 11.5 | 10.8 | 20.2 |
| 6 Digestive System | 129 | 9.2 | 10.4 | 6.7 | 624,712 | 11.4 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 41 | 2.9 | 2.9 | 2.2 | 229,748 | 4.2 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 95 | 6.8 | 3.2 | 8.4 | 713,418 | 13.0 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 24 | 1.7 | 2.0 | 1.3 | 84,118 | 1.5 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 35 | 2.5 | 3.5 | 2.2 | 99,892 | 1.8 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 46 | 3.3 | 3.3 | 2.1 | 142,178 | 2.6 | 3.7 | 2.6 |
| 12 Male Reproductive System | 2 | 0.1 | 0.2 | 0.7 | 5,277 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 4 | 0.3 | 2.6 | 3.6 | 17,767 | 0.3 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 250 | 17.8 | 19.1 | 22.3 | 731,195 | 13.3 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 228 | 16.3 | 17.9 | 21.4 | 166,151 | 3.0 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 5 | 0.4 | 0.6 | 0.5 | 16,118 | 0.3 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 3 | 0.2 | 0.2 | 0.7 | 8,863 | 0.2 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 19 | 1.4 | 1.3 | 1.2 | 125,037 | 2.3 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 13 | 0.9 | 0.4 | 2.1 | 29,975 | 0.5 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 3 | 0.2 | 0.4 | 0.6 | 9,570 | 0.2 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 22 | 1.6 | 1.1 | 1.1 | 49,693 | 0.9 | 0.9 | 1.1 |
| 22 Burns | . | . | 0.1 | 0.1 | . | . | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 1 | 0.1 | 1.3 | 1.0 | 300 | 0.0 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 7 | 0.5 | 0.1 | 0.3 | 58,034 | 1.1 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 1 | 0.1 | 1.1 | 0.1 | 1,797 | 0.0 | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

TOOELE VALLEY HEALTHCARE
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Tooele
 OWNERSHIP: Government

BED SIZE: 38
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 1,166 | 100.0 | 100.0 | 100.0 | 6,384,754 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 163 | 14.0 | 17.6 | 21.0 | 170,403 | 2.7 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 152 | 13.0 | 19.0 | 22.2 | 433,090 | 6.8 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 48 | 4.1 | 9.2 | 3.4 | 113,431 | 1.8 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 21 | 1.8 | 1.7 | 1.0 | 131,948 | 2.1 | 2.1 | 1.3 |
| Other Medical | 550 | 47.2 | 41.7 | 26.4 | 2,777,979 | 43.5 | 48.8 | 24.8 |
| Other Surgery/Procedure | 223 | 19.1 | 9.2 | 20.9 | 2,723,810 | 42.7 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 4 | 0.3 | 0.4 | 2.1 | 13,719 | 0.2 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | 5 | 0.4 | 1.2 | 2.2 | 20,375 | 0.3 | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 35 | 3.0 | 3.3 | 3.8 | 287,782 | 4.5 | 3.7 | 5.7 |
| 2 Eye | . | . | 0.5 | 0.1 | . | . | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 11 | 0.9 | 1.7 | 0.9 | 29,312 | 0.5 | 1.1 | 0.8 |
| 4 Respiratory System | 120 | 10.3 | 13.8 | 6.5 | 845,467 | 13.2 | 18.5 | 8.1 |
| 5 Circulatory System | 150 | 12.9 | 8.8 | 10.2 | 868,478 | 13.6 | 10.8 | 20.2 |
| 6 Digestive System | 197 | 16.9 | 10.4 | 6.7 | 1,672,292 | 26.2 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 53 | 4.5 | 2.9 | 2.2 | 460,111 | 7.2 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 43 | 3.7 | 3.2 | 8.4 | 270,172 | 4.2 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 17 | 1.5 | 2.0 | 1.3 | 75,400 | 1.2 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 48 | 4.1 | 3.5 | 2.2 | 158,723 | 2.5 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 55 | 4.7 | 3.3 | 2.1 | 469,861 | 7.4 | 3.7 | 2.6 |
| 12 Male Reproductive System | 2 | 0.2 | 0.2 | 0.7 | 8,916 | 0.1 | 0.2 | 0.7 |
| 13 Female Reproductive System | 49 | 4.2 | 2.6 | 3.6 | 323,770 | 5.1 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 154 | 13.2 | 19.1 | 22.3 | 435,520 | 6.8 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 166 | 14.2 | 17.9 | 21.4 | 176,536 | 2.8 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 17 | 1.5 | 0.6 | 0.5 | 101,561 | 1.6 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 4 | 0.3 | 0.2 | 0.7 | 29,194 | 0.5 | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 7 | 0.6 | 1.3 | 1.2 | 33,630 | 0.5 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 4 | 0.3 | 0.4 | 2.1 | 13,719 | 0.2 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 5 | 0.4 | 0.4 | 0.6 | 15,026 | 0.2 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 11 | 0.9 | 1.1 | 1.1 | 26,593 | 0.4 | 0.9 | 1.1 |
| 22 Burns | 3 | 0.3 | 0.1 | 0.1 | 17,292 | 0.3 | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | 10 | 0.9 | 1.3 | 1.0 | 18,040 | 0.3 | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | 4 | 0.3 | 0.1 | 0.3 | 38,500 | 0.6 | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | 1 | 0.1 | 1.1 | 0.1 | 8,861 | 0.1 | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

WASATCH COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Wasatch BED SIZE: 40
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 576 | 100.0 | 100.0 | 100.0 | 1,538,075 | 100.0 | 100.0 | 100.0 |
| Normal Newborns (ICD-9: V30-V39) | 168 | 29.2 | 17.6 | 21.0 | 95,592 | 6.2 | 4.5 | 7.9 |
| Obstetric (MDC 14) | 175 | 30.4 | 19.0 | 22.2 | 480,612 | 31.2 | 15.7 | 9.9 |
| Pediatric Medical (Age 0-17) | 32 | 5.6 | 9.2 | 3.4 | 74,783 | 4.9 | 6.6 | 2.4 |
| Pediatric Surgery/Procedure (Age 0-17) | 5 | 0.9 | 1.7 | 1.0 | 25,848 | 1.7 | 2.1 | 1.3 |
| Other Medical | 146 | 25.3 | 41.7 | 26.4 | 544,507 | 35.4 | 48.8 | 24.8 |
| Other Surgery/Procedure | 47 | 8.2 | 9.2 | 20.9 | 307,822 | 20.0 | 21.5 | 46.6 |
| Psychiatric (MDC 19) | 3 | 0.5 | 0.4 | 2.1 | 8,911 | 0.6 | 0.3 | 2.0 |
| Rehabilitation (DRG 462) | . | . | 0.1 | 0.7 | . | . | 0.1 | 2.0 |
| Others | . | . | 1.2 | 2.2 | . | . | 0.4 | 3.3 |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 12 | 2.1 | 3.3 | 3.8 | 44,150 | 2.9 | 3.7 | 5.7 |
| 2 Eye | 4 | 0.7 | 0.5 | 0.1 | 13,238 | 0.9 | 0.4 | 0.1 |
| 3 Ear, Nose, Mouth & Throat | 3 | 0.5 | 1.7 | 0.9 | 9,173 | 0.6 | 1.1 | 0.8 |
| 4 Respiratory System | 45 | 7.8 | 13.8 | 6.5 | 189,173 | 12.3 | 18.5 | 8.1 |
| 5 Circulatory System | 31 | 5.4 | 8.8 | 10.2 | 127,509 | 8.3 | 10.8 | 20.2 |
| 6 Digestive System | 35 | 6.1 | 10.4 | 6.7 | 156,606 | 10.2 | 15.1 | 7.9 |
| 7 Hepatobiliary System & Pancreas | 16 | 2.8 | 2.9 | 2.2 | 98,848 | 6.4 | 5.5 | 3.4 |
| 8 Musculoskeletal System & Conn tissue | 12 | 2.1 | 3.2 | 8.4 | 59,044 | 3.8 | 5.0 | 12.9 |
| 9 Skin, Subcutaneous Tissue & Breast | 3 | 0.5 | 2.0 | 1.3 | 10,748 | 0.7 | 2.1 | 1.4 |
| 10 Endocrine, Nutritional & Meta System | 19 | 3.3 | 3.5 | 2.2 | 46,207 | 3.0 | 3.0 | 1.9 |
| 11 Kidney & Urinary Tract | 17 | 3.0 | 3.3 | 2.1 | 47,442 | 3.1 | 3.7 | 2.6 |
| 12 Male Reproductive System | 3 | 0.5 | 0.2 | 0.7 | 12,952 | 0.8 | 0.2 | 0.7 |
| 13 Female Reproductive System | 11 | 1.9 | 2.6 | 3.6 | 64,791 | 4.2 | 4.4 | 3.0 |
| 14 Pregnancy, Childbirth & Puerperium | 175 | 30.4 | 19.1 | 22.3 | 480,612 | 31.2 | 15.8 | 9.9 |
| 15 Newborn & Other Neonates (Perin Period) | 170 | 29.5 | 17.9 | 21.4 | 101,058 | 6.6 | 4.7 | 8.7 |
| 16 Blood and Blood-Forming Disorders | 2 | 0.3 | 0.6 | 0.5 | 10,253 | 0.7 | 0.8 | 0.6 |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | 0.2 | 0.7 | . | . | 0.2 | 1.9 |
| 18 Infectious and Parasitic DDS | 6 | 1.0 | 1.3 | 1.2 | 25,819 | 1.7 | 1.8 | 2.0 |
| 19 Mental Diseases and Disorders | 3 | 0.5 | 0.4 | 2.1 | 8,911 | 0.6 | 0.3 | 2.0 |
| 20 Alcohol/Drug Use or Induced Mental Dis | 2 | 0.3 | 0.4 | 0.6 | 7,608 | 0.5 | 0.3 | 0.3 |
| 21 Injuries, Poison & Toxic Eff of Drugs | 6 | 1.0 | 1.1 | 1.1 | 21,874 | 1.4 | 0.9 | 1.1 |
| 22 Burns | 1 | 0.2 | 0.1 | 0.1 | 2,060 | 0.1 | 0.1 | 0.9 |
| 23 Factors Influencing Health Status | . | . | 1.3 | 1.0 | . | . | 1.1 | 2.3 |
| 24 Multiple Significant Trauma | . | . | 0.1 | 0.3 | . | . | 0.4 | 1.3 |
| 25 Human Immunodeficiency Virus Infection | . | . | 0.0 | 0.1 | . | . | 0.0 | 0.1 |
| Unknown | . | . | 1.1 | 0.1 | . | . | 0.3 | 0.0 |

* Including all general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health

Missing values were excluded.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

BENCHMARK REGIONAL HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Ramsay Hlth Care

COUNTY: Davis BED SIZE: 68
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 42 | 100.0 | 100.0 | | 10,355,674 | 100.0 | 100.0 | |
| Normal Newborns (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | . | . | 0.0 | | . | . | 0.0 | |
| Pediatric Medical (Age 0-17) | 1 | 2.4 | 3.6 | | 50,960 | 0.5 | 2.5 | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | . | . | 22.6 | | . | . | 13.0 | |
| Other Surgery/Procedure | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | 41 | 97.6 | 63.2 | | 10,304,714 | 99.5 | 76.2 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Others | . | . | 10.6 | | . | . | 8.2 | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | . | . | 0.9 | | . | . | 0.9 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | . | . | 0.1 | | . | . | 0.0 | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | . | . | 0.0 | | . | . | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | . | . | . | | . | . | . | |
| 8 Musculoskeletal System & Conn tissue | . | . | . | | . | . | . | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | 1.4 | | . | . | 0.5 | |
| 10 Endocrine, Nutritional & Meta System | . | . | 0.0 | | . | . | 0.0 | |
| 11 Kidney & Urinary Tract | . | . | . | | . | . | . | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | 0.0 | | . | . | 0.0 | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic DDS | . | . | 0.5 | | . | . | 0.3 | |
| 19 Mental Diseases and Disorders | 41 | 97.6 | 63.2 | | 10,304,714 | 99.5 | 76.2 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | 16.8 | | . | . | 10.3 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | 6.5 | | . | . | 3.4 | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | 1 | 2.4 | 0.1 | | 50,960 | 0.5 | 0.2 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | . | . | . | | . | . | . | |
| Unknown | . | . | 10.5 | | . | . | 8.2 | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Missing values were excluded.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

OLYMPUS VIEW HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Comm. Psych. Services

COUNTY: Salt Lake BED SIZE: 102
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 902 | 100.0 | 100.0 | | 5,982,327 | 100.0 | 100.0 | |
| Normal Newborns (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | . | . | 0.0 | | . | . | 0.0 | |
| Pediatric Medical (Age 0-17) | 92 | 10.2 | 3.6 | | 704,268 | 11.8 | 2.5 | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | 396 | 43.9 | 22.6 | | 2,017,978 | 33.7 | 13.0 | |
| Other Surgery/Procedure | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | 298 | 33.0 | 63.2 | | 2,560,504 | 42.8 | 76.2 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Others | 116 | 12.9 | 10.6 | | 699,576 | 11.7 | 8.2 | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 20 | 2.2 | 0.9 | | 141,483 | 2.4 | 0.9 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | 4 | 0.4 | 0.1 | | 15,069 | 0.3 | 0.0 | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | . | . | 0.0 | | . | . | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | . | . | . | | . | . | . | |
| 8 Musculoskeletal System & Conn tissue | . | . | . | | . | . | . | |
| 9 Skin, Subcutaneous Tissue & Breast | 59 | 6.5 | 1.4 | | 226,039 | 3.8 | 0.5 | |
| 10 Endocrine, Nutritional & Meta System | . | . | 0.0 | | . | . | 0.0 | |
| 11 Kidney & Urinary Tract | . | . | . | | . | . | . | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | 0.0 | | . | . | 0.0 | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic DDS | 21 | 2.3 | 0.5 | | 131,756 | 2.2 | 0.3 | |
| 19 Mental Diseases and Disorders | 298 | 33.0 | 63.2 | | 2,560,504 | 42.8 | 76.2 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 103 | 11.4 | 16.8 | | 645,963 | 10.8 | 10.3 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 281 | 31.2 | 6.5 | | 1,561,936 | 26.1 | 3.4 | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | . | . | 0.1 | | . | . | 0.2 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | . | . | . | | . | . | . | |
| Unknown | 116 | 12.9 | 10.5 | | 699,576 | 11.7 | 8.2 | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Missing values were excluded.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

COPPER HILLS YOUTH CENTER
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Children's Comprehensive Services, Inc.

COUNTY: Salt Lake BED SIZE: 80
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 158 | 100.0 | 100.0 | | 599,745 | 100.0 | 100.0 | |
| Normal Newborns (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | . | . | 0.0 | | . | . | 0.0 | |
| Pediatric Medical (Age 0-17) | 17 | 10.8 | 3.6 | | 70,470 | 11.7 | 2.5 | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | 1 | 0.6 | 22.6 | | 4,740 | 0.8 | 13.0 | |
| Other Surgery/Procedure | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | 84 | 53.2 | 63.2 | | 366,805 | 61.2 | 76.2 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Others | 56 | 35.4 | 10.6 | | 157,730 | 26.3 | 8.2 | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | . | . | 0.9 | | . | . | 0.9 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | . | . | 0.1 | | . | . | 0.0 | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | . | . | 0.0 | | . | . | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | . | . | . | | . | . | . | |
| 8 Musculoskeletal System & Conn tissue | . | . | . | | . | . | . | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | 1.4 | | . | . | 0.5 | |
| 10 Endocrine, Nutritional & Meta System | . | . | 0.0 | | . | . | 0.0 | |
| 11 Kidney & Urinary Tract | . | . | . | | . | . | . | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | 0.0 | | . | . | 0.0 | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic DDS | . | . | 0.5 | | . | . | 0.3 | |
| 19 Mental Diseases and Disorders | 84 | 53.2 | 63.2 | | 366,805 | 61.2 | 76.2 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 19 | 12.0 | 16.8 | | 77,185 | 12.9 | 10.3 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | 6.5 | | . | . | 3.4 | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | . | . | 0.1 | | . | . | 0.2 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | . | . | . | | . | . | . | |
| Unknown | 55 | 34.8 | 10.5 | | 155,755 | 26.0 | 8.2 | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Missing values were excluded.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Psych.Inst.Amer.

COUNTY: Salt Lake BED SIZE: 90
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 2,063 | 100.0 | 100.0 | | 21,531,367 | 100.0 | 100.0 | |
| Normal Newborns (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | 2 | 0.1 | 0.0 | | 14,275 | 0.1 | 0.0 | |
| Pediatric Medical (Age 0-17) | 38 | 1.8 | 3.6 | | 333,411 | 1.5 | 2.5 | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | 348 | 16.9 | 22.6 | | 2,241,178 | 10.4 | 13.0 | |
| Other Surgery/Procedure | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | 1,672 | 81.0 | 63.2 | | 18,893,721 | 87.7 | 76.2 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Others | 3 | 0.1 | 10.6 | | 48,782 | 0.2 | 8.2 | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 18 | 0.9 | 0.9 | | 303,870 | 1.4 | 0.9 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | . | . | 0.1 | | . | . | 0.0 | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | 1 | 0.0 | 0.0 | | 26,530 | 0.1 | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | . | . | . | | . | . | . | |
| 8 Musculoskeletal System & Conn tissue | . | . | . | | . | . | . | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | 1.4 | | . | . | 0.5 | |
| 10 Endocrine, Nutritional & Meta System | 1 | 0.0 | 0.0 | | 7,657 | 0.0 | 0.0 | |
| 11 Kidney & Urinary Tract | . | . | . | | . | . | . | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | 2 | 0.1 | 0.0 | | 14,275 | 0.1 | 0.0 | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic DDS | . | . | 0.5 | | . | . | 0.3 | |
| 19 Mental Diseases and Disorders | 1,672 | 81.0 | 63.2 | | 18,893,721 | 87.7 | 76.2 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 358 | 17.4 | 16.8 | | 2,172,296 | 10.1 | 10.3 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 3 | 0.1 | 6.5 | | 32,414 | 0.2 | 3.4 | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | 5 | 0.2 | 0.1 | | 31,823 | 0.1 | 0.2 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | . | . | . | | . | . | . | |
| Unknown | 3 | 0.1 | 10.5 | | 48,782 | 0.2 | 8.2 | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Missing values were excluded.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

BENCHMARK SOUTH
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Ramsay Hlth Care

COUNTY: Salt Lake BED SIZE: 80
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 849 | 100.0 | 100.0 | | 5,257,907 | 100.0 | 100.0 | |
| Normal Newborns (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | . | . | 0.0 | | . | . | 0.0 | |
| Pediatric Medical (Age 0-17) | 10 | 1.2 | 3.6 | | 34,210 | 0.7 | 2.5 | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | 182 | 21.4 | 22.6 | | 1,317,432 | 25.1 | 13.0 | |
| Other Surgery/Procedure | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | 653 | 76.9 | 63.2 | | 3,871,612 | 73.6 | 76.2 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Others | 4 | 0.5 | 10.6 | | 34,653 | 0.7 | 8.2 | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | . | . | 0.9 | | . | . | 0.9 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | . | . | 0.1 | | . | . | 0.0 | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | . | . | 0.0 | | . | . | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | . | . | . | | . | . | . | |
| 8 Musculoskeletal System & Conn tissue | . | . | . | | . | . | . | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | 1.4 | | . | . | 0.5 | |
| 10 Endocrine, Nutritional & Meta System | . | . | 0.0 | | . | . | 0.0 | |
| 11 Kidney & Urinary Tract | . | . | . | | . | . | . | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | 0.0 | | . | . | 0.0 | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic DDS | . | . | 0.5 | | . | . | 0.3 | |
| 19 Mental Diseases and Disorders | 653 | 76.9 | 63.2 | | 3,871,612 | 73.6 | 76.2 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 196 | 23.1 | 16.8 | | 1,386,295 | 26.4 | 10.3 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | 6.5 | | . | . | 3.4 | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | . | . | 0.1 | | . | . | 0.2 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | . | . | . | | . | . | . | |
| Unknown | . | . | 10.5 | | . | . | 8.2 | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Missing values were excluded.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Am. Intl. Hlth. Sys.

COUNTY: Salt Lake BED SIZE: 34
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 337 | 100.0 | 100.0 | | 3,511,251 | 100.0 | 100.0 | |
| Normal Newborns (ICD-9: V30-V39) | . | . | . | | . | . | . | |
| Obstetric (MDC 14) | . | . | 0.0 | | . | . | 0.0 | |
| Pediatric Medical (Age 0-17) | . | . | 3.6 | | . | . | 2.5 | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | . | | . | . | . | |
| Other Medical | 56 | 16.6 | 22.6 | | 562,821 | 16.0 | 13.0 | |
| Other Surgery/Procedure | . | . | . | | . | . | . | |
| Psychiatric (MDC 19) | . | . | 63.2 | | . | . | 76.2 | |
| Rehabilitation (DRG 462) | . | . | . | | . | . | . | |
| Others | 281 | 83.4 | 10.6 | | 2,948,430 | 84.0 | 8.2 | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | . | . | 0.9 | | . | . | 0.9 | |
| 2 Eye | . | . | . | | . | . | . | |
| 3 Ear, Nose, Mouth & Throat | . | . | 0.1 | | . | . | 0.0 | |
| 4 Respiratory System | . | . | . | | . | . | . | |
| 5 Circulatory System | . | . | 0.0 | | . | . | 0.1 | |
| 6 Digestive System | . | . | . | | . | . | . | |
| 7 Hepatobiliary System & Pancreas | . | . | . | | . | . | . | |
| 8 Musculoskeletal System & Conn tissue | . | . | . | | . | . | . | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | 1.4 | | . | . | 0.5 | |
| 10 Endocrine, Nutritional & Meta System | . | . | 0.0 | | . | . | 0.0 | |
| 11 Kidney & Urinary Tract | . | . | . | | . | . | . | |
| 12 Male Reproductive System | . | . | . | | . | . | . | |
| 13 Female Reproductive System | . | . | . | | . | . | . | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | 0.0 | | . | . | 0.0 | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | . | | . | . | . | |
| 16 Blood and Blood-Forming Disorders | . | . | . | | . | . | . | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | . | | . | . | . | |
| 18 Infectious and Parasitic DDS | . | . | 0.5 | | . | . | 0.3 | |
| 19 Mental Diseases and Disorders | . | . | 63.2 | | . | . | 76.2 | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 56 | 16.6 | 16.8 | | 562,821 | 16.0 | 10.3 | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | 6.5 | | . | . | 3.4 | |
| 22 Burns | . | . | . | | . | . | . | |
| 23 Factors Influencing Health Status | . | . | 0.1 | | . | . | 0.2 | |
| 24 Multiple Significant Trauma | . | . | . | | . | . | . | |
| 25 Human Immunodeficiency Virus Infection | . | . | . | | . | . | . | |
| Unknown | 281 | 83.4 | 10.5 | | 2,948,430 | 84.0 | 8.2 | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Missing values were excluded.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None
 IHC, Inc.

COUNTY: Salt Lake BED SIZE: 232
 OWNERSHIP: Not for profit AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 8,576 | 100.0 | | | 122,652,009 | 100.0 | | |
| Normal Newborns (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | 5,176 | 60.4 | | | 51,120,269 | 41.7 | | |
| Pediatric Surgery/Procedure (Age 0-17) | 2,687 | 31.3 | | | 60,438,169 | 49.3 | | |
| Other Medical | 113 | 1.3 | | | 1,010,112 | 0.8 | | |
| Other Surgery/Procedure | 110 | 1.3 | | | 2,379,879 | 1.9 | | |
| Psychiatric (MDC 19) | 273 | 3.2 | | | 2,190,080 | 1.8 | | |
| Rehabilitation (DRG 462) | 71 | 0.8 | | | 2,559,118 | 2.1 | | |
| Others | 146 | 1.7 | | | 2,954,382 | 2.4 | | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 1,113 | 13.0 | | | 15,713,237 | 12.8 | | |
| 2 Eye | 48 | 0.6 | | | 267,229 | 0.2 | | |
| 3 Ear, Nose, Mouth & Throat | 465 | 5.4 | | | 2,681,472 | 2.2 | | |
| 4 Respiratory System | 1,495 | 17.4 | | | 14,783,973 | 12.1 | | |
| 5 Circulatory System | 580 | 6.8 | | | 17,641,323 | 14.4 | | |
| 6 Digestive System | 888 | 10.4 | | | 11,423,947 | 9.3 | | |
| 7 Hepatobiliary System & Pancreas | 102 | 1.2 | | | 1,843,671 | 1.5 | | |
| 8 Musculoskeletal System & Conn tissue | 815 | 9.5 | | | 9,188,954 | 7.5 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 129 | 1.5 | | | 1,153,047 | 0.9 | | |
| 10 Endocrine, Nutritional & Meta System | 546 | 6.4 | | | 5,414,955 | 4.4 | | |
| 11 Kidney & Urinary Tract | 347 | 4.0 | | | 3,074,873 | 2.5 | | |
| 12 Male Reproductive System | 2 | 0.0 | | | 61,240 | 0.0 | | |
| 13 Female Reproductive System | 27 | 0.3 | | | 213,239 | 0.2 | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates (Perin Period) | 543 | 6.3 | | | 17,502,948 | 14.3 | | |
| 16 Blood and Blood-Forming Disorders | 228 | 2.7 | | | 2,768,209 | 2.3 | | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 423 | 4.9 | | | 7,211,836 | 5.9 | | |
| 18 Infectious and Parasitic DDS | 275 | 3.2 | | | 3,179,789 | 2.6 | | |
| 19 Mental Diseases and Disorders | 273 | 3.2 | | | 2,190,080 | 1.8 | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 4 | 0.0 | | | 12,510 | 0.0 | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 107 | 1.2 | | | 1,756,526 | 1.4 | | |
| 22 Burns | 1 | 0.0 | | | 4,624 | 0.0 | | |
| 23 Factors Influencing Health Status | 101 | 1.2 | | | 2,860,237 | 2.3 | | |
| 24 Multiple Significant Trauma | 63 | 0.7 | | | 1,685,807 | 1.4 | | |
| 25 Human Immunodeficiency Virus Infection | 1 | 0.0 | | | 18,284 | 0.0 | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

SOUTH DAVIS COMMUNITY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Davis
 OWNERSHIP: Government

BED SIZE: 39
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 35 | 100.0 | | | 131,344 | 100.0 | | |
| Normal Newborns (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | 3 | 8.6 | | | 6,810 | 5.2 | | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | | | . | . | | |
| Other Medical | 30 | 85.7 | | | 106,309 | 80.9 | | |
| Other Surgery/Procedure | . | . | | | . | . | | |
| Psychiatric (MDC 19) | 1 | 2.9 | | | 895 | 0.7 | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Others | 1 | 2.9 | | | 17,330 | 13.2 | | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 11 | 31.4 | | | 27,507 | 20.9 | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | . | . | | | . | . | | |
| 4 Respiratory System | 11 | 31.4 | | | 27,284 | 20.8 | | |
| 5 Circulatory System | 1 | 2.9 | | | 2,585 | 2.0 | | |
| 6 Digestive System | . | . | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | . | . | | | . | . | | |
| 8 Musculoskeletal System & Conn tissue | 1 | 2.9 | | | 2,164 | 1.6 | | |
| 9 Skin, Subcutaneous Tissue & Breast | . | . | | | . | . | | |
| 10 Endocrine, Nutritional & Meta System | 4 | 11.4 | | | 21,089 | 16.1 | | |
| 11 Kidney & Urinary Tract | 5 | 14.3 | | | 32,490 | 24.7 | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | | | . | . | | |
| 18 Infectious and Parasitic DDS | . | . | | | . | . | | |
| 19 Mental Diseases and Disorders | 1 | 2.9 | | | 895 | 0.7 | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | | | . | . | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | . | . | | | . | . | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | 1 | 2.9 | | | 17,330 | 13.2 | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

BONNEVILLE HEALTH SYSTEMS
 PEER GROUP: None
 Bonneville Health

COUNTY: Salt Lake BED SIZE: 12
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 4 | 100.0 | | | 6,598 | 100.0 | | |
| Normal Newborns (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | . | . | | | . | . | | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | | | . | . | | |
| Other Medical | 1 | 25.0 | | | 502 | 7.6 | | |
| Other Surgery/Procedure | 3 | 75.0 | | | 6,095 | 92.4 | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Others | . | . | | | . | . | | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | . | . | | | . | . | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | . | . | | | . | . | | |
| 4 Respiratory System | . | . | | | . | . | | |
| 5 Circulatory System | 1 | 25.0 | | | 502 | 7.6 | | |
| 6 Digestive System | . | . | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | . | . | | | . | . | | |
| 8 Musculoskeletal System & Conn tissue | . | . | | | . | . | | |
| 9 Skin, Subcutaneous Tissue & Breast | 2 | 50.0 | | | 3,982 | 60.4 | | |
| 10 Endocrine, Nutritional & Meta System | 1 | 25.0 | | | 2,113 | 32.0 | | |
| 11 Kidney & Urinary Tract | . | . | | | . | . | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | | | . | . | | |
| 18 Infectious and Parasitic DDS | . | . | | | . | . | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | . | . | | | . | . | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | . | . | | | . | . | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | . | . | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

HEALTHSOUTH
 PEER GROUP: None
 Rehab. Svcs. Corp.

COUNTY: Salt Lake BED SIZE: 50
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 346 | 100.0 | | | 5,932,590 | 100.0 | | |
| Normal Newborns (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | . | . | | | . | . | | |
| Pediatric Surgery/Procedure (Age 0-17) | . | . | | | . | . | | |
| Other Medical | . | . | | | . | . | | |
| Other Surgery/Procedure | . | . | | | . | . | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | 346 | 100.0 | | | 5,932,590 | 100.0 | | |
| Others | . | . | | | . | . | | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 128 | 37.0 | | | 2,512,838 | 42.4 | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | 1 | 0.3 | | | 7,329 | 0.1 | | |
| 4 Respiratory System | 9 | 2.6 | | | 331,179 | 5.6 | | |
| 5 Circulatory System | 11 | 3.2 | | | 276,925 | 4.7 | | |
| 6 Digestive System | 2 | 0.6 | | | 12,681 | 0.2 | | |
| 7 Hepatobiliary System & Pancreas | 2 | 0.6 | | | 9,504 | 0.2 | | |
| 8 Musculoskeletal System & Conn tissue | 125 | 36.1 | | | 1,401,135 | 23.6 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 5 | 1.4 | | | 62,106 | 1.0 | | |
| 10 Endocrine, Nutritional & Meta System | . | . | | | . | . | | |
| 11 Kidney & Urinary Tract | 1 | 0.3 | | | 14,930 | 0.3 | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | 1 | 0.3 | | | 7,239 | 0.1 | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | | | . | . | | |
| 18 Infectious and Parasitic DDS | 1 | 0.3 | | | 6,682 | 0.1 | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 8 | 2.3 | | | 98,615 | 1.7 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | 5 | 1.4 | | | 179,435 | 3.0 | | |
| 24 Multiple Significant Trauma | 5 | 1.4 | | | 180,314 | 3.0 | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | 42 | 12.1 | | | 831,680 | 14.0 | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake BED SIZE: 14
 OWNERSHIP: Investor-owned AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 783 | 100.0 | | | 7,501,669 | 100.0 | | |
| Normal Newborns (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | . | . | | | . | . | | |
| Pediatric Surgery/Procedure (Age 0-17) | 9 | 1.1 | | | 44,035 | 0.6 | | |
| Other Medical | 23 | 2.9 | | | 81,338 | 1.1 | | |
| Other Surgery/Procedure | 558 | 71.3 | | | 6,061,438 | 80.8 | | |
| Psychiatric (MDC 19) | . | . | | | . | . | | |
| Rehabilitation (DRG 462) | . | . | | | . | . | | |
| Others | 193 | 24.6 | | | 1,314,859 | 17.5 | | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 1 | 0.1 | | | 6,315 | 0.1 | | |
| 2 Eye | . | . | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | . | . | | | . | . | | |
| 4 Respiratory System | . | . | | | . | . | | |
| 5 Circulatory System | 6 | 0.8 | | | 54,986 | 0.7 | | |
| 6 Digestive System | . | . | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | . | . | | | . | . | | |
| 8 Musculoskeletal System & Conn tissue | 760 | 97.1 | | | 7,358,689 | 98.1 | | |
| 9 Skin, Subcutaneous Tissue & Breast | 4 | 0.5 | | | 15,126 | 0.2 | | |
| 10 Endocrine, Nutritional & Meta System | . | . | | | . | . | | |
| 11 Kidney & Urinary Tract | . | . | | | . | . | | |
| 12 Male Reproductive System | . | . | | | . | . | | |
| 13 Female Reproductive System | . | . | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | . | . | | | . | . | | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | . | . | | | . | . | | |
| 18 Infectious and Parasitic DDS | 4 | 0.5 | | | 16,560 | 0.2 | | |
| 19 Mental Diseases and Disorders | . | . | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | . | . | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 6 | 0.8 | | | 20,001 | 0.3 | | |
| 22 Burns | . | . | | | . | . | | |
| 23 Factors Influencing Health Status | . | . | | | . | . | | |
| 24 Multiple Significant Trauma | . | . | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | . | . | | | . | . | | |
| Unknown | 2 | 0.3 | | | 29,991 | 0.4 | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-1
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (TYPE OF SERVICE AND MDC BY NUMBER OF DISCHARGE AND TOTAL FACILITY CHARGE)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 138
 AFFILIATION:

| Type of Clinical Services | Discharges | | | | Total Facility Charges** | | | |
|--|------------|------------|--------|----------|--------------------------|------------|--------|----------|
| | Hospital # | Hospital % | Peer % | State* % | Hospital \$ | Hospital % | Peer % | State* % |
| All Discharges | 6,043 | 100.0 | | | . | 100.0 | | |
| Normal Newborns (ICD-9: V30-V39) | . | . | | | . | . | | |
| Obstetric (MDC 14) | . | . | | | . | . | | |
| Pediatric Medical (Age 0-17) | 5 | 0.1 | | | . | . | | |
| Pediatric Surgery/Procedure (Age 0-17) | 1 | 0.0 | | | . | . | | |
| Other Medical | 3,921 | 64.9 | | | . | . | | |
| Other Surgery/Procedure | 1,366 | 22.6 | | | . | . | | |
| Psychiatric (MDC 19) | 650 | 10.8 | | | . | . | | |
| Rehabilitation (DRG 462) | 32 | 0.5 | | | . | . | | |
| Others | 68 | 1.1 | | | . | . | | |
| Major Diagnostic Categories | | | | | | | | |
| 1 Nervous System | 598 | 9.9 | | | . | . | | |
| 2 Eye | 34 | 0.6 | | | . | . | | |
| 3 Ear, Nose, Mouth & Throat | 67 | 1.1 | | | . | . | | |
| 4 Respiratory System | 550 | 9.1 | | | . | . | | |
| 5 Circulatory System | 1,581 | 26.2 | | | . | . | | |
| 6 Digestive System | 374 | 6.2 | | | . | . | | |
| 7 Hepatobiliary System & Pancreas | 166 | 2.7 | | | . | . | | |
| 8 Musculoskeletal System & Conn tissue | 516 | 8.5 | | | . | . | | |
| 9 Skin, Subcutaneous Tissue & Breast | 115 | 1.9 | | | . | . | | |
| 10 Endocrine, Nutritional & Meta System | 140 | 2.3 | | | . | . | | |
| 11 Kidney & Urinary Tract | 167 | 2.8 | | | . | . | | |
| 12 Male Reproductive System | 51 | 0.8 | | | . | . | | |
| 13 Female Reproductive System | 9 | 0.1 | | | . | . | | |
| 14 Pregnancy, Childbirth & Puerperium | . | . | | | . | . | | |
| 15 Newborn & Other Neonates (Perin Period) | . | . | | | . | . | | |
| 16 Blood and Blood-Forming Disorders | 41 | 0.7 | | | . | . | | |
| 17 Myeloproliferative DDS (Diff Neoplasms) | 124 | 2.1 | | | . | . | | |
| 18 Infectious and Parasitic DDS | 84 | 1.4 | | | . | . | | |
| 19 Mental Diseases and Disorders | 650 | 10.8 | | | . | . | | |
| 20 Alcohol/Drug Use or Induced Mental Dis | 221 | 3.7 | | | . | . | | |
| 21 Injuries, Poison & Toxic Eff of Drugs | 69 | 1.1 | | | . | . | | |
| 22 Burns | 2 | 0.0 | | | . | . | | |
| 23 Factors Influencing Health Status | 471 | 7.8 | | | . | . | | |
| 24 Multiple Significant Trauma | 2 | 0.0 | | | . | . | | |
| 25 Human Immunodeficiency Virus Infection | 10 | 0.2 | | | . | . | | |
| Unknown | 1 | 0.0 | | | . | . | | |

* No comparable hospitals.

** Missing values were excluded.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LDS HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 1.4169

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.32

BED SIZE: 520
 AFFILIATION:
 % LOS OUTLIER=2.16

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 24,698 | 291,646,849 | 604,475,973 | 1,641,774,293 | 112867.0 | 222,160.00 | 757,944.00 |
| Total Facility Charges | . | 290,507,376 | 602,375,542 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 11,809 | 13,736 | 7,901 | 4.67 | 5.17 | 3.65 |
| Adj. Average Charges/ALOS* | . | 7,646 | 8,218 | 7,119 | 3.04 | 3.18 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | 187 | 14,727 | 24,518 | 22,994 | 4.68 | 6.18 | 6.22 |
| 003 Craniotomy age 0-17 | 8 | 20,689 | 21,774 | 16,894 | 5.75 | 5.58 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 198 | 9,069 | 9,867 | 7,662 | 4.29 | 4.52 | 4.34 |
| 075 Major chest procedures | 113 | 23,861 | 23,342 | 22,563 | 8.07 | 7.74 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 221 | 7,740 | 8,205 | 6,831 | 4.47 | 4.55 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | 11,009 | 4,074 | . | 5.50 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 2 | 2,216 | 9,980 | 3,751 | 2.00 | 6.33 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | 135 | 57,109 | 62,813 | 60,822 | 9.95 | 10.41 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | 283 | 46,726 | 47,158 | 46,540 | 8.58 | 8.10 | 7.65 |
| 106 Coronary bypass w cardiac cath | 183 | 38,079 | 39,745 | 39,903 | 8.98 | 8.93 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | 294 | 33,481 | 34,463 | 34,575 | 8.00 | 7.63 | 7.00 |
| 108 Other cardiothoracic procedures | 40 | 32,607 | 33,810 | 33,688 | 7.64 | 6.79 | 6.43 |
| 110 Major cardiovascular procedures w cc | 103 | 26,998 | 30,569 | 29,838 | 7.82 | 8.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 167 | 15,148 | 13,848 | 14,362 | 2.21 | 2.40 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 782 | 19,591 | 19,799 | 19,584 | 2.27 | 2.48 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 100 | 15,609 | 16,522 | 11,411 | 5.91 | 6.09 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 148 | 9,594 | 12,327 | 10,664 | 3.50 | 4.03 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 139 | 6,809 | 7,230 | 7,677 | 2.08 | 1.89 | 1.99 |
| 127 Heart Failure & Shock | 259 | 7,794 | 7,932 | 6,229 | 4.33 | 4.40 | 4.16 |
| 140 Angina Pectoris | 11 | 3,769 | 3,821 | 3,680 | 1.27 | 1.54 | 1.64 |
| 143 Chest Pain | 137 | 3,526 | 3,757 | 3,643 | 1.47 | 1.54 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 210 | 19,299 | 22,013 | 20,020 | 9.22 | 9.59 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 87 | 27,596 | 27,071 | 22,100 | 10.33 | 9.39 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 99 | 5,379 | 5,582 | 4,102 | 1.20 | 1.38 | 1.51 |
| 174 G.I. Hemorrhage w CC | 210 | 8,002 | 8,492 | 6,510 | 3.63 | 3.58 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 161 | 5,509 | 5,869 | 4,732 | 3.01 | 3.22 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 78 | 3,786 | 3,381 | 3,517 | 1.90 | 1.83 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 24 | 14,906 | 16,694 | 14,537 | 6.58 | 7.10 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 10 | 5,997 | 7,013 | 8,516 | 2.80 | 2.64 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 501 | 18,414 | 19,965 | 17,755 | 4.45 | 5.17 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LDS HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 1.4169

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.32

BED SIZE: 520
 AFFILIATION:
 % LOS OUTLIER=2.16

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 110 | 15,275 | 16,642 | 13,299 | 6.35 | 6.25 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 118 | 6,915 | 7,909 | 6,856 | 2.54 | 2.46 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 84 | 6,836 | 8,427 | 5,387 | 4.19 | 4.72 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 229 | 7,191 | 7,921 | 6,853 | 3.18 | 3.24 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 373 | 6,001 | 6,193 | 5,485 | 2.52 | 2.49 | 2.46 |
| 370 Cesarean Section w CC | 255 | 7,059 | 8,148 | 6,501 | 4.04 | 4.47 | 3.87 |
| 371 Cesarean Section w/o CC | 456 | 5,650 | 5,794 | 5,106 | 3.38 | 3.47 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 490 | 3,948 | 4,244 | 3,392 | 2.00 | 2.19 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 3,045 | 3,073 | 3,046 | 2,648 | 1.66 | 1.67 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 199 | 3,899 | 4,414 | 3,712 | 1.82 | 2.04 | 1.90 |
| 383 Other antepartum diag w med complic | 137 | 4,869 | 4,500 | 3,678 | 3.24 | 3.09 | 2.77 |
| 385 Neonates, died or transf to otr acute | 65 | 20,373 | 23,455 | 13,772 | 11.79 | 12.93 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 127 | 64,647 | 86,921 | 54,638 | 30.96 | 35.59 | 25.54 |
| 387 Prematurity w major problems | 130 | 25,062 | 27,220 | 18,929 | 16.90 | 16.77 | 13.28 |
| 389 Full Term Neonate w Major Problems | 327 | 4,600 | 4,197 | 3,791 | 3.61 | 3.43 | 3.25 |
| 390 Neonate w Other Significant Problems | 561 | 1,331 | 1,149 | 1,161 | 2.08 | 1.87 | 1.95 |
| 391 Normal Newborn | 3,212 | 846 | 833 | 854 | 1.74 | 1.68 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 47 | 8,871 | 8,881 | 8,034 | 3.22 | 3.10 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 71 | 32,124 | 29,688 | 23,367 | 12.75 | 10.80 | 9.50 |
| 430 Psychoses | 578 | 7,366 | 9,781 | 7,145 | 6.34 | 9.09 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 176 | 3,985 | 4,154 | 3,156 | 3.34 | 3.58 | 3.09 |
| 462 Rehabilitation | 279 | 27,290 | 27,740 | 18,893 | 18.16 | 18.08 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 99 | 23,148 | 24,865 | 20,591 | 8.02 | 8.05 | 7.58 |
| 475 Resp sys diagnosis with vent support | 85 | 39,622 | 41,159 | 31,202 | 12.53 | 12.06 | 9.97 |
| 481 Bone marrow transplant | 51 | 84,683 | 118,311 | 118,311 | 26.20 | 27.50 | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 85 | 117,378 | 141,466 | 135,406 | 29.59 | 32.17 | 31.93 |
| 486 Other OR proc for mult signif trauma | 84 | 45,505 | 47,788 | 38,464 | 12.46 | 12.37 | 10.46 |
| 499 Back & neck procedures w cc | 70 | 9,488 | 12,233 | 10,268 | 3.70 | 4.10 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 239 | 5,485 | 6,613 | 6,240 | 2.26 | 2.24 | 2.21 |
| 502 Knee procedures w/o cc | 1 | 4,436 | 9,224 | 9,458 | 2.00 | 4.00 | 4.24 |
| 470 Ungroupable | 1 | 14,902 | 5,627 | 4,262 | 7.00 | 2.80 | 2.73 |
| All others | 8,024 | 11,363 | 12,043 | 7,986 | 4.64 | 4.64 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY OF UTAH HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 Freestanding
 UHDDDB CASE MIX INDEX = 1.5294

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=5.47

BED SIZE: 425
 AFFILIATION:
 % LOS OUTLIER=3.00

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 19,351 | 312,829,124 | 604,475,973 | 1,641,774,293 | 109293.0 | 222,160.00 | 757,944.00 |
| Total Facility Charges | . | 311,868,167 | 602,375,542 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 16,202 | 13,736 | 7,901 | 5.80 | 5.17 | 3.65 |
| Adj. Average Charges/ALOS* | . | 8,972 | 8,218 | 7,119 | 3.37 | 3.18 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | 356 | 29,999 | 24,518 | 22,994 | 7.00 | 6.18 | 6.22 |
| 003 Craniotomy age 0-17 | 5 | 23,510 | 21,774 | 16,894 | 5.25 | 5.58 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 132 | 11,122 | 9,867 | 7,662 | 4.89 | 4.52 | 4.34 |
| 075 Major chest procedures | 66 | 22,416 | 23,342 | 22,563 | 7.17 | 7.74 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 127 | 9,033 | 8,205 | 6,831 | 4.69 | 4.55 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 4 | 11,009 | 11,009 | 4,074 | 5.50 | 5.50 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 2 | 17,743 | 9,980 | 3,751 | 8.50 | 6.33 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | 35 | 84,623 | 62,813 | 60,822 | 12.09 | 10.41 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | 83 | 48,662 | 47,158 | 46,540 | 6.43 | 8.10 | 7.65 |
| 106 Coronary bypass w cardiac cath | 42 | 47,520 | 39,745 | 39,903 | 8.71 | 8.93 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | 81 | 38,009 | 34,463 | 34,575 | 6.29 | 7.63 | 7.00 |
| 108 Other cardiothoracic procedures | 18 | 36,287 | 33,810 | 33,688 | 5.00 | 6.79 | 6.43 |
| 110 Major cardiovascular procedures w cc | 88 | 34,979 | 30,569 | 29,838 | 8.65 | 8.20 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | 134 | 12,165 | 13,848 | 14,362 | 2.66 | 2.40 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 169 | 20,799 | 19,799 | 19,584 | 3.53 | 2.48 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 31 | 19,918 | 16,522 | 11,411 | 6.66 | 6.09 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 133 | 15,398 | 12,327 | 10,664 | 4.65 | 4.03 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 110 | 7,767 | 7,230 | 7,677 | 1.62 | 1.89 | 1.99 |
| 127 Heart Failure & Shock | 117 | 8,257 | 7,932 | 6,229 | 4.54 | 4.40 | 4.16 |
| 140 Angina Pectoris | 16 | 3,857 | 3,821 | 3,680 | 1.73 | 1.54 | 1.64 |
| 143 Chest Pain | 65 | 4,265 | 3,757 | 3,643 | 1.66 | 1.54 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 171 | 25,465 | 22,013 | 20,020 | 10.04 | 9.59 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 49 | 26,146 | 27,071 | 22,100 | 7.76 | 9.39 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 51 | 5,989 | 5,582 | 4,102 | 1.67 | 1.38 | 1.51 |
| 174 G.I. Hemorrhage w CC | 87 | 9,690 | 8,492 | 6,510 | 3.46 | 3.58 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 94 | 6,522 | 5,869 | 4,732 | 3.60 | 3.22 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 57 | 2,831 | 3,381 | 3,517 | 1.74 | 1.83 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 17 | 19,555 | 16,694 | 14,537 | 7.88 | 7.10 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 4 | 9,553 | 7,013 | 8,516 | 2.25 | 2.64 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 407 | 21,910 | 19,965 | 17,755 | 6.08 | 5.17 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY OF UTAH HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 Freestanding
 UHDDDB CASE MIX INDEX = 1.5294

COUNTY: Salt Lake
 OWNERSHIP: Government
 % CHARGE OUTLIER=5.47

BED SIZE: 425
 AFFILIATION:
 % LOS OUTLIER=3.00

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 87 | 18,424 | 16,642 | 13,299 | 6.14 | 6.25 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 132 | 8,773 | 7,909 | 6,856 | 2.39 | 2.46 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 80 | 10,149 | 8,427 | 5,387 | 5.28 | 4.72 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 92 | 9,721 | 7,921 | 6,853 | 3.37 | 3.24 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 78 | 7,194 | 6,193 | 5,485 | 2.29 | 2.49 | 2.46 |
| 370 Cesarean Section w CC | 217 | 9,454 | 8,148 | 6,501 | 4.98 | 4.47 | 3.87 |
| 371 Cesarean Section w/o CC | 339 | 5,993 | 5,794 | 5,106 | 3.60 | 3.47 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 434 | 4,593 | 4,244 | 3,392 | 2.41 | 2.19 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,837 | 3,001 | 3,046 | 2,648 | 1.68 | 1.67 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 122 | 5,335 | 4,414 | 3,712 | 2.40 | 2.04 | 1.90 |
| 383 Other antepartum diag w med complic | 229 | 4,265 | 4,500 | 3,678 | 2.99 | 3.09 | 2.77 |
| 385 Neonates, died or transf to otr acute | 189 | 24,595 | 23,455 | 13,772 | 13.43 | 12.93 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 179 | 104,513 | 86,921 | 54,638 | 39.06 | 35.59 | 25.54 |
| 387 Prematurity w major problems | 187 | 28,786 | 27,220 | 18,929 | 16.68 | 16.77 | 13.28 |
| 389 Full Term Neonate w Major Problems | 263 | 3,694 | 4,197 | 3,791 | 3.21 | 3.43 | 3.25 |
| 390 Neonate w Other Significant Problems | 881 | 1,033 | 1,149 | 1,161 | 1.74 | 1.87 | 1.95 |
| 391 Normal Newborn | 1,189 | 797 | 833 | 854 | 1.54 | 1.68 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 290 | 8,883 | 8,881 | 8,034 | 3.08 | 3.10 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 101 | 27,932 | 29,688 | 23,367 | 9.45 | 10.80 | 9.50 |
| 430 Psychoses | 325 | 14,569 | 9,781 | 7,145 | 14.14 | 9.09 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 11 | 7,109 | 4,154 | 3,156 | 7.27 | 3.58 | 3.09 |
| 462 Rehabilitation | 386 | 28,073 | 27,740 | 18,893 | 18.01 | 18.08 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 78 | 27,138 | 24,865 | 20,591 | 8.09 | 8.05 | 7.58 |
| 475 Resp sys diagnosis with vent support | 53 | 44,020 | 41,159 | 31,202 | 11.17 | 12.06 | 9.97 |
| 481 Bone marrow transplant | 78 | 141,178 | 118,311 | 118,311 | 28.38 | 27.50 | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 77 | 170,229 | 141,466 | 135,406 | 34.96 | 32.17 | 31.93 |
| 486 Other OR proc for mult signif trauma | 72 | 50,507 | 47,788 | 38,464 | 12.28 | 12.37 | 10.46 |
| 499 Back & neck procedures w cc | 69 | 15,100 | 12,233 | 10,268 | 4.51 | 4.10 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 122 | 8,957 | 6,613 | 6,240 | 2.21 | 2.24 | 2.21 |
| 502 Knee procedures w/o cc | 2 | 11,618 | 9,224 | 9,458 | 5.00 | 4.00 | 4.24 |
| 470 Ungroupable | 68 | 5,489 | 5,627 | 4,262 | 2.72 | 2.80 | 2.73 |
| All others | 8,333 | 12,720 | 12,043 | 7,986 | 4.63 | 4.64 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Paracelsus Health Care
 UHDDDB CASE MIX INDEX = 0.9463

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=6.83

BED SIZE: 200
 AFFILIATION:
 % LOS OUTLIER=0.99

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 5,945 | 48,197,281 | 523,944,421 | 1,641,774,293 | 19215.00 | 233,099.00 | 757,944.00 |
| Total Facility Charges | . | 48,195,325 | 516,892,189 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 9,335 | 8,677 | 7,901 | 3.28 | 3.86 | 3.65 |
| Adj. Average Charges/ALOS* | . | 7,849 | 7,432 | 7,119 | 3.35 | 3.38 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|------|-------|
| 001 Craniotomy age >17 except for trauma | 8 | 22,043 | 21,031 | 22,994 | 3.38 | 6.66 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | 12,132 | 16,894 | . | 4.22 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 45 | 11,238 | 8,193 | 7,662 | 4.77 | 4.61 | 4.34 |
| 075 Major chest procedures | 13 | 35,807 | 21,757 | 22,563 | 8.75 | 8.22 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 142 | 7,057 | 7,444 | 6,831 | 4.30 | 4.78 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 1 | 5,707 | 5,123 | 4,074 | 6.00 | 3.33 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 1 | . | 4,248 | 3,751 | 1.00 | 2.81 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | 8 | 52,255 | 57,125 | 60,822 | 13.50 | 9.62 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | 18 | 54,388 | 46,115 | 46,540 | 6.22 | 7.03 | 7.65 |
| 106 Coronary bypass w cardiac cath | 33 | 34,090 | 40,071 | 39,903 | 7.21 | 7.99 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | 39 | 40,747 | 34,949 | 34,575 | 5.56 | 6.49 | 7.00 |
| 108 Other cardiothoracic procedures | 3 | 21,478 | 33,633 | 33,688 | 3.33 | 5.55 | 6.43 |
| 110 Major cardiovascular procedures w cc | 16 | 35,974 | 31,017 | 29,838 | 6.81 | 7.26 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 37 | 17,088 | 14,634 | 14,362 | 2.56 | 2.61 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 139 | 19,669 | 19,310 | 19,584 | 2.72 | 2.58 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 30 | 11,705 | 12,058 | 11,411 | 5.97 | 5.63 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 47 | 12,188 | 11,175 | 10,664 | 3.59 | 3.54 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 35 | 8,278 | 7,969 | 7,677 | 1.56 | 2.04 | 1.99 |
| 127 Heart Failure & Shock | 90 | 7,155 | 6,756 | 6,229 | 4.28 | 4.29 | 4.16 |
| 140 Angina Pectoris | 7 | 4,336 | 4,509 | 3,680 | 1.57 | 2.11 | 1.64 |
| 143 Chest Pain | 37 | 5,312 | 3,931 | 3,643 | 1.37 | 1.47 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 51 | 24,778 | 20,904 | 20,020 | 9.88 | 9.63 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 19 | 25,393 | 21,471 | 22,100 | 6.21 | 8.69 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 13 | 4,477 | 4,105 | 4,102 | 1.58 | 1.52 | 1.51 |
| 174 G.I. Hemorrhage w CC | 58 | 8,055 | 6,767 | 6,510 | 3.02 | 3.38 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 41 | 5,300 | 5,275 | 4,732 | 1.98 | 3.26 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 30 | 4,211 | 3,950 | 3,517 | 1.61 | 2.26 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 4 | 12,181 | 14,749 | 14,537 | 3.75 | 5.81 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 3 | 13,462 | 8,489 | 8,516 | 3.33 | 3.51 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 67 | 18,305 | 17,482 | 17,755 | 4.40 | 4.00 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Paracelsus Health Care
 UHDDB CASE MIX INDEX = 0.9463

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=6.83

BED SIZE: 200
 AFFILIATION:
 % LOS OUTLIER=0.99

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 38 | 12,967 | 13,197 | 13,299 | 4.24 | 5.34 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 19 | 8,574 | 6,791 | 6,856 | 2.21 | 2.39 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 34 | 5,998 | 5,952 | 5,387 | 3.48 | 3.94 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 52 | 7,782 | 6,865 | 6,853 | 3.10 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 114 | 5,747 | 5,478 | 5,485 | 2.44 | 2.51 | 2.46 |
| 370 Cesarean Section w CC | 56 | 7,910 | 6,619 | 6,501 | 3.54 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 161 | 6,560 | 5,394 | 5,106 | 3.22 | 3.32 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 141 | 3,606 | 3,745 | 3,392 | 2.06 | 2.09 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 955 | 2,896 | 2,941 | 2,648 | 1.77 | 1.78 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 53 | 4,168 | 3,864 | 3,712 | 1.96 | 1.97 | 1.90 |
| 383 Other antepartum diag w med complic | 18 | 3,499 | 3,813 | 3,678 | 1.71 | 2.70 | 2.77 |
| 385 Neonates, died or transf to otr acute | 5 | 2,477 | 30,766 | 13,772 | 1.50 | 14.52 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 7 | 1,965 | 45,291 | 54,638 | 2.14 | 22.70 | 25.54 |
| 387 Prematurity w major problems | 12 | 6,411 | 22,628 | 18,929 | 4.67 | 14.91 | 13.28 |
| 389 Full Term Neonate w Major Problems | 122 | 2,959 | 4,952 | 3,791 | 2.89 | 3.70 | 3.25 |
| 390 Neonate w Other Significant Problems | 128 | 1,531 | 1,319 | 1,161 | 2.18 | 2.12 | 1.95 |
| 391 Normal Newborn | 1,062 | 1,199 | 939 | 854 | 1.71 | 1.78 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 9 | 4,546 | 6,443 | 8,034 | 1.44 | 2.57 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 13 | 17,406 | 26,009 | 23,367 | 8.58 | 10.23 | 9.50 |
| 430 Psychoses | . | . | 6,153 | 7,145 | . | 6.29 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 3 | 2,828 | 3,296 | 3,156 | 1.67 | 3.00 | 3.09 |
| 462 Rehabilitation | 177 | 9,800 | 13,575 | 18,893 | 10.61 | 12.35 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 13 | 21,656 | 21,303 | 20,591 | 7.77 | 8.14 | 7.58 |
| 475 Resp sys diagnosis with vent support | 21 | 13,609 | 31,887 | 31,202 | 8.76 | 10.50 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 5 | 55,471 | 131,335 | 135,406 | 11.60 | 32.37 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 29,985 | 38,464 | . | 8.16 | 10.46 |
| 499 Back & neck procedures w cc | 17 | 10,219 | 10,359 | 10,268 | 3.59 | 4.20 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 35 | 8,768 | 6,352 | 6,240 | 2.31 | 2.10 | 2.21 |
| 502 Knee procedures w/o cc | 1 | 13,225 | 9,478 | 9,458 | 6.00 | 4.25 | 4.24 |
| 470 Ungroupable | 1 | 1,918 | 3,548 | 4,262 | 3.00 | 2.43 | 2.73 |
| All others | 1,638 | 9,376 | 8,136 | 7,986 | 3.59 | 3.88 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ST. MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 1.0589

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.29

BED SIZE: 276
 AFFILIATION:
 % LOS OUTLIER=2.13

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | Hospital | Peer | State* | Hospital | Peer | State* | |
| Total Charges/Length of Stay | 18,876 | 169,837,167 | 523,944,421 | 1,641,774,293 | 69492.00 | 233,099.00 | 757,944.00 |
| Total Facility Charges | . | 168,144,895 | 516,892,189 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 8,998 | 8,677 | 7,901 | 3.74 | 3.86 | 3.65 |
| Adj. Average Charges/ALOS* | . | 7,983 | 7,432 | 7,119 | 3.34 | 3.38 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|------|------|-------|
| 001 Craniotomy age >17 except for trauma | 21 | 20,650 | 21,031 | 22,994 | 5.48 | 6.66 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | 12,132 | 16,894 | . | 4.22 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 252 | 8,652 | 8,193 | 7,662 | 5.14 | 4.61 | 4.34 |
| 075 Major chest procedures | 46 | 24,194 | 21,757 | 22,563 | 8.20 | 8.22 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 297 | 7,453 | 7,444 | 6,831 | 4.98 | 4.78 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 9 | 2,818 | 5,123 | 4,074 | 2.63 | 3.33 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 18 | 2,867 | 4,248 | 3,751 | 2.89 | 2.81 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | 38 | 63,162 | 57,125 | 60,822 | 9.08 | 9.62 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | 85 | 46,985 | 46,115 | 46,540 | 6.41 | 7.03 | 7.65 |
| 106 Coronary bypass w cardiac cath | 122 | 48,677 | 40,071 | 39,903 | 7.97 | 7.99 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | 159 | 38,218 | 34,949 | 34,575 | 6.13 | 6.49 | 7.00 |
| 108 Other cardiothoracic procedures | 11 | 42,685 | 33,633 | 33,688 | 6.45 | 5.55 | 6.43 |
| 110 Major cardiovascular procedures w cc | 60 | 33,229 | 31,017 | 29,838 | 6.69 | 7.26 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | 81 | 17,282 | 14,634 | 14,362 | 2.29 | 2.61 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 527 | 21,884 | 19,310 | 19,584 | 2.63 | 2.58 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 61 | 11,013 | 12,058 | 11,411 | 5.46 | 5.63 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 134 | 11,508 | 11,175 | 10,664 | 3.47 | 3.54 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 117 | 8,438 | 7,969 | 7,677 | 1.91 | 2.04 | 1.99 |
| 127 Heart Failure & Shock | 261 | 7,037 | 6,756 | 6,229 | 4.61 | 4.29 | 4.16 |
| 140 Angina Pectoris | 17 | 3,883 | 4,509 | 3,680 | 2.23 | 2.11 | 1.64 |
| 143 Chest Pain | 246 | 3,381 | 3,931 | 3,643 | 1.38 | 1.47 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 124 | 21,329 | 20,904 | 20,020 | 9.31 | 9.63 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 58 | 20,141 | 21,471 | 22,100 | 8.42 | 8.69 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 130 | 5,157 | 4,105 | 4,102 | 1.48 | 1.52 | 1.51 |
| 174 G.I. Hemorrhage w CC | 208 | 6,759 | 6,767 | 6,510 | 3.71 | 3.38 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 160 | 5,564 | 5,275 | 4,732 | 3.59 | 3.26 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 113 | 3,965 | 3,950 | 3,517 | 2.20 | 2.26 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 37 | 16,571 | 14,749 | 14,537 | 6.08 | 5.81 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 22 | 9,093 | 8,489 | 8,516 | 3.50 | 3.51 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 621 | 17,934 | 17,482 | 17,755 | 3.88 | 4.00 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ST. MARK'S HOSPITAL

PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Columbia Healthcare, Inc.

UHDDDB CASE MIX INDEX = 1.0589

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 276

AFFILIATION:

% CHARGE OUTLIER=2.29

% LOS OUTLIER=2.13

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 76 | 15,869 | 13,197 | 13,299 | 5.49 | 5.34 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 112 | 7,821 | 6,791 | 6,856 | 2.36 | 2.39 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 122 | 6,618 | 5,952 | 5,387 | 4.42 | 3.94 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 136 | 7,801 | 6,865 | 6,853 | 2.97 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 565 | 5,818 | 5,478 | 5,485 | 2.40 | 2.51 | 2.46 |
| 370 Cesarean Section w CC | 117 | 6,337 | 6,619 | 6,501 | 3.66 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 484 | 5,554 | 5,394 | 5,106 | 3.33 | 3.32 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 367 | 3,854 | 3,745 | 3,392 | 2.23 | 2.09 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 2,054 | 3,148 | 2,941 | 2,648 | 1.94 | 1.78 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 91 | 4,659 | 3,864 | 3,712 | 2.04 | 1.97 | 1.90 |
| 383 Other antepartum diag w med complic | 106 | 3,271 | 3,813 | 3,678 | 2.52 | 2.70 | 2.77 |
| 385 Neonates, died or transf to otr acute | 28 | 4,097 | 30,766 | 13,772 | 1.72 | 14.52 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 63 | 15,180 | 45,291 | 54,638 | 12.90 | 22.70 | 25.54 |
| 387 Prematurity w major problems | 75 | 12,683 | 22,628 | 18,929 | 13.06 | 14.91 | 13.28 |
| 389 Full Term Neonate w Major Problems | 174 | 3,553 | 4,952 | 3,791 | 3.56 | 3.70 | 3.25 |
| 390 Neonate w Other Significant Problems | 415 | 1,418 | 1,319 | 1,161 | 2.30 | 2.12 | 1.95 |
| 391 Normal Newborn | 2,356 | 953 | 939 | 854 | 1.90 | 1.78 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 48 | 10,159 | 6,443 | 8,034 | 3.11 | 2.57 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 48 | 31,893 | 26,009 | 23,367 | 11.07 | 10.23 | 9.50 |
| 430 Psychoses | 3 | 4,800 | 6,153 | 7,145 | 3.67 | 6.29 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 8 | 5,387 | 3,296 | 3,156 | 2.88 | 3.00 | 3.09 |
| 462 Rehabilitation | 2 | 5,565 | 13,575 | 18,893 | 5.50 | 12.35 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 64 | 22,982 | 21,303 | 20,591 | 8.49 | 8.14 | 7.58 |
| 475 Resp sys diagnosis with vent support | 52 | 33,279 | 31,887 | 31,202 | 10.34 | 10.50 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 7 | 157,778 | 131,335 | 135,406 | 29.86 | 32.37 | 31.93 |
| 486 Other OR proc for mult signif trauma | 4 | 16,780 | 29,985 | 38,464 | 6.50 | 8.16 | 10.46 |
| 499 Back & neck procedures w cc | 46 | 12,673 | 10,359 | 10,268 | 3.91 | 4.20 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 224 | 8,202 | 6,352 | 6,240 | 2.11 | 2.10 | 2.21 |
| 502 Knee procedures w/o cc | 6 | 10,771 | 9,478 | 9,458 | 4.20 | 4.25 | 4.24 |
| 470 Ungroupable | 5 | 3,697 | 3,548 | 4,262 | 2.40 | 2.43 | 2.73 |
| All others | 6,983 | 8,839 | 8,136 | 7,986 | 4.15 | 3.88 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 1.1267

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.64

BED SIZE: 395
 AFFILIATION:
 % LOS OUTLIER=2.23

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 20,138 | 171,095,305 | 523,944,421 | 1,641,774,293 | 81812.00 | 233,099.00 | 757,944.00 |
| Total Facility Charges | . | 167,808,647 | 516,892,189 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 8,498 | 8,677 | 7,901 | 4.12 | 3.86 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,947 | 7,432 | 7,119 | 3.38 | 3.38 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|-------|------|-------|
| 001 Craniotomy age >17 except for trauma | 103 | 19,104 | 21,031 | 22,994 | 7.37 | 6.66 | 6.22 |
| 003 Craniotomy age 0-17 | 13 | 9,741 | 12,132 | 16,894 | 3.69 | 4.22 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 147 | 7,437 | 8,193 | 7,662 | 4.29 | 4.61 | 4.34 |
| 075 Major chest procedures | 58 | 19,811 | 21,757 | 22,563 | 8.58 | 8.22 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 217 | 8,774 | 7,444 | 6,831 | 5.53 | 4.78 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 209 | 5,061 | 5,123 | 4,074 | 3.51 | 3.33 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 245 | 3,998 | 4,248 | 3,751 | 2.91 | 2.81 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | 42 | 54,321 | 57,125 | 60,822 | 9.24 | 9.62 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | 43 | 42,816 | 46,115 | 46,540 | 8.17 | 7.03 | 7.65 |
| 106 Coronary bypass w cardiac cath | 129 | 36,393 | 40,071 | 39,903 | 8.12 | 7.99 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | 72 | 33,568 | 34,949 | 34,575 | 8.01 | 6.49 | 7.00 |
| 108 Other cardiothoracic procedures | 3 | 25,583 | 33,633 | 33,688 | 4.67 | 5.55 | 6.43 |
| 110 Major cardiovascular procedures w cc | 60 | 27,440 | 31,017 | 29,838 | 7.37 | 7.26 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 201 | 12,232 | 14,634 | 14,362 | 2.38 | 2.61 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 828 | 17,053 | 19,310 | 19,584 | 2.24 | 2.58 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 43 | 14,595 | 12,058 | 11,411 | 6.14 | 5.63 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 95 | 8,500 | 11,175 | 10,664 | 2.87 | 3.54 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 95 | 6,450 | 7,969 | 7,677 | 2.07 | 2.04 | 1.99 |
| 127 Heart Failure & Shock | 204 | 7,198 | 6,756 | 6,229 | 4.60 | 4.29 | 4.16 |
| 140 Angina Pectoris | 20 | 4,631 | 4,509 | 3,680 | 2.12 | 2.11 | 1.64 |
| 143 Chest Pain | 137 | 4,309 | 3,931 | 3,643 | 1.67 | 1.47 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 135 | 21,340 | 20,904 | 20,020 | 10.67 | 9.63 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 37 | 19,569 | 21,471 | 22,100 | 9.16 | 8.69 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 215 | 3,454 | 4,105 | 4,102 | 1.47 | 1.52 | 1.51 |
| 174 G.I. Hemorrhage w CC | 128 | 6,486 | 6,767 | 6,510 | 3.22 | 3.38 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 77 | 5,506 | 5,275 | 4,732 | 3.56 | 3.26 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 73 | 3,786 | 3,950 | 3,517 | 2.50 | 2.26 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 13 | 12,311 | 14,749 | 14,537 | 5.85 | 5.81 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 6 | 5,447 | 8,489 | 8,516 | 2.83 | 3.51 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 393 | 16,158 | 17,482 | 17,755 | 4.30 | 4.00 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 1.1267

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.64

BED SIZE: 395
 AFFILIATION:
 % LOS OUTLIER=2.23

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 101 | 12,386 | 13,197 | 13,299 | 6.01 | 5.34 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 98 | 5,773 | 6,791 | 6,856 | 2.43 | 2.39 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 72 | 6,319 | 5,952 | 5,387 | 4.03 | 3.94 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 75 | 6,352 | 6,865 | 6,853 | 3.37 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 142 | 5,306 | 5,478 | 5,485 | 2.79 | 2.51 | 2.46 |
| 370 Cesarean Section w CC | 121 | 6,624 | 6,619 | 6,501 | 4.03 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 392 | 4,795 | 5,394 | 5,106 | 3.38 | 3.32 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 390 | 3,573 | 3,745 | 3,392 | 1.89 | 2.09 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 2,672 | 2,620 | 2,941 | 2,648 | 1.56 | 1.78 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 93 | 3,305 | 3,864 | 3,712 | 1.83 | 1.97 | 1.90 |
| 383 Other antepartum diag w med complic | 92 | 4,425 | 3,813 | 3,678 | 3.10 | 2.70 | 2.77 |
| 385 Neonates, died or transf to otr acute | 42 | 51,011 | 30,766 | 13,772 | 23.95 | 14.52 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 241 | 45,923 | 45,291 | 54,638 | 25.07 | 22.70 | 25.54 |
| 387 Prematurity w major problems | 83 | 25,663 | 22,628 | 18,929 | 17.75 | 14.91 | 13.28 |
| 389 Full Term Neonate w Major Problems | 261 | 5,918 | 4,952 | 3,791 | 4.08 | 3.70 | 3.25 |
| 390 Neonate w Other Significant Problems | 336 | 1,367 | 1,319 | 1,161 | 1.96 | 2.12 | 1.95 |
| 391 Normal Newborn | 2,884 | 905 | 939 | 854 | 1.66 | 1.78 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 6 | 9,587 | 6,443 | 8,034 | 4.50 | 2.57 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 64 | 25,061 | 26,009 | 23,367 | 9.80 | 10.23 | 9.50 |
| 430 Psychoses | 986 | 5,963 | 6,153 | 7,145 | 5.99 | 6.29 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 94 | 3,296 | 3,296 | 3,156 | 3.20 | 3.00 | 3.09 |
| 462 Rehabilitation | 205 | 19,551 | 13,575 | 18,893 | 15.84 | 12.35 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 35 | 18,201 | 21,303 | 20,591 | 7.91 | 8.14 | 7.58 |
| 475 Resp sys diagnosis with vent support | 62 | 35,456 | 31,887 | 31,202 | 12.72 | 10.50 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 35 | 153,603 | 131,335 | 135,406 | 45.00 | 32.37 | 31.93 |
| 486 Other OR proc for mult signif trauma | 13 | 20,385 | 29,985 | 38,464 | 7.31 | 8.16 | 10.46 |
| 499 Back & neck procedures w cc | 71 | 8,919 | 10,359 | 10,268 | 4.50 | 4.20 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 304 | 4,543 | 6,352 | 6,240 | 1.84 | 2.10 | 2.21 |
| 502 Knee procedures w/o cc | 2 | 10,314 | 9,478 | 9,458 | 7.00 | 4.25 | 4.24 |
| 470 Ungroupable | 1 | 4,434 | 3,548 | 4,262 | 2.00 | 2.43 | 2.73 |
| All others | 6,124 | 7,548 | 8,136 | 7,986 | 3.75 | 3.88 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MCKAY DEE HOSPITAL

PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.

UHDDDB CASE MIX INDEX = 1.0852

COUNTY: Weber

OWNERSHIP: Not for profit

% CHARGE OUTLIER=1.40

BED SIZE: 428

AFFILIATION:

% LOS OUTLIER=1.59

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 16,219 | 134,814,668 | 523,944,421 | 1,641,774,293 | 62580.00 | 233,099.00 | 757,944.00 |
| Total Facility Charges | . | 132,743,323 | 516,892,189 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 8,317 | 8,677 | 7,901 | 3.90 | 3.86 | 3.65 |
| Adj. Average Charges/ALOS* | . | 7,273 | 7,432 | 7,119 | 3.44 | 3.38 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|------|-------|
| 001 Craniotomy age >17 except for trauma | 77 | 23,656 | 21,031 | 22,994 | 6.38 | 6.66 | 6.22 |
| 003 Craniotomy age 0-17 | 10 | 15,240 | 12,132 | 16,894 | 4.90 | 4.22 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 186 | 7,542 | 8,193 | 7,662 | 4.13 | 4.61 | 4.34 |
| 075 Major chest procedures | 40 | 18,496 | 21,757 | 22,563 | 7.56 | 8.22 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 182 | 6,124 | 7,444 | 6,831 | 3.99 | 4.78 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 127 | 5,387 | 5,123 | 4,074 | 3.06 | 3.33 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 204 | 4,672 | 4,248 | 3,751 | 2.69 | 2.81 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | 25 | 54,022 | 57,125 | 60,822 | 9.83 | 9.62 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | 43 | 44,655 | 46,115 | 46,540 | 7.47 | 7.03 | 7.65 |
| 106 Coronary bypass w cardiac cath | 122 | 36,886 | 40,071 | 39,903 | 8.11 | 7.99 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | 96 | 28,522 | 34,949 | 34,575 | 6.34 | 6.49 | 7.00 |
| 108 Other cardiothoracic procedures | 5 | 25,843 | 33,633 | 33,688 | 5.40 | 5.55 | 6.43 |
| 110 Major cardiovascular procedures w cc | 26 | 31,308 | 31,017 | 29,838 | 8.58 | 7.26 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 67 | 17,695 | 14,634 | 14,362 | 3.73 | 2.61 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 233 | 21,626 | 19,310 | 19,584 | 3.59 | 2.58 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 30 | 10,760 | 12,058 | 11,411 | 4.90 | 5.63 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 54 | 14,451 | 11,175 | 10,664 | 4.90 | 3.54 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 50 | 9,511 | 7,969 | 7,677 | 2.50 | 2.04 | 1.99 |
| 127 Heart Failure & Shock | 173 | 5,674 | 6,756 | 6,229 | 3.47 | 4.29 | 4.16 |
| 140 Angina Pectoris | 9 | 5,510 | 4,509 | 3,680 | 2.33 | 2.11 | 1.64 |
| 143 Chest Pain | 103 | 4,395 | 3,931 | 3,643 | 1.44 | 1.47 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 116 | 18,446 | 20,904 | 20,020 | 8.67 | 9.63 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 23 | 25,350 | 21,471 | 22,100 | 10.86 | 8.69 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 38 | 4,268 | 4,105 | 4,102 | 1.89 | 1.52 | 1.51 |
| 174 G.I. Hemorrhage w CC | 110 | 6,522 | 6,767 | 6,510 | 3.15 | 3.38 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 102 | 4,619 | 5,275 | 4,732 | 3.03 | 3.26 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 68 | 4,013 | 3,950 | 3,517 | 2.39 | 2.26 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 14 | 12,750 | 14,749 | 14,537 | 5.64 | 5.81 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 10 | 7,989 | 8,489 | 8,516 | 4.00 | 3.51 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 402 | 17,990 | 17,482 | 17,755 | 3.81 | 4.00 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MCKAY DEE HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 1.0852

COUNTY: Weber
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.40

BED SIZE: 428
 AFFILIATION:
 % LOS OUTLIER=1.59

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 53 | 10,995 | 13,197 | 13,299 | 4.68 | 5.34 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 80 | 6,275 | 6,791 | 6,856 | 2.43 | 2.39 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 66 | 4,293 | 5,952 | 5,387 | 3.23 | 3.94 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 160 | 6,152 | 6,865 | 6,853 | 3.09 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 398 | 5,010 | 5,478 | 5,485 | 2.57 | 2.51 | 2.46 |
| 370 Cesarean Section w CC | 106 | 6,417 | 6,619 | 6,501 | 3.81 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 435 | 5,404 | 5,394 | 5,106 | 3.30 | 3.32 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 287 | 3,886 | 3,745 | 3,392 | 2.18 | 2.09 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 2,197 | 3,156 | 2,941 | 2,648 | 1.89 | 1.78 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 191 | 3,696 | 3,864 | 3,712 | 2.02 | 1.97 | 1.90 |
| 383 Other antepartum diag w med complic | 61 | 3,924 | 3,813 | 3,678 | 2.70 | 2.70 | 2.77 |
| 385 Neonates, died or transf to otr acute | 35 | 34,263 | 30,766 | 13,772 | 16.86 | 14.52 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 134 | 60,880 | 45,291 | 54,638 | 23.98 | 22.70 | 25.54 |
| 387 Prematurity w major problems | 104 | 28,939 | 22,628 | 18,929 | 15.13 | 14.91 | 13.28 |
| 389 Full Term Neonate w Major Problems | 218 | 5,820 | 4,952 | 3,791 | 3.82 | 3.70 | 3.25 |
| 390 Neonate w Other Significant Problems | 511 | 1,169 | 1,319 | 1,161 | 2.05 | 2.12 | 1.95 |
| 391 Normal Newborn | 2,276 | 868 | 939 | 854 | 1.86 | 1.78 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 86 | 4,392 | 6,443 | 8,034 | 2.25 | 2.57 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 23 | 20,759 | 26,009 | 23,367 | 10.59 | 10.23 | 9.50 |
| 430 Psychoses | 417 | 6,618 | 6,153 | 7,145 | 7.02 | 6.29 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 120 | 3,164 | 3,296 | 3,156 | 2.89 | 3.00 | 3.09 |
| 462 Rehabilitation | 227 | 10,936 | 13,575 | 18,893 | 10.63 | 12.35 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 20 | 21,274 | 21,303 | 20,591 | 7.70 | 8.14 | 7.58 |
| 475 Resp sys diagnosis with vent support | 65 | 31,531 | 31,887 | 31,202 | 9.19 | 10.50 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 64 | 120,843 | 131,335 | 135,406 | 27.52 | 32.37 | 31.93 |
| 486 Other OR proc for mult signif trauma | 34 | 35,209 | 29,985 | 38,464 | 8.72 | 8.16 | 10.46 |
| 499 Back & neck procedures w cc | 46 | 10,318 | 10,359 | 10,268 | 4.26 | 4.20 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 114 | 6,915 | 6,352 | 6,240 | 2.70 | 2.10 | 2.21 |
| 502 Knee procedures w/o cc | 5 | 6,183 | 9,478 | 9,458 | 3.40 | 4.25 | 4.24 |
| 470 Ungroupable | . | . | 3,548 | 4,262 | . | 2.43 | 2.73 |
| All others | 4,941 | 7,535 | 8,136 | 7,986 | 3.77 | 3.88 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.8783

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.80

BED SIZE: 128
 AFFILIATION:
 % LOS OUTLIER=1.56

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 4,114 | 29,711,765 | 251,398,486 | 1,641,774,293 | 14911.00 | 136,945.00 | 757,944.00 |
| Total Facility Charges | . | 29,658,706 | 249,613,088 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 7,222 | 5,950 | 7,901 | 3.73 | 3.23 | 3.65 |
| Adj. Average Charges/ALOS* | . | 7,873 | 7,268 | 7,119 | 4.03 | 4.01 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | 15,654 | 22,994 | . | 4.86 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | 39,943 | 16,894 | . | 9.50 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 65 | 7,813 | 7,685 | 7,662 | 4.67 | 4.47 | 4.34 |
| 075 Major chest procedures | . | . | 20,049 | 22,563 | . | 6.27 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 72 | 8,532 | 7,138 | 6,831 | 4.58 | 4.49 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 3 | 3,123 | 4,511 | 4,074 | 3.33 | 2.93 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 1 | 1,693 | 3,720 | 3,751 | . | 2.76 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | 66,652 | 60,822 | . | 12.47 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | 40,907 | 46,540 | . | 6.00 | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | 39,300 | 39,903 | . | 8.37 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | 32,347 | 34,575 | . | 5.80 | 7.00 |
| 108 Other cardiothoracic procedures | . | . | 31,111 | 33,688 | . | 6.50 | 6.43 |
| 110 Major cardiovascular procedures w cc | 1 | 15,662 | 28,412 | 29,838 | 3.00 | 7.03 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | 26 | 16,667 | 14,739 | 14,362 | 2.88 | 3.02 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 44 | 21,998 | 21,333 | 19,584 | 3.18 | 3.42 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 25 | 15,112 | 12,789 | 11,411 | 5.54 | 5.21 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 20 | 12,523 | 10,371 | 10,664 | 3.32 | 3.26 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 14 | 7,991 | 8,069 | 7,677 | 1.23 | 1.85 | 1.99 |
| 127 Heart Failure & Shock | 48 | 7,137 | 6,264 | 6,229 | 4.35 | 4.35 | 4.16 |
| 140 Angina Pectoris | 5 | 3,703 | 4,407 | 3,680 | 1.25 | 1.42 | 1.64 |
| 143 Chest Pain | 81 | 4,654 | 3,734 | 3,643 | 1.43 | 1.32 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 44 | 20,244 | 19,431 | 20,020 | 7.95 | 8.39 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 11 | 19,546 | 21,883 | 22,100 | 7.00 | 8.78 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 17 | 5,582 | 3,931 | 4,102 | 1.15 | 1.47 | 1.51 |
| 174 G.I. Hemorrhage w CC | 44 | 8,449 | 6,682 | 6,510 | 3.45 | 3.37 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 36 | 6,904 | 5,135 | 4,732 | 4.11 | 3.15 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 25 | 4,289 | 3,923 | 3,517 | 2.27 | 2.11 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 1 | 10,240 | 12,840 | 14,537 | 5.00 | 5.78 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 2 | 11,288 | 9,803 | 8,516 | 3.00 | 3.96 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 193 | 15,782 | 17,084 | 17,755 | 3.92 | 4.02 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.8783

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.80

BED SIZE: 128
 AFFILIATION:
 % LOS OUTLIER=1.56

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 25 | 13,405 | 13,107 | 13,299 | 4.68 | 4.92 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 27 | 8,427 | 7,223 | 6,856 | 2.41 | 2.46 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 21 | 5,272 | 5,421 | 5,387 | 3.19 | 3.58 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 52 | 7,998 | 6,746 | 6,853 | 2.62 | 3.03 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 152 | 6,420 | 5,637 | 5,485 | 2.17 | 2.46 | 2.46 |
| 370 Cesarean Section w CC | 14 | 6,463 | 6,025 | 6,501 | 3.43 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 128 | 5,701 | 5,246 | 5,106 | 2.95 | 3.22 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 30 | 3,953 | 3,086 | 3,392 | 2.17 | 2.07 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 489 | 3,067 | 2,649 | 2,648 | 1.93 | 1.82 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 22 | 5,072 | 3,691 | 3,712 | 2.00 | 1.95 | 1.90 |
| 383 Other antepartum diag w med complic | 3 | 5,421 | 3,310 | 3,678 | 2.33 | 2.68 | 2.77 |
| 385 Neonates, died or transf to otr acute | 17 | 3,417 | 6,463 | 13,772 | 1.20 | 4.58 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 7 | 6,181 | 39,376 | 54,638 | 4.86 | 21.71 | 25.54 |
| 387 Prematurity w major problems | 18 | 8,353 | 10,638 | 18,929 | 8.27 | 10.41 | 13.28 |
| 389 Full Term Neonate w Major Problems | 34 | 3,115 | 3,413 | 3,791 | 2.91 | 3.18 | 3.25 |
| 390 Neonate w Other Significant Problems | 117 | 1,193 | 1,218 | 1,161 | 1.95 | 2.09 | 1.95 |
| 391 Normal Newborn | 479 | 1,036 | 878 | 854 | 1.90 | 1.81 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 8,427 | 8,034 | . | 3.20 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 3 | 13,662 | 17,042 | 23,367 | 8.00 | 8.19 | 9.50 |
| 430 Psychoses | 192 | 6,946 | 6,354 | 7,145 | 7.04 | 6.02 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 17 | 2,298 | 2,345 | 3,156 | 1.69 | 2.91 | 3.09 |
| 462 Rehabilitation | . | . | 12,620 | 18,893 | . | 8.82 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 7 | 15,408 | 19,712 | 20,591 | 5.14 | 7.01 | 7.58 |
| 475 Resp sys diagnosis with vent support | 17 | 28,757 | 26,420 | 31,202 | 8.13 | 8.34 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 1 | 149,617 | 105,765 | 135,406 | 32.00 | 24.89 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 19,919 | 38,464 | . | 7.13 | 10.46 |
| 499 Back & neck procedures w cc | 1 | 8,429 | 7,984 | 10,268 | 3.00 | 3.22 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 13 | 8,281 | 5,772 | 6,240 | 3.67 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 2 | 13,104 | 11,343 | 9,458 | 5.50 | 5.14 | 4.24 |
| 470 Ungroupable | . | . | 215 | 4,262 | . | 4.00 | 2.73 |
| All others | 1,448 | 7,937 | 7,071 | 7,986 | 4.36 | 3.79 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care
 UHDDDB CASE MIX INDEX = 0.6780

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.95

BED SIZE: 126
 AFFILIATION:
 % LOS OUTLIER=1.09

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 7,769 | 37,313,779 | 251,398,486 | 1,641,774,293 | 23245.00 | 136,945.00 | 757,944.00 |
| Total Facility Charges | . | 37,302,800 | 249,613,088 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 5,079 | 5,950 | 7,901 | 3.04 | 3.23 | 3.65 |
| Adj. Average Charges/ALOS* | . | 7,225 | 7,268 | 7,119 | 4.37 | 4.01 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|---------|--------|------------------|-------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | 15,654 | 22,994 | . | 4.86 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | 39,943 | 16,894 | . | 9.50 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 96 | 6,314 | 7,685 | 7,662 | 4.52 | 4.47 | 4.34 |
| 075 Major chest procedures | . | . | 20,049 | 22,563 | . | 6.27 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 124 | 5,410 | 7,138 | 6,831 | 4.16 | 4.49 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 32 | 3,311 | 4,511 | 4,074 | 2.59 | 2.93 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 83 | 3,523 | 3,720 | 3,751 | 3.01 | 2.76 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | 1 | 104,748 | 66,652 | 60,822 | 18.00 | 12.47 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | 40,907 | 46,540 | . | 6.00 | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | 39,300 | 39,903 | . | 8.37 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | 32,347 | 34,575 | . | 5.80 | 7.00 |
| 108 Other cardiothoracic procedures | . | . | 31,111 | 33,688 | . | 6.50 | 6.43 |
| 110 Major cardiovascular procedures w cc | 8 | 35,500 | 28,412 | 29,838 | 7.00 | 7.03 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 21 | 13,239 | 14,739 | 14,362 | 2.80 | 3.02 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 87 | 20,732 | 21,333 | 19,584 | 3.36 | 3.42 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 12 | 9,096 | 12,789 | 11,411 | 4.00 | 5.21 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 67 | 11,821 | 10,371 | 10,664 | 3.72 | 3.26 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 50 | 9,051 | 8,069 | 7,677 | 1.83 | 1.85 | 1.99 |
| 127 Heart Failure & Shock | 117 | 5,678 | 6,264 | 6,229 | 4.47 | 4.35 | 4.16 |
| 140 Angina Pectoris | 13 | 4,377 | 4,407 | 3,680 | 1.25 | 1.42 | 1.64 |
| 143 Chest Pain | 59 | 4,282 | 3,734 | 3,643 | 1.31 | 1.32 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 41 | 17,765 | 19,431 | 20,020 | 7.98 | 8.39 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 7 | 28,539 | 21,883 | 22,100 | 10.00 | 8.78 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 68 | 5,379 | 3,931 | 4,102 | 1.89 | 1.47 | 1.51 |
| 174 G.I. Hemorrhage w CC | 82 | 5,479 | 6,682 | 6,510 | 3.26 | 3.37 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 48 | 4,290 | 5,135 | 4,732 | 2.98 | 3.15 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 37 | 3,131 | 3,923 | 3,517 | 1.58 | 2.11 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 6 | 15,829 | 12,840 | 14,537 | 6.00 | 5.78 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 5 | 11,661 | 9,803 | 8,516 | 4.40 | 3.96 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 80 | 17,066 | 17,084 | 17,755 | 4.13 | 4.02 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care
 UHDDDB CASE MIX INDEX = 0.6780

COUNTY: Davis
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.95

BED SIZE: 126
 AFFILIATION:
 % LOS OUTLIER=1.09

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 17 | 12,725 | 13,107 | 13,299 | 5.12 | 4.92 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 13 | 8,573 | 7,223 | 6,856 | 2.23 | 2.46 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 57 | 4,617 | 5,421 | 5,387 | 3.70 | 3.58 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 74 | 7,370 | 6,746 | 6,853 | 2.80 | 3.03 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 327 | 6,186 | 5,637 | 5,485 | 2.30 | 2.46 | 2.46 |
| 370 Cesarean Section w CC | 57 | 6,632 | 6,025 | 6,501 | 3.74 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 260 | 5,075 | 5,246 | 5,106 | 3.04 | 3.22 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 182 | 2,608 | 3,086 | 3,392 | 2.17 | 2.07 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,286 | 2,138 | 2,649 | 2,648 | 1.82 | 1.82 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 115 | 3,822 | 3,691 | 3,712 | 1.89 | 1.95 | 1.90 |
| 383 Other antepartum diag w med complic | 41 | 2,450 | 3,310 | 3,678 | 2.57 | 2.68 | 2.77 |
| 385 Neonates, died or transf to otr acute | 23 | 14,491 | 6,463 | 13,772 | 11.17 | 4.58 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 32 | 31,459 | 39,376 | 54,638 | 20.22 | 21.71 | 25.54 |
| 387 Prematurity w major problems | 62 | 13,150 | 10,638 | 18,929 | 12.02 | 10.41 | 13.28 |
| 389 Full Term Neonate w Major Problems | 136 | 3,405 | 3,413 | 3,791 | 3.33 | 3.18 | 3.25 |
| 390 Neonate w Other Significant Problems | 202 | 945 | 1,218 | 1,161 | 2.04 | 2.09 | 1.95 |
| 391 Normal Newborn | 1,457 | 589 | 878 | 854 | 1.77 | 1.81 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 8,427 | 8,034 | . | 3.20 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 5 | 16,699 | 17,042 | 23,367 | 9.00 | 8.19 | 9.50 |
| 430 Psychoses | 59 | 13,286 | 6,354 | 7,145 | 10.95 | 6.02 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 7 | 2,741 | 2,345 | 3,156 | 2.29 | 2.91 | 3.09 |
| 462 Rehabilitation | . | . | 12,620 | 18,893 | . | 8.82 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 3 | 8,666 | 19,712 | 20,591 | 3.00 | 7.01 | 7.58 |
| 475 Resp sys diagnosis with vent support | 19 | 18,363 | 26,420 | 31,202 | 6.22 | 8.34 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 1 | 118,042 | 105,765 | 135,406 | 34.00 | 24.89 | 31.93 |
| 486 Other OR proc for mult signif trauma | 1 | 15,144 | 19,919 | 38,464 | 4.00 | 7.13 | 10.46 |
| 499 Back & neck procedures w cc | 4 | 8,595 | 7,984 | 10,268 | 3.50 | 3.22 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 18 | 7,149 | 5,772 | 6,240 | 2.61 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 1 | 10,058 | 11,343 | 9,458 | 5.00 | 5.14 | 4.24 |
| 470 Ungroupable | 2 | 60 | 215 | 4,262 | 4.00 | 4.00 | 2.73 |
| All others | 2,164 | 5,896 | 7,071 | 7,986 | 3.53 | 3.79 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

COTTONWOOD HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.7132

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.06

BED SIZE: 213
 AFFILIATION:
 % LOS OUTLIER=2.46

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 14,735 | 76,916,476 | 251,398,486 | 1,641,774,293 | 42189.00 | 136,945.00 | 757,944.00 |
| Total Facility Charges | . | 75,851,650 | 249,613,088 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 5,220 | 5,950 | 7,901 | 2.90 | 3.23 | 3.65 |
| Adj. Average Charges/ALOS* | . | 7,097 | 7,268 | 7,119 | 3.95 | 4.01 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | 16 | 11,360 | 15,654 | 22,994 | 5.13 | 4.86 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | 39,943 | 16,894 | . | 9.50 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 198 | 8,629 | 7,685 | 7,662 | 4.51 | 4.47 | 4.34 |
| 075 Major chest procedures | 1 | 23,961 | 20,049 | 22,563 | 12.00 | 6.27 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 222 | 7,459 | 7,138 | 6,831 | 4.36 | 4.49 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 38 | 4,067 | 4,511 | 4,074 | 3.00 | 2.93 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 62 | 3,265 | 3,720 | 3,751 | 2.48 | 2.76 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | 66,652 | 60,822 | . | 12.47 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | 40,907 | 46,540 | . | 6.00 | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | 39,300 | 39,903 | . | 8.37 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | 32,347 | 34,575 | . | 5.80 | 7.00 |
| 108 Other cardiothoracic procedures | . | . | 31,111 | 33,688 | . | 6.50 | 6.43 |
| 110 Major cardiovascular procedures w cc | 16 | 21,267 | 28,412 | 29,838 | 4.36 | 7.03 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 17 | 18,140 | 14,739 | 14,362 | 4.41 | 3.02 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 71 | 22,945 | 21,333 | 19,584 | 3.78 | 3.42 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 57 | 13,584 | 12,789 | 11,411 | 5.37 | 5.21 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 94 | 9,976 | 10,371 | 10,664 | 3.38 | 3.26 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 82 | 7,377 | 8,069 | 7,677 | 2.10 | 1.85 | 1.99 |
| 127 Heart Failure & Shock | 127 | 7,683 | 6,264 | 6,229 | 4.19 | 4.35 | 4.16 |
| 140 Angina Pectoris | 2 | 2,306 | 4,407 | 3,680 | 1.00 | 1.42 | 1.64 |
| 143 Chest Pain | 174 | 2,776 | 3,734 | 3,643 | 1.21 | 1.32 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 81 | 15,306 | 19,431 | 20,020 | 8.22 | 8.39 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 17 | 19,014 | 21,883 | 22,100 | 8.00 | 8.78 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 206 | 2,947 | 3,931 | 4,102 | 1.32 | 1.47 | 1.51 |
| 174 G.I. Hemorrhage w CC | 110 | 5,789 | 6,682 | 6,510 | 2.79 | 3.37 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 95 | 5,380 | 5,135 | 4,732 | 3.11 | 3.15 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 66 | 3,723 | 3,923 | 3,517 | 1.87 | 2.11 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 11 | 10,823 | 12,840 | 14,537 | 5.18 | 5.78 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 5 | 6,948 | 9,803 | 8,516 | 4.20 | 3.96 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 141 | 17,410 | 17,084 | 17,755 | 4.11 | 4.02 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

COTTONWOOD HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.7132

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.06

BED SIZE: 213
 AFFILIATION:
 % LOS OUTLIER=2.46

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 42 | 11,408 | 13,107 | 13,299 | 5.13 | 4.92 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 83 | 5,847 | 7,223 | 6,856 | 2.59 | 2.46 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 82 | 6,013 | 5,421 | 5,387 | 3.83 | 3.58 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 141 | 5,753 | 6,746 | 6,853 | 3.28 | 3.03 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 417 | 4,730 | 5,637 | 5,485 | 2.66 | 2.46 | 2.46 |
| 370 Cesarean Section w CC | 112 | 5,692 | 6,025 | 6,501 | 3.89 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 515 | 5,267 | 5,246 | 5,106 | 3.51 | 3.22 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 263 | 3,474 | 3,086 | 3,392 | 1.95 | 2.07 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 2,481 | 2,964 | 2,649 | 2,648 | 1.80 | 1.82 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 107 | 3,741 | 3,691 | 3,712 | 1.95 | 1.95 | 1.90 |
| 383 Other antepartum diag w med complic | 58 | 3,346 | 3,310 | 3,678 | 2.45 | 2.68 | 2.77 |
| 385 Neonates, died or transf to otr acute | 37 | 1,555 | 6,463 | 13,772 | 1.38 | 4.58 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 7 | 5,068 | 39,376 | 54,638 | 5.14 | 21.71 | 25.54 |
| 387 Prematurity w major problems | 34 | 5,193 | 10,638 | 18,929 | 6.65 | 10.41 | 13.28 |
| 389 Full Term Neonate w Major Problems | 128 | 2,304 | 3,413 | 3,791 | 2.83 | 3.18 | 3.25 |
| 390 Neonate w Other Significant Problems | 444 | 1,356 | 1,218 | 1,161 | 2.18 | 2.09 | 1.95 |
| 391 Normal Newborn | 2,755 | 1,101 | 878 | 854 | 1.90 | 1.81 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 30 | 9,054 | 8,427 | 8,034 | 3.59 | 3.20 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 35 | 16,007 | 17,042 | 23,367 | 7.94 | 8.19 | 9.50 |
| 430 Psychoses | 3 | 3,939 | 6,354 | 7,145 | 1.67 | 6.02 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 1 | 1,392 | 2,345 | 3,156 | 1.00 | 2.91 | 3.09 |
| 462 Rehabilitation | . | . | 12,620 | 18,893 | . | 8.82 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 33 | 23,125 | 19,712 | 20,591 | 9.06 | 7.01 | 7.58 |
| 475 Resp sys diagnosis with vent support | 58 | 30,181 | 26,420 | 31,202 | 9.43 | 8.34 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 4 | 54,368 | 105,765 | 135,406 | 14.25 | 24.89 | 31.93 |
| 486 Other OR proc for mult signif trauma | 2 | 18,107 | 19,919 | 38,464 | 6.50 | 7.13 | 10.46 |
| 499 Back & neck procedures w cc | 68 | 6,633 | 7,984 | 10,268 | 3.06 | 3.22 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 373 | 5,034 | 5,772 | 6,240 | 2.35 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 1 | 7,503 | 11,343 | 9,458 | 4.00 | 5.14 | 4.24 |
| 470 Ungroupable | . | . | 215 | 4,262 | . | 4.00 | 2.73 |
| All others | 4,512 | 6,923 | 7,071 | 7,986 | 3.46 | 3.79 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care
 UHDDDB CASE MIX INDEX = 0.8668

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.72

BED SIZE: 139
 AFFILIATION:
 % LOS OUTLIER=0.66

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 3,027 | 18,543,634 | 251,398,486 | 1,641,774,293 | 9,335.00 | 136,945.00 | 757,944.00 |
| Total Facility Charges | . | 18,516,784 | 249,613,088 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 7,003 | 5,950 | 7,901 | 3.12 | 3.23 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,584 | 7,268 | 7,119 | 3.54 | 4.01 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|-------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | 15,654 | 22,994 | . | 4.86 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | 39,943 | 16,894 | . | 9.50 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 41 | 5,371 | 7,685 | 7,662 | 3.22 | 4.47 | 4.34 |
| 075 Major chest procedures | 2 | 12,884 | 20,049 | 22,563 | 3.50 | 6.27 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 116 | 6,425 | 7,138 | 6,831 | 4.10 | 4.49 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 27 | 3,878 | 4,511 | 4,074 | 2.84 | 2.93 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 23 | 2,408 | 3,720 | 3,751 | 2.26 | 2.76 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | 66,652 | 60,822 | . | 12.47 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | 40,907 | 46,540 | . | 6.00 | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | 39,300 | 39,903 | . | 8.37 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | 32,347 | 34,575 | . | 5.80 | 7.00 |
| 108 Other cardiothoracic procedures | . | . | 31,111 | 33,688 | . | 6.50 | 6.43 |
| 110 Major cardiovascular procedures w cc | 2 | 26,910 | 28,412 | 29,838 | 6.50 | 7.03 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 1 | 0 | 14,739 | 14,362 | . | 3.02 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 11 | 21,056 | 21,333 | 19,584 | 2.18 | 3.42 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 18 | 12,940 | 12,789 | 11,411 | 4.69 | 5.21 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 75 | 10,280 | 10,371 | 10,664 | 2.67 | 3.26 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 53 | 8,858 | 8,069 | 7,677 | 1.79 | 1.85 | 1.99 |
| 127 Heart Failure & Shock | 66 | 5,470 | 6,264 | 6,229 | 3.88 | 4.35 | 4.16 |
| 140 Angina Pectoris | 5 | 5,216 | 4,407 | 3,680 | 2.00 | 1.42 | 1.64 |
| 143 Chest Pain | 62 | 4,216 | 3,734 | 3,643 | 1.60 | 1.32 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 28 | 15,887 | 19,431 | 20,020 | 7.39 | 8.39 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 19 | 18,915 | 21,883 | 22,100 | 9.84 | 8.78 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 11 | 7,759 | 3,931 | 4,102 | 2.00 | 1.47 | 1.51 |
| 174 G.I. Hemorrhage w CC | 46 | 6,813 | 6,682 | 6,510 | 3.07 | 3.37 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 18 | 3,632 | 5,135 | 4,732 | 3.44 | 3.15 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 19 | 3,308 | 3,923 | 3,517 | 3.21 | 2.11 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 3 | 13,590 | 12,840 | 14,537 | 12.67 | 5.78 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 3 | 12,302 | 9,803 | 8,516 | 3.67 | 3.96 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 55 | 20,413 | 17,084 | 17,755 | 4.00 | 4.02 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care
 UHDDB CASE MIX INDEX = 0.8668

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.72

BED SIZE: 139
 AFFILIATION:
 % LOS OUTLIER=0.66

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 11 | 13,979 | 13,107 | 13,299 | 3.82 | 4.92 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 17 | 9,009 | 7,223 | 6,856 | 2.65 | 2.46 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 16 | 5,827 | 5,421 | 5,387 | 3.31 | 3.58 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 27 | 7,274 | 6,746 | 6,853 | 3.04 | 3.03 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 46 | 5,909 | 5,637 | 5,485 | 2.72 | 2.46 | 2.46 |
| 370 Cesarean Section w CC | 28 | 4,701 | 6,025 | 6,501 | 2.89 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 39 | 4,896 | 5,246 | 5,106 | 3.05 | 3.22 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 54 | 2,482 | 3,086 | 3,392 | 2.00 | 2.07 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 322 | 2,255 | 2,649 | 2,648 | 1.79 | 1.82 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 33 | 3,327 | 3,691 | 3,712 | 1.94 | 1.95 | 1.90 |
| 383 Other antepartum diag w med complic | 11 | 2,668 | 3,310 | 3,678 | 2.00 | 2.68 | 2.77 |
| 385 Neonates, died or transf to otr acute | 9 | 1,478 | 6,463 | 13,772 | 1.75 | 4.58 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 1 | 1,046 | 39,376 | 54,638 | 2.00 | 21.71 | 25.54 |
| 387 Prematurity w major problems | 6 | 1,375 | 10,638 | 18,929 | 3.67 | 10.41 | 13.28 |
| 389 Full Term Neonate w Major Problems | 47 | 1,549 | 3,413 | 3,791 | 2.49 | 3.18 | 3.25 |
| 390 Neonate w Other Significant Problems | 93 | 787 | 1,218 | 1,161 | 2.22 | 2.09 | 1.95 |
| 391 Normal Newborn | 328 | 534 | 878 | 854 | 1.79 | 1.81 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 8,427 | 8,034 | . | 3.20 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 13 | 13,352 | 17,042 | 23,367 | 8.62 | 8.19 | 9.50 |
| 430 Psychoses | 2 | 2,346 | 6,354 | 7,145 | 1.00 | 6.02 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 1 | 2,828 | 2,345 | 3,156 | 1.00 | 2.91 | 3.09 |
| 462 Rehabilitation | 78 | 5,296 | 12,620 | 18,893 | 6.96 | 8.82 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 2 | 27,422 | 19,712 | 20,591 | 8.00 | 7.01 | 7.58 |
| 475 Resp sys diagnosis with vent support | 26 | 22,730 | 26,420 | 31,202 | 7.69 | 8.34 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 1 | 125,740 | 105,765 | 135,406 | 24.00 | 24.89 | 31.93 |
| 486 Other OR proc for mult signif trauma | 2 | 15,734 | 19,919 | 38,464 | 4.00 | 7.13 | 10.46 |
| 499 Back & neck procedures w cc | 2 | 9,603 | 7,984 | 10,268 | 2.00 | 3.22 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 1 | 8,762 | 5,772 | 6,240 | 2.00 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 1 | 15,733 | 11,343 | 9,458 | 7.00 | 5.14 | 4.24 |
| 470 Ungroupable | 1 | 526 | 215 | 4,262 | . | 4.00 | 2.73 |
| All others | 1,105 | 6,601 | 7,071 | 7,986 | 3.28 | 3.79 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDB CASE MIX INDEX = 0.7790

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.76

BED SIZE: 126
 AFFILIATION:
 % LOS OUTLIER=1.63

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 5,103 | 35,594,173 | 251,398,486 | 1,641,774,293 | 16156.00 | 136,945.00 | 757,944.00 |
| Total Facility Charges | . | 35,267,074 | 249,613,088 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 6,975 | 5,950 | 7,901 | 3.25 | 3.23 | 3.65 |
| Adj. Average Charges/ALOS* | . | 8,312 | 7,268 | 7,119 | 3.95 | 4.01 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
|--|-----|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | 10 | 12,421 | 15,654 | 22,994 | 3.40 | 4.86 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | 39,943 | 16,894 | . | 9.50 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 70 | 7,484 | 7,685 | 7,662 | 4.07 | 4.47 | 4.34 |
| 075 Major chest procedures | 3 | 18,609 | 20,049 | 22,563 | 5.67 | 6.27 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 94 | 9,628 | 7,138 | 6,831 | 5.29 | 4.49 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 49 | 5,987 | 4,511 | 4,074 | 3.35 | 2.93 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 36 | 4,661 | 3,720 | 3,751 | 2.60 | 2.76 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | 66,652 | 60,822 | . | 12.47 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | 40,907 | 46,540 | . | 6.00 | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | 39,300 | 39,903 | . | 8.37 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | 32,347 | 34,575 | . | 5.80 | 7.00 |
| 108 Other cardiothoracic procedures | . | . | 31,111 | 33,688 | . | 6.50 | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 28,412 | 29,838 | . | 7.03 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 2 | 9,689 | 14,739 | 14,362 | 1.50 | 3.02 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 4 | 24,514 | 21,333 | 19,584 | 4.50 | 3.42 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 49 | 13,523 | 12,789 | 11,411 | 4.80 | 5.21 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 14 | 9,819 | 10,371 | 10,664 | 2.23 | 3.26 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 12 | 9,517 | 8,069 | 7,677 | 1.92 | 1.85 | 1.99 |
| 127 Heart Failure & Shock | 25 | 8,064 | 6,264 | 6,229 | 4.24 | 4.35 | 4.16 |
| 140 Angina Pectoris | 20 | 4,872 | 4,407 | 3,680 | 1.32 | 1.42 | 1.64 |
| 143 Chest Pain | 70 | 4,346 | 3,734 | 3,643 | 1.15 | 1.32 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 23 | 32,021 | 19,431 | 20,020 | 7.71 | 8.39 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 4 | 41,699 | 21,883 | 22,100 | 9.00 | 8.78 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 18 | 5,804 | 3,931 | 4,102 | 1.50 | 1.47 | 1.51 |
| 174 G.I. Hemorrhage w CC | 37 | 10,048 | 6,682 | 6,510 | 3.97 | 3.37 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 31 | 5,752 | 5,135 | 4,732 | 2.74 | 3.15 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 19 | 6,144 | 3,923 | 3,517 | 2.00 | 2.11 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 4 | 16,360 | 12,840 | 14,537 | 4.00 | 5.78 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,803 | 8,516 | . | 3.96 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 156 | 18,757 | 17,084 | 17,755 | 3.83 | 4.02 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.7790

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=2.76

BED SIZE: 126
 AFFILIATION:
 % LOS OUTLIER=1.63

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 31 | 17,185 | 13,107 | 13,299 | 5.48 | 4.92 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 20 | 8,445 | 7,223 | 6,856 | 2.25 | 2.46 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 33 | 6,565 | 5,421 | 5,387 | 3.44 | 3.58 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 9 | 7,449 | 6,746 | 6,853 | 3.13 | 3.03 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 96 | 6,148 | 5,637 | 5,485 | 2.47 | 2.46 | 2.46 |
| 370 Cesarean Section w CC | 10 | 5,967 | 6,025 | 6,501 | 3.10 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 148 | 5,463 | 5,246 | 5,106 | 2.97 | 3.22 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 30 | 3,846 | 3,086 | 3,392 | 2.30 | 2.07 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 915 | 2,866 | 2,649 | 2,648 | 1.70 | 1.82 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 34 | 4,442 | 3,691 | 3,712 | 1.85 | 1.95 | 1.90 |
| 383 Other antepartum diag w med complic | 21 | 5,652 | 3,310 | 3,678 | 3.53 | 2.68 | 2.77 |
| 385 Neonates, died or transf to otr acute | 16 | 4,800 | 6,463 | 13,772 | 2.30 | 4.58 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 3 | 5,312 | 39,376 | 54,638 | 4.00 | 21.71 | 25.54 |
| 387 Prematurity w major problems | 18 | 10,169 | 10,638 | 18,929 | 6.87 | 10.41 | 13.28 |
| 389 Full Term Neonate w Major Problems | 46 | 4,582 | 3,413 | 3,791 | 3.13 | 3.18 | 3.25 |
| 390 Neonate w Other Significant Problems | 88 | 2,004 | 1,218 | 1,161 | 2.04 | 2.09 | 1.95 |
| 391 Normal Newborn | 979 | 1,003 | 878 | 854 | 1.68 | 1.81 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 8,427 | 8,034 | . | 3.20 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 10 | 29,295 | 17,042 | 23,367 | 9.33 | 8.19 | 9.50 |
| 430 Psychoses | 165 | 5,314 | 6,354 | 7,145 | 4.83 | 6.02 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 50 | 3,789 | 2,345 | 3,156 | 3.17 | 2.91 | 3.09 |
| 462 Rehabilitation | 70 | 20,781 | 12,620 | 18,893 | 10.90 | 8.82 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 12 | 15,388 | 19,712 | 20,591 | 4.50 | 7.01 | 7.58 |
| 475 Resp sys diagnosis with vent support | 11 | 32,695 | 26,420 | 31,202 | 7.00 | 8.34 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 8 | 128,291 | 105,765 | 135,406 | 27.63 | 24.89 | 31.93 |
| 486 Other OR proc for mult signif trauma | 3 | 27,186 | 19,919 | 38,464 | 10.33 | 7.13 | 10.46 |
| 499 Back & neck procedures w cc | 12 | 11,695 | 7,984 | 10,268 | 4.08 | 3.22 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 38 | 8,332 | 5,772 | 6,240 | 2.47 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 1 | 9,553 | 11,343 | 9,458 | 5.00 | 5.14 | 4.24 |
| 470 Ungroupable | . | . | 215 | 4,262 | . | 4.00 | 2.73 |
| All others | 1,476 | 8,727 | 7,071 | 7,986 | 3.89 | 3.79 | 3.84 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.8807

COUNTY: Weber
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.43

BED SIZE: 227
 AFFILIATION:
 % LOS OUTLIER=2.36

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|------------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 8,313 | 53,318,659 | 251,398,486 | 1,641,774,293 | 31109.00 | 136,945.00 | 757,944.00 |
| Total Facility Charges | . | 53,016,075 | 249,613,088 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 6,418 | 5,950 | 7,901 | 3.78 | 3.23 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,926 | 7,268 | 7,119 | 3.99 | 4.01 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | 24 | 19,864 | 15,654 | 22,994 | 5.29 | 4.86 | 6.22 |
| 003 Craniotomy age 0-17 | 2 | 39,943 | 39,943 | 16,894 | 9.50 | 9.50 | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 110 | 8,151 | 7,685 | 7,662 | 5.04 | 4.47 | 4.34 |
| 075 Major chest procedures | 16 | 20,970 | 20,049 | 22,563 | 6.38 | 6.27 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 117 | 6,359 | 7,138 | 6,831 | 4.86 | 4.49 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 61 | 4,559 | 4,511 | 4,074 | 2.75 | 2.93 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 69 | 4,358 | 3,720 | 3,751 | 2.99 | 2.76 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | 14 | 63,931 | 66,652 | 60,822 | 12.07 | 12.47 | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | 25 | 40,907 | 40,907 | 46,540 | 6.00 | 6.00 | 7.65 |
| 106 Coronary bypass w cardiac cath | 52 | 39,300 | 39,300 | 39,903 | 8.37 | 8.37 | 8.33 |
| 107 Coronary bypass w/o cardiac cath | 41 | 32,347 | 32,347 | 34,575 | 5.80 | 5.80 | 7.00 |
| 108 Other cardiothoracic procedures | 2 | 31,111 | 31,111 | 33,688 | 6.50 | 6.50 | 6.43 |
| 110 Major cardiovascular procedures w cc | 13 | 33,505 | 28,412 | 29,838 | 9.69 | 7.03 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | 67 | 13,970 | 14,739 | 14,362 | 2.83 | 3.02 | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 82 | 20,139 | 21,333 | 19,584 | 3.42 | 3.42 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 36 | 10,053 | 12,789 | 11,411 | 5.83 | 5.21 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 57 | 8,845 | 10,371 | 10,664 | 3.44 | 3.26 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 30 | 6,414 | 8,069 | 7,677 | 1.59 | 1.85 | 1.99 |
| 127 Heart Failure & Shock | 153 | 5,335 | 6,264 | 6,229 | 4.64 | 4.35 | 4.16 |
| 140 Angina Pectoris | 4 | 3,209 | 4,407 | 3,680 | 2.33 | 1.42 | 1.64 |
| 143 Chest Pain | 33 | 3,321 | 3,734 | 3,643 | 1.43 | 1.32 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 64 | 22,637 | 19,431 | 20,020 | 9.92 | 8.39 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 7 | 21,329 | 21,883 | 22,100 | 9.29 | 8.78 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 29 | 4,426 | 3,931 | 4,102 | 1.52 | 1.47 | 1.51 |
| 174 G.I. Hemorrhage w CC | 80 | 6,643 | 6,682 | 6,510 | 4.18 | 3.37 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 40 | 4,224 | 5,135 | 4,732 | 2.72 | 3.15 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 14 | 4,024 | 3,923 | 3,517 | 2.86 | 2.11 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 7 | 11,700 | 12,840 | 14,537 | 4.71 | 5.78 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 13 | 9,523 | 9,803 | 8,516 | 3.92 | 3.96 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 131 | 15,262 | 17,084 | 17,755 | 4.27 | 4.02 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.8807

COUNTY: Weber
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.43

BED SIZE: 227
 AFFILIATION:
 % LOS OUTLIER=2.36

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 31 | 11,026 | 13,107 | 13,299 | 4.53 | 4.92 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 28 | 7,558 | 7,223 | 6,856 | 2.25 | 2.46 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 53 | 4,608 | 5,421 | 5,387 | 3.39 | 3.58 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 30 | 7,173 | 6,746 | 6,853 | 3.17 | 3.03 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 204 | 5,753 | 5,637 | 5,485 | 2.47 | 2.46 | 2.46 |
| 370 Cesarean Section w CC | 35 | 7,017 | 6,025 | 6,501 | 4.67 | 3.79 | 3.87 |
| 371 Cesarean Section w/o CC | 253 | 5,079 | 5,246 | 5,106 | 3.11 | 3.22 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 74 | 2,699 | 3,086 | 3,392 | 2.18 | 2.07 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,357 | 2,358 | 2,649 | 2,648 | 1.92 | 1.82 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 99 | 3,048 | 3,691 | 3,712 | 2.04 | 1.95 | 1.90 |
| 383 Other antepartum diag w med complic | 27 | 2,713 | 3,310 | 3,678 | 3.00 | 2.68 | 2.77 |
| 385 Neonates, died or transf to otr acute | 6 | 26,214 | 6,463 | 13,772 | 17.67 | 4.58 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 34 | 64,625 | 39,376 | 54,638 | 31.62 | 21.71 | 25.54 |
| 387 Prematurity w major problems | 60 | 13,038 | 10,638 | 18,929 | 13.35 | 10.41 | 13.28 |
| 389 Full Term Neonate w Major Problems | 81 | 5,853 | 3,413 | 3,791 | 4.09 | 3.18 | 3.25 |
| 390 Neonate w Other Significant Problems | 113 | 914 | 1,218 | 1,161 | 1.89 | 2.09 | 1.95 |
| 391 Normal Newborn | 1,556 | 669 | 878 | 854 | 1.78 | 1.81 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 40 | 7,932 | 8,427 | 8,034 | 2.93 | 3.20 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 13 | 14,438 | 17,042 | 23,367 | 7.38 | 8.19 | 9.50 |
| 430 Psychoses | 97 | 2,900 | 6,354 | 7,145 | 3.29 | 6.02 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 166 | 1,902 | 2,345 | 3,156 | 2.99 | 2.91 | 3.09 |
| 462 Rehabilitation | . | . | 12,620 | 18,893 | . | 8.82 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 23 | 18,670 | 19,712 | 20,591 | 6.22 | 7.01 | 7.58 |
| 475 Resp sys diagnosis with vent support | 27 | 23,663 | 26,420 | 31,202 | 8.81 | 8.34 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 3 | 96,368 | 105,765 | 135,406 | 26.67 | 24.89 | 31.93 |
| 486 Other OR proc for mult signif trauma | 8 | 19,290 | 19,919 | 38,464 | 7.25 | 7.13 | 10.46 |
| 499 Back & neck procedures w cc | 15 | 10,974 | 7,984 | 10,268 | 3.36 | 3.22 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 55 | 7,954 | 5,772 | 6,240 | 2.11 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 2 | 10,350 | 11,343 | 9,458 | 4.00 | 5.14 | 4.24 |
| 470 Ungroupable | . | . | 215 | 4,262 | . | 4.00 | 2.73 |
| All others | 2,430 | 7,110 | 7,071 | 7,986 | 4.49 | 3.79 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

JORDAN VALLEY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 Paracelsus Health Care
 UHDDDB CASE MIX INDEX = 0.4899

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.51

BED SIZE: 50
 AFFILIATION:
 % LOS OUTLIER=0.89

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 4,376 | 8,632,286 | 79,206,611 | 1,641,774,293 | 10315.00 | 53,485.00 | 757,944.00 |
| Total Facility Charges | . | 8,630,575 | 78,664,946 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 4,715 | 3,755 | 7,901 | 2.38 | 2.32 | 3.65 |
| Adj. Average Charges/ALOS* | . | 3,802 | 6,186 | 7,119 | 4.76 | 4.49 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|-------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | 12,613 | 22,994 | . | 3.00 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 22 | 2,228 | 6,127 | 7,662 | 3.55 | 3.71 | 4.34 |
| 075 Major chest procedures | . | . | 28,796 | 22,563 | . | 7.50 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 62 | 2,732 | 5,963 | 6,831 | 4.00 | 4.37 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 35 | 1,093 | 3,263 | 4,074 | 2.46 | 2.61 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 25 | 605 | 2,965 | 3,751 | 2.24 | 2.33 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 34,478 | 29,838 | . | 7.00 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 14 | 3,219 | 6,028 | 11,411 | 2.77 | 3.23 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 28 | 4,647 | 5,536 | 6,229 | 3.54 | 3.62 | 4.16 |
| 140 Angina Pectoris | 20 | 3,708 | 3,561 | 3,680 | 1.55 | 1.41 | 1.64 |
| 143 Chest Pain | 7 | 5,193 | 3,416 | 3,643 | 1.57 | 1.23 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 9 | 4,465 | 17,653 | 20,020 | 14.78 | 10.41 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 2 | 8,103 | 21,955 | 22,100 | 6.50 | 9.67 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 17 | 4,978 | 3,535 | 4,102 | 1.71 | 1.48 | 1.51 |
| 174 G.I. Hemorrhage w CC | 23 | 3,506 | 5,280 | 6,510 | 3.23 | 2.93 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 17 | 2,489 | 3,938 | 4,732 | 3.12 | 2.67 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 32 | 2,671 | 3,403 | 3,517 | 2.23 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 4 | 31,775 | 20,138 | 14,537 | 12.50 | 8.62 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 2 | 6,667 | 7,118 | 8,516 | 3.00 | 3.57 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 14 | 17,170 | 16,071 | 17,755 | 3.93 | 3.89 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

JORDAN VALLEY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 Paracelsus Health Care
 UHDDDB CASE MIX INDEX = 0.4899

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=1.51

BED SIZE: 50
 AFFILIATION:
 % LOS OUTLIER=0.89

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 8 | 12,353 | 11,256 | 13,299 | 4.13 | 5.04 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 4 | 3,633 | 5,720 | 6,856 | 3.25 | 2.15 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 13 | 1,883 | 3,880 | 5,387 | 3.25 | 3.09 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 20 | 4,640 | 5,758 | 6,853 | 3.05 | 2.86 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 96 | 4,191 | 4,764 | 5,485 | 2.45 | 2.36 | 2.46 |
| 370 Cesarean Section w CC | 54 | 4,835 | 5,580 | 6,501 | 3.57 | 3.54 | 3.87 |
| 371 Cesarean Section w/o CC | 118 | 2,933 | 4,681 | 5,106 | 3.21 | 3.03 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 191 | 1,537 | 2,723 | 3,392 | 2.24 | 1.90 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,008 | 1,254 | 2,422 | 2,648 | 1.84 | 1.65 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 74 | 2,527 | 3,202 | 3,712 | 1.92 | 1.77 | 1.90 |
| 383 Other antepartum diag w med complic | 32 | 1,516 | 2,442 | 3,678 | 2.31 | 2.15 | 2.77 |
| 385 Neonates, died or transf to otr acute | 27 | 2,095 | 1,911 | 13,772 | 3.67 | 2.05 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 7 | 1,717 | 4,536 | 54,638 | 3.14 | 4.67 | 25.54 |
| 387 Prematurity w major problems | 14 | 2,346 | 3,283 | 18,929 | 6.43 | 4.39 | 13.28 |
| 389 Full Term Neonate w Major Problems | 147 | 1,474 | 2,100 | 3,791 | 2.57 | 2.74 | 3.25 |
| 390 Neonate w Other Significant Problems | 277 | 595 | 996 | 1,161 | 1.93 | 1.92 | 1.95 |
| 391 Normal Newborn | 961 | 412 | 840 | 854 | 1.74 | 1.71 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | 1 | 14,150 | 14,696 | 23,367 | 5.00 | 6.55 | 9.50 |
| 430 Psychoses | . | . | 7,317 | 7,145 | . | 4.00 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,497 | 3,156 | . | 1.44 | 3.09 |
| 462 Rehabilitation | . | . | . | 18,893 | . | . | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 6 | 1,607 | 8,602 | 20,591 | 5.33 | 5.50 | 7.58 |
| 475 Resp sys diagnosis with vent support | 5 | 7,895 | 23,807 | 31,202 | 6.20 | 7.53 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 131,868 | 135,406 | . | 29.67 | 31.93 |
| 486 Other OR proc for mult signif trauma | 2 | 0 | 9,189 | 38,464 | 4.50 | 4.80 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 5,739 | 10,268 | . | 1.40 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | 6,172 | 6,240 | . | 1.64 | 2.21 |
| 502 Knee procedures w/o cc | . | . | 7,720 | 9,458 | . | 3.50 | 4.24 |
| 470 Ungroupable | 3 | 1,337 | 1,337 | 4,262 | 1.00 | 1.00 | 2.73 |
| All others | 975 | 3,008 | 5,061 | 7,986 | 2.83 | 2.99 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.5837

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.90

BED SIZE: 70
 AFFILIATION:
 % LOS OUTLIER=0.95

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 6,636 | 26,972,485 | 79,206,611 | 1,641,774,293 | 16085.00 | 53,485.00 | 757,944.00 |
| Total Facility Charges | . | 26,448,051 | 78,664,946 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 4,065 | 3,755 | 7,901 | 2.48 | 2.32 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,640 | 6,186 | 7,119 | 4.17 | 4.49 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 001 Craniotomy age >17 except for trauma | . | . | 12,613 | 22,994 | . | 3.00 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 67 | 6,890 | 6,127 | 7,662 | 4.12 | 3.71 | 4.34 |
| 075 Major chest procedures | . | . | 28,796 | 22,563 | . | 7.50 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 105 | 7,671 | 5,963 | 6,831 | 5.00 | 4.37 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 3 | 5,112 | 3,263 | 4,074 | 3.67 | 2.61 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 1 | 7,936 | 2,965 | 3,751 | 6.00 | 2.33 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 34,478 | 29,838 | . | 7.00 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 26 | 7,055 | 6,028 | 11,411 | 3.22 | 3.23 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 70 | 6,603 | 5,536 | 6,229 | 4.49 | 3.62 | 4.16 |
| 140 Angina Pectoris | 40 | 3,408 | 3,561 | 3,680 | 1.34 | 1.41 | 1.64 |
| 143 Chest Pain | 122 | 2,860 | 3,416 | 3,643 | 1.22 | 1.23 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 29 | 19,783 | 17,653 | 20,020 | 10.32 | 10.41 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 8 | 21,804 | 21,955 | 22,100 | 10.38 | 9.67 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 118 | 3,014 | 3,535 | 4,102 | 1.40 | 1.48 | 1.51 |
| 174 G.I. Hemorrhage w CC | 61 | 6,327 | 5,280 | 6,510 | 3.00 | 2.93 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 44 | 4,575 | 3,938 | 4,732 | 2.77 | 2.67 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 37 | 3,035 | 3,403 | 3,517 | 2.18 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 6 | 8,990 | 20,138 | 14,537 | 4.50 | 8.62 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 3 | 8,562 | 7,118 | 8,516 | 4.67 | 3.57 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 96 | 14,225 | 16,071 | 17,755 | 3.88 | 3.89 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.5837

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.90

BED SIZE: 70
 AFFILIATION:
 % LOS OUTLIER=0.95

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 41 | 10,118 | 11,256 | 13,299 | 4.98 | 5.04 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 44 | 4,898 | 5,720 | 6,856 | 2.05 | 2.15 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 22 | 4,816 | 3,880 | 5,387 | 3.45 | 3.09 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 65 | 5,652 | 5,758 | 6,853 | 2.71 | 2.86 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 218 | 4,554 | 4,764 | 5,485 | 2.24 | 2.36 | 2.46 |
| 370 Cesarean Section w CC | 20 | 7,115 | 5,580 | 6,501 | 4.15 | 3.54 | 3.87 |
| 371 Cesarean Section w/o CC | 219 | 4,751 | 4,681 | 5,106 | 2.90 | 3.03 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 132 | 3,387 | 2,723 | 3,392 | 1.71 | 1.90 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,384 | 2,851 | 2,422 | 2,648 | 1.61 | 1.65 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 96 | 3,332 | 3,202 | 3,712 | 1.70 | 1.77 | 1.90 |
| 383 Other antepartum diag w med complic | 19 | 2,633 | 2,442 | 3,678 | 1.58 | 2.15 | 2.77 |
| 385 Neonates, died or transf to otr acute | 35 | 1,657 | 1,911 | 13,772 | 2.11 | 2.05 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 2 | 8,592 | 4,536 | 54,638 | 8.50 | 4.67 | 25.54 |
| 387 Prematurity w major problems | 11 | 3,729 | 3,283 | 18,929 | 4.36 | 4.39 | 13.28 |
| 389 Full Term Neonate w Major Problems | 38 | 3,111 | 2,100 | 3,791 | 3.42 | 2.74 | 3.25 |
| 390 Neonate w Other Significant Problems | 107 | 1,369 | 996 | 1,161 | 2.11 | 1.92 | 1.95 |
| 391 Normal Newborn | 1,624 | 939 | 840 | 854 | 1.72 | 1.71 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | 5 | 7,636 | 14,696 | 23,367 | 4.80 | 6.55 | 9.50 |
| 430 Psychoses | . | . | 7,317 | 7,145 | . | 4.00 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 3 | 3,079 | 2,497 | 3,156 | 2.00 | 1.44 | 3.09 |
| 462 Rehabilitation | . | . | . | 18,893 | . | . | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 5 | 13,225 | 8,602 | 20,591 | 6.60 | 5.50 | 7.58 |
| 475 Resp sys diagnosis with vent support | 8 | 32,803 | 23,807 | 31,202 | 9.50 | 7.53 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 4 | 144,362 | 131,868 | 135,406 | 34.25 | 29.67 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 9,189 | 38,464 | . | 4.80 | 10.46 |
| 499 Back & neck procedures w cc | 2 | 5,628 | 5,739 | 10,268 | 2.00 | 1.40 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 11 | 5,301 | 6,172 | 6,240 | 2.45 | 1.64 | 2.21 |
| 502 Knee procedures w/o cc | 2 | 7,720 | 7,720 | 9,458 | 3.50 | 3.50 | 4.24 |
| 470 Ungroupable | . | . | 1,337 | 4,262 | . | 1.00 | 2.73 |
| All others | 1,683 | 5,468 | 5,061 | 7,986 | 3.19 | 2.99 | 3.84 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.3375

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.86

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=1.65

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 3,039 | 7,169,836 | 79,206,611 | 1,641,774,293 | 5,682.00 | 53,485.00 | 757,944.00 |
| Total Facility Charges | . | 7,169,697 | 78,664,946 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 2,359 | 3,755 | 7,901 | 1.92 | 2.32 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,866 | 6,186 | 7,119 | 5.52 | 4.49 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 001 Craniotomy age >17 except for trauma | . | . | 12,613 | 22,994 | . | 3.00 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 2 | 5,281 | 6,127 | 7,662 | 5.00 | 3.71 | 4.34 |
| 075 Major chest procedures | . | . | 28,796 | 22,563 | . | 7.50 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 9 | 4,997 | 5,963 | 6,831 | 3.63 | 4.37 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 1 | 4,620 | 3,263 | 4,074 | 4.00 | 2.61 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | . | . | 2,965 | 3,751 | . | 2.33 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 34,478 | 29,838 | . | 7.00 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | . | . | 6,028 | 11,411 | . | 3.23 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 4 | 4,282 | 5,536 | 6,229 | 3.50 | 3.62 | 4.16 |
| 140 Angina Pectoris | . | . | 3,561 | 3,680 | . | 1.41 | 1.64 |
| 143 Chest Pain | . | . | 3,416 | 3,643 | . | 1.23 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 17,653 | 20,020 | . | 10.41 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 21,955 | 22,100 | . | 9.67 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 14 | 3,997 | 3,535 | 4,102 | 1.85 | 1.48 | 1.51 |
| 174 G.I. Hemorrhage w CC | . | . | 5,280 | 6,510 | . | 2.93 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 1 | 5,384 | 3,938 | 4,732 | 3.00 | 2.67 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 2 | 6,300 | 3,403 | 3,517 | 5.50 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 20,138 | 14,537 | . | 8.62 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 7,118 | 8,516 | . | 3.57 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 1 | 14,887 | 16,071 | 17,755 | 3.00 | 3.89 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.3375

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.86

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=1.65

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 2 | 9,636 | 11,256 | 13,299 | 5.00 | 5.04 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 1 | 4,867 | 5,720 | 6,856 | 2.00 | 2.15 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 1 | 3,525 | 3,880 | 5,387 | 3.00 | 3.09 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 14 | 6,760 | 5,758 | 6,853 | 3.33 | 2.86 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 29 | 4,945 | 4,764 | 5,485 | 2.72 | 2.36 | 2.46 |
| 370 Cesarean Section w CC | 41 | 5,410 | 5,580 | 6,501 | 3.36 | 3.54 | 3.87 |
| 371 Cesarean Section w/o CC | 173 | 5,070 | 4,681 | 5,106 | 3.08 | 3.03 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 97 | 3,267 | 2,723 | 3,392 | 1.73 | 1.90 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,036 | 2,823 | 2,422 | 2,648 | 1.53 | 1.65 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 39 | 3,460 | 3,202 | 3,712 | 1.56 | 1.77 | 1.90 |
| 383 Other antepartum diag w med complic | 27 | 2,979 | 2,442 | 3,678 | 2.46 | 2.15 | 2.77 |
| 385 Neonates, died or transf to otr acute | 23 | 1,714 | 1,911 | 13,772 | 1.36 | 2.05 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 8 | 6,537 | 4,536 | 54,638 | 5.88 | 4.67 | 25.54 |
| 387 Prematurity w major problems | 7 | 3,569 | 3,283 | 18,929 | 3.57 | 4.39 | 13.28 |
| 389 Full Term Neonate w Major Problems | 42 | 3,023 | 2,100 | 3,791 | 3.43 | 2.74 | 3.25 |
| 390 Neonate w Other Significant Problems | 152 | 1,229 | 996 | 1,161 | 1.95 | 1.92 | 1.95 |
| 391 Normal Newborn | 1,142 | 860 | 840 | 854 | 1.67 | 1.71 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 14,696 | 23,367 | . | 6.55 | 9.50 |
| 430 Psychoses | . | . | 7,317 | 7,145 | . | 4.00 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,497 | 3,156 | . | 1.44 | 3.09 |
| 462 Rehabilitation | . | . | . | 18,893 | . | . | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,602 | 20,591 | . | 5.50 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 23,807 | 31,202 | . | 7.53 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 131,868 | 135,406 | . | 29.67 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 9,189 | 38,464 | . | 4.80 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 5,739 | 10,268 | . | 1.40 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 5 | 6,507 | 6,172 | 6,240 | 1.00 | 1.64 | 2.21 |
| 502 Knee procedures w/o cc | . | . | 7,720 | 9,458 | . | 3.50 | 4.24 |
| 470 Ungroupable | . | . | 1,337 | 4,262 | . | 1.00 | 2.73 |
| All others | 166 | 3,714 | 5,061 | 7,986 | 2.44 | 2.99 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.4994

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.30

BED SIZE: 72
 AFFILIATION:
 % LOS OUTLIER=0.80

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 6,960 | 20,879,984 | 79,206,611 | 1,641,774,293 | 14930.00 | 53,485.00 | 757,944.00 |
| Total Facility Charges | . | 20,879,984 | 78,664,946 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,000 | 3,755 | 7,901 | 2.21 | 2.32 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,981 | 6,186 | 7,119 | 4.37 | 4.49 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | 12,613 | 22,994 | . | 3.00 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 45 | 5,383 | 6,127 | 7,662 | 3.20 | 3.71 | 4.34 |
| 075 Major chest procedures | . | . | 28,796 | 22,563 | . | 7.50 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 90 | 5,560 | 5,963 | 6,831 | 4.05 | 4.37 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 58 | 3,825 | 3,263 | 4,074 | 2.58 | 2.61 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 73 | 3,139 | 2,965 | 3,751 | 2.16 | 2.33 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 34,478 | 29,838 | . | 7.00 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 8 | 6,949 | 6,028 | 11,411 | 4.00 | 3.23 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 86 | 4,393 | 5,536 | 6,229 | 2.93 | 3.62 | 4.16 |
| 140 Angina Pectoris | 19 | 3,068 | 3,561 | 3,680 | 1.38 | 1.41 | 1.64 |
| 143 Chest Pain | 33 | 2,507 | 3,416 | 3,643 | 1.07 | 1.23 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 18 | 16,454 | 17,653 | 20,020 | 9.44 | 10.41 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 10 | 21,452 | 21,955 | 22,100 | 9.80 | 9.67 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 51 | 2,959 | 3,535 | 4,102 | 1.35 | 1.48 | 1.51 |
| 174 G.I. Hemorrhage w CC | 30 | 4,168 | 5,280 | 6,510 | 2.63 | 2.93 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 34 | 3,185 | 3,938 | 4,732 | 2.15 | 2.67 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 22 | 2,744 | 3,403 | 3,517 | 1.68 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 20,138 | 14,537 | . | 8.62 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 2 | 5,404 | 7,118 | 8,516 | 2.50 | 3.57 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 67 | 16,293 | 16,071 | 17,755 | 3.93 | 3.89 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.4994

COUNTY: Utah
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.30

BED SIZE: 72
 AFFILIATION:
 % LOS OUTLIER=0.80

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 17 | 9,828 | 11,256 | 13,299 | 4.53 | 5.04 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 22 | 6,450 | 5,720 | 6,856 | 2.27 | 2.15 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 29 | 3,471 | 3,880 | 5,387 | 2.67 | 3.09 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 34 | 5,581 | 5,758 | 6,853 | 2.97 | 2.86 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 116 | 4,538 | 4,764 | 5,485 | 2.43 | 2.36 | 2.46 |
| 370 Cesarean Section w CC | 33 | 5,898 | 5,580 | 6,501 | 3.24 | 3.54 | 3.87 |
| 371 Cesarean Section w/o CC | 255 | 4,859 | 4,681 | 5,106 | 2.93 | 3.03 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 178 | 2,933 | 2,723 | 3,392 | 1.72 | 1.90 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,775 | 2,324 | 2,422 | 2,648 | 1.61 | 1.65 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 55 | 3,079 | 3,202 | 3,712 | 1.75 | 1.77 | 1.90 |
| 383 Other antepartum diag w med complic | 20 | 2,635 | 2,442 | 3,678 | 2.20 | 2.15 | 2.77 |
| 385 Neonates, died or transf to otr acute | 40 | 1,896 | 1,911 | 13,772 | 1.37 | 2.05 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 3 | 3,089 | 4,536 | 54,638 | 3.67 | 4.67 | 25.54 |
| 387 Prematurity w major problems | 29 | 3,408 | 3,283 | 18,929 | 3.62 | 4.39 | 13.28 |
| 389 Full Term Neonate w Major Problems | 85 | 1,780 | 2,100 | 3,791 | 2.33 | 2.74 | 3.25 |
| 390 Neonate w Other Significant Problems | 262 | 1,038 | 996 | 1,161 | 1.82 | 1.92 | 1.95 |
| 391 Normal Newborn | 1,794 | 905 | 840 | 854 | 1.71 | 1.71 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | 3 | 26,185 | 14,696 | 23,367 | 11.33 | 6.55 | 9.50 |
| 430 Psychoses | 2 | 6,694 | 7,317 | 7,145 | 4.50 | 4.00 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 6 | 1,893 | 2,497 | 3,156 | 1.20 | 1.44 | 3.09 |
| 462 Rehabilitation | . | . | . | 18,893 | . | . | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 6 | 9,239 | 8,602 | 20,591 | 4.33 | 5.50 | 7.58 |
| 475 Resp sys diagnosis with vent support | 16 | 21,911 | 23,807 | 31,202 | 6.73 | 7.53 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 131,868 | 135,406 | . | 29.67 | 31.93 |
| 486 Other OR proc for mult signif trauma | 1 | 15,467 | 9,189 | 38,464 | 7.00 | 4.80 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 5,739 | 10,268 | . | 1.40 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | 6,172 | 6,240 | . | 1.64 | 2.21 |
| 502 Knee procedures w/o cc | . | . | 7,720 | 9,458 | . | 3.50 | 4.24 |
| 470 Ungroupable | . | . | 1,337 | 4,262 | . | 1.00 | 2.73 |
| All others | 1,533 | 4,417 | 5,061 | 7,986 | 2.84 | 2.99 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

TIMPANOGOS REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=5)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.6225

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=5.25

BED SIZE: 47
 AFFILIATION:
 % LOS OUTLIER=1.64

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 2,629 | 15,552,020 | 79,206,611 | 1,641,774,293 | 6,473.00 | 53,485.00 | 757,944.00 |
| Total Facility Charges | . | 15,536,639 | 78,664,946 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 5,918 | 3,755 | 7,901 | 2.53 | 2.32 | 3.65 |
| Adj. Average Charges/ALOS* | . | 8,863 | 6,186 | 7,119 | 3.95 | 4.49 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 001 Craniotomy age >17 except for trauma | 2 | 12,613 | 12,613 | 22,994 | 3.00 | 3.00 | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 17 | 10,281 | 6,127 | 7,662 | 3.44 | 3.71 | 4.34 |
| 075 Major chest procedures | 3 | 28,796 | 28,796 | 22,563 | 7.50 | 7.50 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 34 | 8,296 | 5,963 | 6,831 | 4.18 | 4.37 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 20 | 5,088 | 3,263 | 4,074 | 2.72 | 2.61 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 17 | 5,392 | 2,965 | 3,751 | 3.00 | 2.33 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | 1 | 34,478 | 34,478 | 29,838 | 7.00 | 7.00 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 1 | 11,293 | 6,028 | 11,411 | 4.00 | 3.23 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 22 | 8,313 | 5,536 | 6,229 | 3.68 | 3.62 | 4.16 |
| 140 Angina Pectoris | 10 | 4,958 | 3,561 | 3,680 | 1.50 | 1.41 | 1.64 |
| 143 Chest Pain | 44 | 5,401 | 3,416 | 3,643 | 1.31 | 1.23 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 14 | 24,021 | 17,653 | 20,020 | 9.00 | 10.41 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 4 | 30,440 | 21,955 | 22,100 | 9.50 | 9.67 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 24 | 6,361 | 3,535 | 4,102 | 1.77 | 1.48 | 1.51 |
| 174 G.I. Hemorrhage w CC | 8 | 6,560 | 5,280 | 6,510 | 2.75 | 2.93 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 15 | 5,474 | 3,938 | 4,732 | 3.00 | 2.67 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 23 | 5,432 | 3,403 | 3,517 | 2.14 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 3 | 30,796 | 20,138 | 14,537 | 11.67 | 8.62 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 7,118 | 8,516 | . | 3.57 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 67 | 18,333 | 16,071 | 17,755 | 3.90 | 3.89 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

TIMPANOGOS REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=5)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.6225

COUNTY: Utah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=5.25

BED SIZE: 47
 AFFILIATION:
 % LOS OUTLIER=1.64

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 9 | 21,967 | 11,256 | 13,299 | 7.71 | 5.04 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 7 | 9,905 | 5,720 | 6,856 | 1.86 | 2.15 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 12 | 5,299 | 3,880 | 5,387 | 3.25 | 3.09 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 10 | 7,664 | 5,758 | 6,853 | 2.50 | 2.86 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 59 | 6,793 | 4,764 | 5,485 | 2.34 | 2.36 | 2.46 |
| 370 Cesarean Section w CC | 6 | 6,579 | 5,580 | 6,501 | 4.00 | 3.54 | 3.87 |
| 371 Cesarean Section w/o CC | 86 | 5,604 | 4,681 | 5,106 | 3.35 | 3.03 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 46 | 3,933 | 2,723 | 3,392 | 2.11 | 1.90 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 575 | 3,073 | 2,422 | 2,648 | 1.76 | 1.65 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 30 | 4,351 | 3,202 | 3,712 | 1.93 | 1.77 | 1.90 |
| 383 Other antepartum diag w med complic | 11 | 3,134 | 2,442 | 3,678 | 1.90 | 2.15 | 2.77 |
| 385 Neonates, died or transf to otr acute | 10 | 2,818 | 1,911 | 13,772 | 2.67 | 2.05 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 2 | 4,518 | 4,536 | 54,638 | 1.00 | 4.67 | 25.54 |
| 387 Prematurity w major problems | 1 | 5,867 | 3,283 | 18,929 | 4.00 | 4.39 | 13.28 |
| 389 Full Term Neonate w Major Problems | 33 | 3,367 | 2,100 | 3,791 | 2.91 | 2.74 | 3.25 |
| 390 Neonate w Other Significant Problems | 50 | 1,428 | 996 | 1,161 | 1.86 | 1.92 | 1.95 |
| 391 Normal Newborn | 647 | 1,016 | 840 | 854 | 1.66 | 1.71 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | 2 | 15,386 | 14,696 | 23,367 | 4.50 | 6.55 | 9.50 |
| 430 Psychoses | 2 | 7,939 | 7,317 | 7,145 | 3.50 | 4.00 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 1 | 4,374 | 2,497 | 3,156 | 1.00 | 1.44 | 3.09 |
| 462 Rehabilitation | . | . | . | 18,893 | . | . | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 5 | 12,363 | 8,602 | 20,591 | 6.00 | 5.50 | 7.58 |
| 475 Resp sys diagnosis with vent support | 6 | 30,128 | 23,807 | 31,202 | 8.00 | 7.53 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 2 | 113,128 | 131,868 | 135,406 | 20.50 | 29.67 | 31.93 |
| 486 Other OR proc for mult signif trauma | 2 | 15,240 | 9,189 | 38,464 | 4.00 | 4.80 | 10.46 |
| 499 Back & neck procedures w cc | 3 | 5,813 | 5,739 | 10,268 | 1.00 | 1.40 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 37 | 6,386 | 6,172 | 6,240 | 1.49 | 1.64 | 2.21 |
| 502 Knee procedures w/o cc | . | . | 7,720 | 9,458 | . | 3.50 | 4.24 |
| 470 Ungroupable | . | . | 1,337 | 4,262 | . | 1.00 | 2.73 |
| All others | 646 | 9,098 | 5,061 | 7,986 | 3.19 | 2.99 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.6490

COUNTY: Box Elder
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.48

BED SIZE: 49
 AFFILIATION:
 % LOS OUTLIER=0.95

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 1,888 | 7,633,612 | 141,510,475 | 1,641,774,293 | 4,181.00 | 80,653.00 | 757,944.00 |
| Total Facility Charges | . | 7,587,875 | 138,273,520 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 4,043 | 4,984 | 7,901 | 2.30 | 2.91 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,112 | 6,100 | 7,119 | 3.42 | 3.70 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
|--|----|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 32 | 4,626 | 6,287 | 7,662 | 2.97 | 3.80 | 4.34 |
| 075 Major chest procedures | . | . | 24,170 | 22,563 | . | 10.72 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 24 | 5,326 | 6,345 | 6,831 | 3.14 | 4.57 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 16 | 2,697 | 3,969 | 4,074 | 2.00 | 2.87 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 13 | 2,427 | 3,818 | 3,751 | 1.92 | 3.06 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 23,681 | 29,838 | . | 9.03 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | 16,340 | 19,584 | . | 2.96 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 5 | 7,912 | 8,912 | 11,411 | 3.40 | 3.79 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | 7,862 | 10,664 | . | 2.84 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | 7,144 | 7,677 | . | 2.30 | 1.99 |
| 127 Heart Failure & Shock | 18 | 4,532 | 5,664 | 6,229 | 3.06 | 4.03 | 4.16 |
| 140 Angina Pectoris | . | . | 3,863 | 3,680 | . | 1.93 | 1.64 |
| 143 Chest Pain | 9 | 3,382 | 3,473 | 3,643 | 1.14 | 1.64 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 21 | 12,496 | 17,326 | 20,020 | 4.67 | 8.46 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 8 | 15,598 | 17,799 | 22,100 | 5.13 | 7.64 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 23 | 5,424 | 4,025 | 4,102 | 1.43 | 1.54 | 1.51 |
| 174 G.I. Hemorrhage w CC | 21 | 4,185 | 5,327 | 6,510 | 2.14 | 3.06 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 11 | 3,721 | 4,136 | 4,732 | 1.80 | 3.09 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 8 | 3,128 | 3,401 | 3,517 | 1.71 | 2.18 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 3 | 8,990 | 10,822 | 14,537 | 1.67 | 4.79 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 5,967 | 5,880 | 8,516 | 2.00 | 2.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 55 | 17,362 | 16,853 | 17,755 | 4.36 | 4.07 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.6490

COUNTY: Box Elder
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.48

BED SIZE: 49
 AFFILIATION:
 % LOS OUTLIER=0.95

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 13 | 11,424 | 11,037 | 13,299 | 4.15 | 4.89 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 4 | 6,836 | 5,688 | 6,856 | 1.25 | 2.04 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 17 | 3,557 | 4,108 | 5,387 | 2.53 | 3.17 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 12 | 7,739 | 6,298 | 6,853 | 2.83 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 48 | 8,448 | 5,267 | 5,485 | 1.87 | 2.38 | 2.46 |
| 370 Cesarean Section w CC | 11 | 7,073 | 4,767 | 6,501 | 4.45 | 3.29 | 3.87 |
| 371 Cesarean Section w/o CC | 70 | 5,204 | 4,281 | 5,106 | 2.74 | 2.77 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 24 | 2,992 | 2,678 | 3,392 | 1.70 | 1.71 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 372 | 2,509 | 2,135 | 2,648 | 1.41 | 1.47 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 27 | 4,568 | 3,121 | 3,712 | 1.74 | 1.66 | 1.90 |
| 383 Other antepartum diag w med complic | 10 | 2,962 | 3,863 | 3,678 | 2.00 | 3.00 | 2.77 |
| 385 Neonates, died or transf to otr acute | 14 | 1,995 | 3,381 | 13,772 | 6.00 | 2.07 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 17,836 | 54,638 | . | 13.42 | 25.54 |
| 387 Prematurity w major problems | 4 | 4,329 | 10,502 | 18,929 | 8.25 | 9.64 | 13.28 |
| 389 Full Term Neonate w Major Problems | 13 | 1,112 | 3,508 | 3,791 | 1.58 | 2.88 | 3.25 |
| 390 Neonate w Other Significant Problems | 45 | 950 | 1,076 | 1,161 | 2.05 | 1.70 | 1.95 |
| 391 Normal Newborn | 443 | 712 | 741 | 854 | 1.63 | 1.53 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 5,719 | 8,034 | . | 2.63 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 1 | 6,236 | 12,816 | 23,367 | 2.00 | 6.89 | 9.50 |
| 430 Psychoses | . | . | 6,092 | 7,145 | . | 5.22 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 3,377 | 3,156 | . | 3.10 | 3.09 |
| 462 Rehabilitation | . | . | 7,754 | 18,893 | . | 7.19 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 5 | 8,881 | 12,795 | 20,591 | 2.80 | 6.32 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 26,807 | 31,202 | . | 10.16 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 163,508 | 135,406 | . | 44.43 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,115 | 38,464 | . | 6.25 | 10.46 |
| 499 Back & neck procedures w cc | 2 | 5,905 | 9,349 | 10,268 | 1.50 | 3.82 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 6 | 6,437 | 6,750 | 6,240 | 2.83 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | . | . | 7,028 | 9,458 | . | 3.40 | 4.24 |
| 470 Ungroupable | . | . | 2,375 | 4,262 | . | 2.00 | 2.73 |
| All others | 479 | 5,236 | 5,751 | 7,986 | 2.78 | 3.33 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.6415

COUNTY: Cache
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.51

BED SIZE: 148
 AFFILIATION:
 % LOS OUTLIER=0.82

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 8,831 | 34,612,861 | 141,510,475 | 1,641,774,293 | 22916.00 | 80,653.00 | 757,944.00 |
| Total Facility Charges | . | 34,157,052 | 138,273,520 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,919 | 4,984 | 7,901 | 2.64 | 2.91 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,894 | 6,100 | 7,119 | 3.99 | 3.70 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 54 | 4,918 | 6,287 | 7,662 | 3.31 | 4.34 |
| 075 Major chest procedures | 4 | 12,835 | 24,170 | 22,563 | 7.00 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 95 | 6,115 | 6,345 | 6,831 | 4.77 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 77 | 3,013 | 3,969 | 4,074 | 2.63 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 129 | 3,303 | 3,818 | 3,751 | 3.20 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | 5 | 30,643 | 23,681 | 29,838 | 12.40 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 16 | 17,470 | 16,340 | 19,584 | 3.56 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 31 | 11,050 | 8,912 | 11,411 | 4.48 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 61 | 8,045 | 7,862 | 10,664 | 2.60 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 49 | 7,632 | 7,144 | 7,677 | 2.04 | 1.99 |
| 127 Heart Failure & Shock | 81 | 5,230 | 5,664 | 6,229 | 3.69 | 4.16 |
| 140 Angina Pectoris | 8 | 3,758 | 3,863 | 3,680 | 1.88 | 1.64 |
| 143 Chest Pain | 76 | 3,931 | 3,473 | 3,643 | 1.58 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 71 | 15,950 | 17,326 | 20,020 | 9.66 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 8 | 15,653 | 17,799 | 22,100 | 9.50 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 124 | 3,028 | 4,025 | 4,102 | 1.50 | 1.51 |
| 174 G.I. Hemorrhage w CC | 69 | 5,436 | 5,327 | 6,510 | 3.00 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 84 | 4,180 | 4,136 | 4,732 | 3.23 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 60 | 3,132 | 3,401 | 3,517 | 1.81 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 5 | 11,529 | 10,822 | 14,537 | 6.20 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 3,795 | 5,880 | 8,516 | 1.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 129 | 16,366 | 16,853 | 17,755 | 4.13 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.6415

COUNTY: Cache
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.51

BED SIZE: 148
 AFFILIATION:
 % LOS OUTLIER=0.82

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 30 | 9,801 | 11,037 | 13,299 | 4.97 | 4.89 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 39 | 5,120 | 5,688 | 6,856 | 2.24 | 2.04 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 51 | 3,522 | 4,108 | 5,387 | 3.00 | 3.17 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 54 | 5,380 | 6,298 | 6,853 | 3.00 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 197 | 4,206 | 5,267 | 5,485 | 2.43 | 2.38 | 2.46 |
| 370 Cesarean Section w CC | 25 | 5,256 | 4,767 | 6,501 | 2.92 | 3.29 | 3.87 |
| 371 Cesarean Section w/o CC | 227 | 4,080 | 4,281 | 5,106 | 2.58 | 2.77 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 257 | 3,146 | 2,678 | 3,392 | 1.86 | 1.71 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,648 | 2,346 | 2,135 | 2,648 | 1.56 | 1.47 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 97 | 3,143 | 3,121 | 3,712 | 1.66 | 1.66 | 1.90 |
| 383 Other antepartum diag w med complic | 36 | 4,505 | 3,863 | 3,678 | 3.66 | 3.00 | 2.77 |
| 385 Neonates, died or transf to otr acute | 22 | 2,249 | 3,381 | 13,772 | 1.50 | 2.07 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 47 | 15,955 | 17,836 | 54,638 | 11.68 | 13.42 | 25.54 |
| 387 Prematurity w major problems | 19 | 16,787 | 10,502 | 18,929 | 14.72 | 9.64 | 13.28 |
| 389 Full Term Neonate w Major Problems | 68 | 3,254 | 3,508 | 3,791 | 3.24 | 2.88 | 3.25 |
| 390 Neonate w Other Significant Problems | 156 | 1,155 | 1,076 | 1,161 | 1.95 | 1.70 | 1.95 |
| 391 Normal Newborn | 1,906 | 693 | 741 | 854 | 1.65 | 1.53 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 5,719 | 8,034 | . | 2.63 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 15 | 11,511 | 12,816 | 23,367 | 5.23 | 6.89 | 9.50 |
| 430 Psychoses | 193 | 6,689 | 6,092 | 7,145 | 4.52 | 5.22 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 24 | 3,401 | 3,377 | 3,156 | 2.74 | 3.10 | 3.09 |
| 462 Rehabilitation | . | . | 7,754 | 18,893 | . | 7.19 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 18,431 | 12,795 | 20,591 | 14.00 | 6.32 | 7.58 |
| 475 Resp sys diagnosis with vent support | 13 | 16,434 | 26,807 | 31,202 | 7.00 | 10.16 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 163,508 | 135,406 | . | 44.43 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,115 | 38,464 | . | 6.25 | 10.46 |
| 499 Back & neck procedures w cc | 3 | 6,993 | 9,349 | 10,268 | 3.67 | 3.82 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 7 | 4,223 | 6,750 | 6,240 | 1.86 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 2 | 3,396 | 7,028 | 9,458 | 2.00 | 3.40 | 4.24 |
| 470 Ungroupable | . | . | 2,375 | 4,262 | . | 2.00 | 2.73 |
| All others | 2,457 | 4,928 | 5,751 | 7,986 | 3.10 | 3.33 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.9002

COUNTY: Carbon
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.35

BED SIZE: 74
 AFFILIATION:
 % LOS OUTLIER=1.33

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 2,627 | 18,117,356 | 141,510,475 | 1,641,774,293 | 8,201.00 | 80,653.00 | 757,944.00 |
| Total Facility Charges | . | 17,862,854 | 138,273,520 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 6,897 | 4,984 | 7,901 | 3.20 | 2.91 | 3.65 |
| Adj. Average Charges/ALOS* | . | 7,230 | 6,100 | 7,119 | 3.43 | 3.70 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 31 | 6,974 | 6,287 | 7,662 | 3.90 | 3.80 | 4.34 |
| 075 Major chest procedures | . | . | 24,170 | 22,563 | . | 10.72 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 103 | 6,548 | 6,345 | 6,831 | 4.09 | 4.57 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 41 | 5,629 | 3,969 | 4,074 | 2.88 | 2.87 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 27 | 6,414 | 3,818 | 3,751 | 3.38 | 3.06 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 23,681 | 29,838 | . | 9.03 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 4 | 18,758 | 16,340 | 19,584 | 4.00 | 2.96 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 38 | 8,890 | 8,912 | 11,411 | 3.70 | 3.79 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | 7,862 | 10,664 | . | 2.84 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | 7,144 | 7,677 | . | 2.30 | 1.99 |
| 127 Heart Failure & Shock | 62 | 6,712 | 5,664 | 6,229 | 3.82 | 4.03 | 4.16 |
| 140 Angina Pectoris | 22 | 4,798 | 3,863 | 3,680 | 1.90 | 1.93 | 1.64 |
| 143 Chest Pain | 22 | 4,583 | 3,473 | 3,643 | 1.47 | 1.64 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 31 | 22,254 | 17,326 | 20,020 | 7.23 | 8.46 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 4 | 27,162 | 17,799 | 22,100 | 9.00 | 7.64 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 4 | 9,109 | 4,025 | 4,102 | 1.50 | 1.54 | 1.51 |
| 174 G.I. Hemorrhage w CC | 44 | 6,177 | 5,327 | 6,510 | 3.45 | 3.06 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 26 | 5,070 | 4,136 | 4,732 | 2.81 | 3.09 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 19 | 4,336 | 3,401 | 3,517 | 2.22 | 2.18 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 1 | 22,429 | 10,822 | 14,537 | 8.00 | 4.79 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 5,880 | 8,516 | . | 2.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 66 | 21,686 | 16,853 | 17,755 | 3.83 | 4.07 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.9002

COUNTY: Carbon
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.35

BED SIZE: 74
 AFFILIATION:
 % LOS OUTLIER=1.33

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 18 | 16,755 | 11,037 | 13,299 | 4.94 | 4.89 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 13 | 11,634 | 5,688 | 6,856 | 2.15 | 2.04 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 28 | 6,086 | 4,108 | 5,387 | 3.30 | 3.17 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 20 | 11,215 | 6,298 | 6,853 | 3.84 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 53 | 7,898 | 5,267 | 5,485 | 2.69 | 2.38 | 2.46 |
| 370 Cesarean Section w CC | 13 | 9,693 | 4,767 | 6,501 | 4.00 | 3.29 | 3.87 |
| 371 Cesarean Section w/o CC | 60 | 8,174 | 4,281 | 5,106 | 3.32 | 2.77 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 41 | 3,083 | 2,678 | 3,392 | 1.51 | 1.71 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 297 | 2,711 | 2,135 | 2,648 | 1.52 | 1.47 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 5 | 6,503 | 3,121 | 3,712 | 2.00 | 1.66 | 1.90 |
| 383 Other antepartum diag w med complic | 17 | 4,645 | 3,863 | 3,678 | 3.56 | 3.00 | 2.77 |
| 385 Neonates, died or transf to otr acute | 15 | 4,462 | 3,381 | 13,772 | 1.70 | 2.07 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 17,836 | 54,638 | . | 13.42 | 25.54 |
| 387 Prematurity w major problems | 8 | 5,935 | 10,502 | 18,929 | 4.88 | 9.64 | 13.28 |
| 389 Full Term Neonate w Major Problems | 122 | 3,405 | 3,508 | 3,791 | 2.51 | 2.88 | 3.25 |
| 390 Neonate w Other Significant Problems | 159 | 1,377 | 1,076 | 1,161 | 1.66 | 1.70 | 1.95 |
| 391 Normal Newborn | 128 | 1,022 | 741 | 854 | 1.46 | 1.53 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 5,719 | 8,034 | . | 2.63 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 5 | 14,911 | 12,816 | 23,367 | 5.60 | 6.89 | 9.50 |
| 430 Psychoses | . | . | 6,092 | 7,145 | . | 5.22 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 2 | 2,441 | 3,377 | 3,156 | 2.00 | 3.10 | 3.09 |
| 462 Rehabilitation | 113 | 7,754 | 7,754 | 18,893 | 7.19 | 7.19 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 3 | 12,257 | 12,795 | 20,591 | 3.33 | 6.32 | 7.58 |
| 475 Resp sys diagnosis with vent support | 10 | 13,509 | 26,807 | 31,202 | 3.20 | 10.16 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 163,508 | 135,406 | . | 44.43 | 31.93 |
| 486 Other OR proc for mult signif trauma | 1 | 20,750 | 15,115 | 38,464 | 6.00 | 6.25 | 10.46 |
| 499 Back & neck procedures w cc | 2 | 10,981 | 9,349 | 10,268 | 2.00 | 3.82 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 9 | 12,036 | 6,750 | 6,240 | 2.22 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 2 | 14,654 | 7,028 | 9,458 | 5.50 | 3.40 | 4.24 |
| 470 Ungroupable | . | . | 2,375 | 4,262 | . | 2.00 | 2.73 |
| All others | 938 | 7,309 | 5,751 | 7,986 | 3.29 | 3.33 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.6294

COUNTY: Iron
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.66

BED SIZE: 48
 AFFILIATION:
 % LOS OUTLIER=0.58

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 2,408 | 9,512,292 | 141,510,475 | 1,641,774,293 | 5,422.00 | 80,653.00 | 757,944.00 |
| Total Facility Charges | . | 9,410,045 | 138,273,520 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,950 | 4,984 | 7,901 | 2.29 | 2.91 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,098 | 6,100 | 7,119 | 3.59 | 3.70 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|--------|--------|------------------|------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 11 | 3,314 | 6,287 | 7,662 | 2.00 | 4.34 |
| 075 Major chest procedures | . | . | 24,170 | 22,563 | . | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 33 | 6,650 | 6,345 | 6,831 | 4.24 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 13 | 5,369 | 3,969 | 4,074 | 3.33 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 19 | 5,348 | 3,818 | 3,751 | 3.11 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 23,681 | 29,838 | . | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | 16,340 | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 11 | 6,812 | 8,912 | 11,411 | 3.55 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | 7,862 | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | 7,144 | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 15 | 4,304 | 5,664 | 6,229 | 2.80 | 4.16 |
| 140 Angina Pectoris | 21 | 3,447 | 3,863 | 3,680 | 1.80 | 1.64 |
| 143 Chest Pain | 7 | 3,459 | 3,473 | 3,643 | 1.50 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 21 | 19,015 | 17,326 | 20,020 | 7.62 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 6 | 19,865 | 17,799 | 22,100 | 6.83 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 11 | 5,660 | 4,025 | 4,102 | 1.55 | 1.51 |
| 174 G.I. Hemorrhage w CC | 20 | 4,644 | 5,327 | 6,510 | 3.00 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 14 | 4,492 | 4,136 | 4,732 | 2.64 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 22 | 3,841 | 3,401 | 3,517 | 2.32 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 1 | 11,298 | 10,822 | 14,537 | 5.00 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 6,166 | 5,880 | 8,516 | 2.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 68 | 15,706 | 16,853 | 17,755 | 3.79 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.6294

COUNTY: Iron
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.66

BED SIZE: 48
 AFFILIATION:
 % LOS OUTLIER=0.58

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 20 | 10,658 | 11,037 | 13,299 | 3.95 | 4.89 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 30 | 5,040 | 5,688 | 6,856 | 1.90 | 2.04 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 7 | 4,877 | 4,108 | 5,387 | 3.43 | 3.17 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 8 | 5,827 | 6,298 | 6,853 | 2.43 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 51 | 4,611 | 5,267 | 5,485 | 2.18 | 2.38 | 2.46 |
| 370 Cesarean Section w CC | 20 | 5,203 | 4,767 | 6,501 | 3.05 | 3.29 | 3.87 |
| 371 Cesarean Section w/o CC | 82 | 3,949 | 4,281 | 5,106 | 2.39 | 2.77 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 43 | 2,170 | 2,678 | 3,392 | 1.36 | 1.71 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 525 | 1,827 | 2,135 | 2,648 | 1.41 | 1.47 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 19 | 3,128 | 3,121 | 3,712 | 1.32 | 1.66 | 1.90 |
| 383 Other antepartum diag w med complic | 1 | 2,184 | 3,863 | 3,678 | 1.00 | 3.00 | 2.77 |
| 385 Neonates, died or transf to otr acute | 9 | 3,107 | 3,381 | 13,772 | 1.67 | 2.07 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 4 | 3,897 | 17,836 | 54,638 | 4.67 | 13.42 | 25.54 |
| 387 Prematurity w major problems | 8 | 5,258 | 10,502 | 18,929 | 6.14 | 9.64 | 13.28 |
| 389 Full Term Neonate w Major Problems | 43 | 3,639 | 3,508 | 3,791 | 2.93 | 2.88 | 3.25 |
| 390 Neonate w Other Significant Problems | 192 | 739 | 1,076 | 1,161 | 1.48 | 1.70 | 1.95 |
| 391 Normal Newborn | 417 | 567 | 741 | 854 | 1.24 | 1.53 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 5,719 | 8,034 | . | 2.63 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 1 | 5,599 | 12,816 | 23,367 | 3.00 | 6.89 | 9.50 |
| 430 Psychoses | 1 | 2,184 | 6,092 | 7,145 | 2.00 | 5.22 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 3 | 2,520 | 3,377 | 3,156 | 2.00 | 3.10 | 3.09 |
| 462 Rehabilitation | . | . | 7,754 | 18,893 | . | 7.19 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 6 | 8,297 | 12,795 | 20,591 | 4.00 | 6.32 | 7.58 |
| 475 Resp sys diagnosis with vent support | 1 | 3,561 | 26,807 | 31,202 | . | 10.16 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 163,508 | 135,406 | . | 44.43 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,115 | 38,464 | . | 6.25 | 10.46 |
| 499 Back & neck procedures w cc | 8 | 10,400 | 9,349 | 10,268 | 5.50 | 3.82 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 18 | 6,227 | 6,750 | 6,240 | 2.72 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | . | . | 7,028 | 9,458 | . | 3.40 | 4.24 |
| 470 Ungroupable | 1 | 1,571 | 2,375 | 4,262 | 1.00 | 2.00 | 2.73 |
| All others | 596 | 6,006 | 5,751 | 7,986 | 3.20 | 3.33 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ASHLEY VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.7225

COUNTY: Uintah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.64

BED SIZE: 39
 AFFILIATION:
 % LOS OUTLIER=0.93

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|-----------|------------|
| | Hospital | Peer | State* | Hospital | Peer | State* | |
| Total Charges/Length of Stay | 1,715 | 7,925,078 | 141,510,475 | 1,641,774,293 | 4,855.00 | 80,653.00 | 757,944.00 |
| Total Facility Charges | . | 7,654,494 | 138,273,520 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 4,621 | 4,984 | 7,901 | 2.89 | 2.91 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,030 | 6,100 | 7,119 | 3.85 | 3.70 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|-------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 11 | 4,999 | 6,287 | 7,662 | 3.82 | 3.80 | 4.34 |
| 075 Major chest procedures | 1 | 13,609 | 24,170 | 22,563 | 5.00 | 10.72 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 68 | 5,339 | 6,345 | 6,831 | 4.01 | 4.57 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 34 | 3,569 | 3,969 | 4,074 | 2.71 | 2.87 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 16 | 2,542 | 3,818 | 3,751 | 1.88 | 3.06 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | 1 | 96,515 | 23,681 | 29,838 | 12.00 | 9.03 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | 16,340 | 19,584 | . | 2.96 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 15 | 6,268 | 8,912 | 11,411 | 2.43 | 3.79 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | 7,862 | 10,664 | . | 2.84 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | 7,144 | 7,677 | . | 2.30 | 1.99 |
| 127 Heart Failure & Shock | 50 | 4,722 | 5,664 | 6,229 | 3.88 | 4.03 | 4.16 |
| 140 Angina Pectoris | 3 | 3,050 | 3,863 | 3,680 | 1.50 | 1.93 | 1.64 |
| 143 Chest Pain | 36 | 3,919 | 3,473 | 3,643 | 1.85 | 1.64 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 14 | 16,704 | 17,326 | 20,020 | 6.38 | 8.46 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 11 | 19,960 | 17,799 | 22,100 | 5.82 | 7.64 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 8 | 6,164 | 4,025 | 4,102 | 1.63 | 1.54 | 1.51 |
| 174 G.I. Hemorrhage w CC | 23 | 4,550 | 5,327 | 6,510 | 2.91 | 3.06 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 27 | 3,924 | 4,136 | 4,732 | 3.77 | 3.09 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 6 | 3,667 | 3,401 | 3,517 | 1.83 | 2.18 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 3 | 12,649 | 10,822 | 14,537 | 4.33 | 4.79 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 5,880 | 8,516 | . | 2.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 15 | 16,870 | 16,853 | 17,755 | 3.60 | 4.07 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ASHLEY VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.
 UHDDDB CASE MIX INDEX = 0.7225

COUNTY: Uintah
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=0.64

BED SIZE: 39
 AFFILIATION:
 % LOS OUTLIER=0.93

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 9 | 13,152 | 11,037 | 13,299 | 4.89 | 4.89 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 6 | 9,264 | 5,688 | 6,856 | 2.17 | 2.04 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 8 | 4,094 | 4,108 | 5,387 | 3.63 | 3.17 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 6 | 7,883 | 6,298 | 6,853 | 2.83 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 40 | 6,706 | 5,267 | 5,485 | 2.25 | 2.38 | 2.46 |
| 370 Cesarean Section w CC | 7 | 7,184 | 4,767 | 6,501 | 4.29 | 3.29 | 3.87 |
| 371 Cesarean Section w/o CC | 29 | 5,181 | 4,281 | 5,106 | 2.79 | 2.77 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 29 | 2,487 | 2,678 | 3,392 | 1.79 | 1.71 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 201 | 2,068 | 2,135 | 2,648 | 1.57 | 1.47 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 15 | 4,031 | 3,121 | 3,712 | 1.93 | 1.66 | 1.90 |
| 383 Other antepartum diag w med complic | 8 | 1,893 | 3,863 | 3,678 | 1.57 | 3.00 | 2.77 |
| 385 Neonates, died or transf to otr acute | 2 | 3,233 | 3,381 | 13,772 | 1.00 | 2.07 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 17,836 | 54,638 | . | 13.42 | 25.54 |
| 387 Prematurity w major problems | 1 | 1,370 | 10,502 | 18,929 | 3.00 | 9.64 | 13.28 |
| 389 Full Term Neonate w Major Problems | 5 | 3,077 | 3,508 | 3,791 | 2.75 | 2.88 | 3.25 |
| 390 Neonate w Other Significant Problems | 13 | 1,492 | 1,076 | 1,161 | 2.64 | 1.70 | 1.95 |
| 391 Normal Newborn | 257 | 563 | 741 | 854 | 1.54 | 1.53 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | 5,719 | 8,034 | . | 2.63 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 5 | 13,038 | 12,816 | 23,367 | 6.60 | 6.89 | 9.50 |
| 430 Psychoses | . | . | 6,092 | 7,145 | . | 5.22 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 3,377 | 3,156 | . | 3.10 | 3.09 |
| 462 Rehabilitation | . | . | 7,754 | 18,893 | . | 7.19 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 5,458 | 12,795 | 20,591 | 4.00 | 6.32 | 7.58 |
| 475 Resp sys diagnosis with vent support | 5 | 36,431 | 26,807 | 31,202 | 7.20 | 10.16 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 163,508 | 135,406 | . | 44.43 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,115 | 38,464 | . | 6.25 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 9,349 | 10,268 | . | 3.82 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | 6,750 | 6,240 | . | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | 1 | 6,667 | 7,028 | 9,458 | 2.00 | 3.40 | 4.24 |
| 470 Ungroupable | . | . | 2,375 | 4,262 | . | 2.00 | 2.73 |
| All others | 725 | 4,892 | 5,751 | 7,986 | 3.27 | 3.33 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DIXIE MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.8908

COUNTY: Washington
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.25

BED SIZE: 137
 AFFILIATION:
 % LOS OUTLIER=1.13

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 10,943 | 63,709,276 | 141,510,475 | 1,641,774,293 | 35078.00 | 80,653.00 | 757,944.00 |
| Total Facility Charges | . | 61,601,200 | 138,273,520 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 5,832 | 4,984 | 7,901 | 3.31 | 2.91 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,010 | 6,100 | 7,119 | 3.58 | 3.70 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 142 | 7,374 | 6,287 | 7,662 | 4.27 | 3.80 | 4.34 |
| 075 Major chest procedures | 15 | 28,162 | 24,170 | 22,563 | 12.31 | 10.72 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 204 | 6,771 | 6,345 | 6,831 | 5.12 | 4.57 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 91 | 4,216 | 3,969 | 4,074 | 3.21 | 2.87 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 61 | 3,912 | 3,818 | 3,751 | 3.16 | 3.06 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | 40 | 20,848 | 23,681 | 29,838 | 8.34 | 9.03 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | 65 | 15,913 | 16,340 | 19,584 | 2.75 | 2.96 | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 89 | 8,937 | 8,912 | 11,411 | 3.86 | 3.79 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 126 | 7,772 | 7,862 | 10,664 | 2.96 | 2.84 | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | 80 | 6,845 | 7,144 | 7,677 | 2.45 | 2.30 | 1.99 |
| 127 Heart Failure & Shock | 146 | 6,066 | 5,664 | 6,229 | 4.60 | 4.03 | 4.16 |
| 140 Angina Pectoris | 8 | 2,790 | 3,863 | 3,680 | 2.67 | 1.93 | 1.64 |
| 143 Chest Pain | 119 | 2,853 | 3,473 | 3,643 | 1.67 | 1.64 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 86 | 17,527 | 17,326 | 20,020 | 9.46 | 8.46 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 46 | 16,935 | 17,799 | 22,100 | 8.20 | 7.64 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 80 | 4,558 | 4,025 | 4,102 | 1.62 | 1.54 | 1.51 |
| 174 G.I. Hemorrhage w CC | 139 | 5,403 | 5,327 | 6,510 | 3.14 | 3.06 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 96 | 3,899 | 4,136 | 4,732 | 3.05 | 3.09 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 63 | 3,231 | 3,401 | 3,517 | 2.57 | 2.18 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 16 | 9,781 | 10,822 | 14,537 | 4.80 | 4.79 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 7,593 | 5,880 | 8,516 | 3.00 | 2.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 281 | 16,115 | 16,853 | 17,755 | 4.14 | 4.07 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DIXIE MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.8908

COUNTY: Washington
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=1.25

BED SIZE: 137
 AFFILIATION:
 % LOS OUTLIER=1.13

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|---------|---------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 70 | 10,024 | 11,037 | 13,299 | 5.26 | 4.89 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 79 | 5,126 | 5,688 | 6,856 | 2.00 | 2.04 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 83 | 3,844 | 4,108 | 5,387 | 3.30 | 3.17 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 131 | 5,860 | 6,298 | 6,853 | 3.11 | 3.10 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 202 | 4,859 | 5,267 | 5,485 | 2.45 | 2.38 | 2.46 |
| 370 Cesarean Section w CC | 132 | 3,803 | 4,767 | 6,501 | 3.17 | 3.29 | 3.87 |
| 371 Cesarean Section w/o CC | 257 | 3,333 | 4,281 | 5,106 | 2.93 | 2.77 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 201 | 2,095 | 2,678 | 3,392 | 1.61 | 1.71 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 1,220 | 1,740 | 2,135 | 2,648 | 1.34 | 1.47 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 83 | 2,256 | 3,121 | 3,712 | 1.65 | 1.66 | 1.90 |
| 383 Other antepartum diag w med complic | 79 | 3,746 | 3,863 | 3,678 | 2.86 | 3.00 | 2.77 |
| 385 Neonates, died or transf to otr acute | 21 | 4,898 | 3,381 | 13,772 | 2.23 | 2.07 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 20 | 25,324 | 17,836 | 54,638 | 18.55 | 13.42 | 25.54 |
| 387 Prematurity w major problems | 52 | 10,486 | 10,502 | 18,929 | 9.30 | 9.64 | 13.28 |
| 389 Full Term Neonate w Major Problems | 105 | 4,053 | 3,508 | 3,791 | 3.21 | 2.88 | 3.25 |
| 390 Neonate w Other Significant Problems | 265 | 1,106 | 1,076 | 1,161 | 1.65 | 1.70 | 1.95 |
| 391 Normal Newborn | 1,378 | 883 | 741 | 854 | 1.43 | 1.53 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 30 | 5,719 | 5,719 | 8,034 | 2.63 | 2.63 | 2.95 |
| 415 OR proc for infectious/parasitic disea | 48 | 13,243 | 12,816 | 23,367 | 7.72 | 6.89 | 9.50 |
| 430 Psychoses | 257 | 5,659 | 6,092 | 7,145 | 5.75 | 5.22 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 23 | 3,553 | 3,377 | 3,156 | 3.65 | 3.10 | 3.09 |
| 462 Rehabilitation | . | . | 7,754 | 18,893 | . | 7.19 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 22 | 15,061 | 12,795 | 20,591 | 7.91 | 6.32 | 7.58 |
| 475 Resp sys diagnosis with vent support | 33 | 34,644 | 26,807 | 31,202 | 14.00 | 10.16 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 9 | 163,508 | 163,508 | 135,406 | 44.43 | 44.43 | 31.93 |
| 486 Other OR proc for mult signif trauma | 18 | 14,784 | 15,115 | 38,464 | 6.27 | 6.25 | 10.46 |
| 499 Back & neck procedures w cc | 13 | 9,526 | 9,349 | 10,268 | 3.46 | 3.82 | 3.89 |
| 500 Back & Neck Procedures w/o CC | 17 | 5,655 | 6,750 | 6,240 | 2.12 | 2.37 | 2.21 |
| 502 Knee procedures w/o cc | . | . | 7,028 | 9,458 | . | 3.40 | 4.24 |
| 470 Ungroupable | 1 | 3,179 | 2,375 | 4,262 | 3.00 | 2.00 | 2.73 |
| All others | 4,100 | 6,077 | 5,751 | 7,986 | 3.56 | 3.33 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.5980

COUNTY: Beaver
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.00

BED SIZE: 36
 AFFILIATION:
 % LOS OUTLIER=0.33

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 598 | 834,322 | 41,238,327 | 1,641,774,293 | 477.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 833,138 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 1,901 | 3,533 | 7,901 | 2.64 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 3,174 | 5,309 | 7,119 | 4.35 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|-------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 7 | 3,183 | 4,617 | 7,662 | 3.96 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | 8.00 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 32 | 2,383 | 5,098 | 6,831 | 4.06 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 5 | 1,489 | 2,883 | 4,074 | 3.67 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 4 | 1,464 | 2,893 | 3,751 | 2.67 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 7 | 2,781 | 6,966 | 11,411 | 4.00 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 44 | 2,155 | 4,104 | 6,229 | 3.13 | 4.16 |
| 140 Angina Pectoris | 7 | 1,939 | 2,700 | 3,680 | 1.50 | 1.64 |
| 143 Chest Pain | 2 | 2,274 | 2,588 | 3,643 | 5.00 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 16,742 | 20,020 | . | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 4 | 3,296 | 3,995 | 4,102 | 2.00 | 1.51 |
| 174 G.I. Hemorrhage w CC | 5 | 2,471 | 4,585 | 6,510 | 2.00 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 19 | 1,991 | 2,996 | 4,732 | 2.88 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 4 | 1,120 | 2,554 | 3,517 | 2.00 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | . | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | 14,302 | 17,755 | . | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.5980

COUNTY: Beaver
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.00

BED SIZE: 36
 AFFILIATION:
 % LOS OUTLIER=0.33

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 6 | 1,968 | 3,369 | 5,387 | 2.67 | 3.34 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 1 | 3,903 | 6,375 | 6,853 | . | 3.47 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 10 | 2,901 | 5,504 | 5,485 | 3.00 | 2.62 |
| 370 Cesarean Section w CC | 5 | 2,870 | 5,080 | 6,501 | . | 3.26 |
| 371 Cesarean Section w/o CC | 13 | 3,581 | 4,507 | 5,106 | 3.67 | 3.04 |
| 372 Vaginal Delivery w Complicating Diag | 6 | 3,890 | 2,824 | 3,392 | 4.00 | 1.92 |
| 373 Vaginal Deliv w/o Complicating Diag | 54 | 1,575 | 2,122 | 2,648 | 1.67 | 1.59 |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | 3,988 | 3,712 | . | 2.00 |
| 383 Other antepartum diag w med complic | 3 | 1,019 | 2,168 | 3,678 | . | 2.33 |
| 385 Neonates, died or transf to otr acute | 5 | 1,035 | 1,424 | 13,772 | 1.00 | 1.08 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | . | 3.00 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | . | 3.00 |
| 389 Full Term Neonate w Major Problems | 1 | 2,667 | 1,695 | 3,791 | . | 2.35 |
| 390 Neonate w Other Significant Problems | 2 | 1,114 | 951 | 1,161 | 5.00 | 1.90 |
| 391 Normal Newborn | 68 | 602 | 734 | 854 | 1.60 | 1.62 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 8.33 |
| 430 Psychoses | . | . | 4,236 | 7,145 | . | 3.63 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,046 | 3,156 | . | 2.35 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 7.31 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,895 | 20,591 | . | 6.71 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | . | 4.75 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 2.00 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 5.50 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.00 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | 63 | 1,859 | 2,826 | 4,262 | 2.55 | 2.77 |
| All others | 221 | 1,982 | 3,852 | 7,986 | 2.40 | 2.92 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MILFORD VALLEY MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.6112

COUNTY: Beaver
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.87

BED SIZE: 34
 AFFILIATION:
 % LOS OUTLIER=6.29

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 461 | 1,559,589 | 41,238,327 | 1,641,774,293 | 1,872.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 1,534,956 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,383 | 3,533 | 7,901 | 4.13 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,179 | 5,309 | 7,119 | 4.56 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | | | Average*** (day) | | |
|--|------------|-----------------|--------|--------|------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 4 | 3,613 | 4,617 | 7,662 | 2.25 | 3.96 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 7 | 7,940 | 5,098 | 6,831 | 6.29 | 3.96 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 11 | 2,361 | 2,883 | 4,074 | 2.36 | 2.60 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 20 | 2,513 | 2,893 | 3,751 | 2.45 | 2.66 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | . | . | 6,966 | 11,411 | . | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 32 | 3,345 | 4,104 | 6,229 | 4.04 | 3.66 | 4.16 |
| 140 Angina Pectoris | 1 | 2,539 | 2,700 | 3,680 | 1.00 | 1.56 | 1.64 |
| 143 Chest Pain | 17 | 2,111 | 2,588 | 3,643 | 1.31 | 1.40 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 1 | 12,302 | 16,742 | 20,020 | 4.00 | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | 3,995 | 4,102 | . | 1.68 | 1.51 |
| 174 G.I. Hemorrhage w CC | 1 | 3,470 | 4,585 | 6,510 | 1.00 | 3.03 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 12 | 3,026 | 2,996 | 4,732 | 2.60 | 2.73 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 25 | 2,054 | 2,554 | 3,517 | 1.91 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | . | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | 14,302 | 17,755 | . | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

MILFORD VALLEY MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.6112

COUNTY: Beaver
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.87

BED SIZE: 34
 AFFILIATION:
 % LOS OUTLIER=6.29

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 1 | 6,091 | 3,369 | 5,387 | 3.34 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | 6,375 | 6,853 | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 2 | 7,219 | 5,504 | 5,485 | 3.00 | 2.62 |
| 370 Cesarean Section w CC | . | . | 5,080 | 6,501 | 3.26 | 3.87 |
| 371 Cesarean Section w/o CC | 5 | 4,181 | 4,507 | 5,106 | 3.00 | 3.04 |
| 372 Vaginal Delivery w Complicating Diag | 1 | 1,455 | 2,824 | 3,392 | 1.00 | 1.92 |
| 373 Vaginal Deliv w/o Complicating Diag | 14 | 2,772 | 2,122 | 2,648 | 2.14 | 1.59 |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | 3,988 | 3,712 | 2.00 | 1.90 |
| 383 Other antepartum diag w med complic | . | . | 2,168 | 3,678 | 2.33 | 2.77 |
| 385 Neonates, died or transf to otr acute | 1 | 1,145 | 1,424 | 13,772 | 1.08 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 3 | 1,498 | 1,695 | 3,791 | 2.00 | 2.35 |
| 390 Neonate w Other Significant Problems | 3 | 1,842 | 951 | 1,161 | 2.33 | 1.90 |
| 391 Normal Newborn | 19 | 1,030 | 734 | 854 | 2.00 | 1.62 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | 8.33 | 9.50 |
| 430 Psychoses | . | . | 4,236 | 7,145 | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 3 | 3,283 | 2,046 | 3,156 | 3.00 | 2.35 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,895 | 20,591 | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | 1 | 301 | 2,826 | 4,262 | 5.00 | 2.77 |
| All others | 277 | 3,393 | 3,852 | 7,986 | 2.89 | 3.84 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.5961

COUNTY: Box Elder
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=0.19

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 522 | 1,564,399 | 41,238,327 | 1,641,774,293 | 1,159.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 1,460,245 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 2,997 | 3,533 | 7,901 | 2.27 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 4,693 | 5,309 | 7,119 | 3.79 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
|--|----|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 2 | 3,413 | 4,617 | 7,662 | 4.00 | 3.96 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 31 | 3,892 | 5,098 | 6,831 | 3.67 | 3.96 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 24 | 1,898 | 2,883 | 4,074 | 2.00 | 2.60 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 9 | 1,893 | 2,893 | 3,751 | 2.00 | 2.66 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 2 | 3,067 | 6,966 | 11,411 | 2.50 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 16 | 3,236 | 4,104 | 6,229 | 2.75 | 3.66 | 4.16 |
| 140 Angina Pectoris | 2 | 1,794 | 2,700 | 3,680 | 1.00 | 1.56 | 1.64 |
| 143 Chest Pain | 4 | 1,858 | 2,588 | 3,643 | 1.00 | 1.40 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 5 | 10,099 | 16,742 | 20,020 | 5.20 | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 1 | 8,830 | 14,170 | 22,100 | 4.00 | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 30 | 3,123 | 3,995 | 4,102 | 1.70 | 1.68 | 1.51 |
| 174 G.I. Hemorrhage w CC | 1 | 3,483 | 4,585 | 6,510 | 4.00 | 3.03 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 14 | 2,680 | 2,996 | 4,732 | 2.36 | 2.73 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 12 | 2,518 | 2,554 | 3,517 | 2.00 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | . | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 9 | 9,235 | 14,302 | 17,755 | 3.50 | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.5961

COUNTY: Box Elder
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=0.19

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 1 | 4,143 | 5,747 | 6,856 | 3.00 | 2.21 |
| 296 Nutritional/misc metabolic disrdr >17 | 8 | 2,020 | 3,369 | 5,387 | 1.63 | 3.34 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 3 | 5,607 | 6,375 | 6,853 | 2.67 | 3.47 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 15 | 4,791 | 5,504 | 5,485 | 2.13 | 2.62 |
| 370 Cesarean Section w CC | 3 | 3,518 | 5,080 | 6,501 | 3.00 | 3.26 |
| 371 Cesarean Section w/o CC | 8 | 3,419 | 4,507 | 5,106 | 3.13 | 3.04 |
| 372 Vaginal Delivery w Complicating Diag | 7 | 2,835 | 2,824 | 3,392 | 2.57 | 1.92 |
| 373 Vaginal Deliv w/o Complicating Diag | 57 | 1,977 | 2,122 | 2,648 | 1.61 | 1.59 |
| 374 Vaginal Delivery w Sterilization/D&C | 6 | 3,128 | 3,988 | 3,712 | 2.17 | 2.00 |
| 383 Other antepartum diag w med complic | 2 | 1,203 | 2,168 | 3,678 | 1.50 | 2.33 |
| 385 Neonates, died or transf to otr acute | 2 | 509 | 1,424 | 13,772 | 1.00 | 1.08 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | . | 3.00 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | . | 3.00 |
| 389 Full Term Neonate w Major Problems | 1 | 662 | 1,695 | 3,791 | 2.00 | 2.35 |
| 390 Neonate w Other Significant Problems | 7 | 678 | 951 | 1,161 | 1.67 | 1.90 |
| 391 Normal Newborn | 70 | 641 | 734 | 854 | 1.76 | 1.62 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 8.33 |
| 430 Psychoses | . | . | 4,236 | 7,145 | . | 3.63 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,046 | 3,156 | . | 2.35 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 7.31 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 5,436 | 8,895 | 20,591 | 2.00 | 6.71 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | . | 4.75 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 2.00 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 5.50 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.00 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | 1 | 9,911 | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | . | . | 2,826 | 4,262 | . | 2.77 |
| All others | 168 | 3,135 | 3,852 | 7,986 | 2.39 | 2.92 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDB CASE MIX INDEX = 0.5633

COUNTY: Duchesne
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.49

BED SIZE: 42
 AFFILIATION:
 % LOS OUTLIER=3.36

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 2,051 | 6,624,902 | 41,238,327 | 1,641,774,293 | 6,077.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 6,476,328 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,331 | 3,533 | 7,901 | 3.00 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,639 | 5,309 | 7,119 | 4.96 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|----------|--------|------------------|----------|-------|--------|
| | # of Disc. | Hospital | Peer | State* | Hospital | Peer | State* |
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 11 | 4,917 | 4,617 | 7,662 | 4.82 | 3.96 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 44 | 5,157 | 5,098 | 6,831 | 4.05 | 3.96 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 62 | 2,943 | 2,883 | 4,074 | 2.62 | 2.60 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 27 | 3,582 | 2,893 | 3,751 | 3.15 | 2.66 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 13 | 7,538 | 6,966 | 11,411 | 5.54 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 23 | 5,379 | 4,104 | 6,229 | 4.18 | 3.66 | 4.16 |
| 140 Angina Pectoris | 6 | 2,829 | 2,700 | 3,680 | 1.50 | 1.56 | 1.64 |
| 143 Chest Pain | 12 | 2,416 | 2,588 | 3,643 | 1.17 | 1.40 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 2 | 20,943 | 16,742 | 20,020 | 9.00 | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 3 | 7,466 | 14,170 | 22,100 | 4.00 | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 28 | 3,222 | 3,995 | 4,102 | 1.93 | 1.68 | 1.51 |
| 174 G.I. Hemorrhage w CC | 24 | 4,447 | 4,585 | 6,510 | 3.50 | 3.03 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 16 | 2,806 | 2,996 | 4,732 | 3.06 | 2.73 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 24 | 2,592 | 2,554 | 3,517 | 2.25 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 1 | 18,552 | 12,772 | 14,537 | 13.00 | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 9,439 | 9,371 | 8,516 | 5.00 | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 5 | 14,599 | 14,302 | 17,755 | 6.80 | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.5633

COUNTY: Duchesne
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.49

BED SIZE: 42
 AFFILIATION:
 % LOS OUTLIER=3.36

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|--------|---------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 1 | 7,603 | 10,233 | 13,299 | 7.00 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | . | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 14 | 3,260 | 3,369 | 5,387 | 3.71 | 3.34 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 18 | 5,676 | 6,375 | 6,853 | 3.71 | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 52 | 5,025 | 5,504 | 5,485 | 2.98 | 2.62 | 2.46 |
| 370 Cesarean Section w CC | 18 | 4,701 | 5,080 | 6,501 | 3.88 | 3.26 | 3.87 |
| 371 Cesarean Section w/o CC | 66 | 3,864 | 4,507 | 5,106 | 3.37 | 3.04 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 34 | 2,879 | 2,824 | 3,392 | 2.36 | 1.92 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 249 | 2,211 | 2,122 | 2,648 | 2.04 | 1.59 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 20 | 3,645 | 3,988 | 3,712 | 2.61 | 2.00 | 1.90 |
| 383 Other antepartum diag w med complic | 31 | 1,797 | 2,168 | 3,678 | 2.13 | 2.33 | 2.77 |
| 385 Neonates, died or transf to otr acute | 9 | 2,089 | 1,424 | 13,772 | 1.00 | 1.08 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | . | 3.00 | 25.54 |
| 387 Prematurity w major problems | 5 | 2,470 | 2,537 | 18,929 | 2.60 | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 30 | 2,049 | 1,695 | 3,791 | 2.87 | 2.35 | 3.25 |
| 390 Neonate w Other Significant Problems | 29 | 1,062 | 951 | 1,161 | 2.25 | 1.90 | 1.95 |
| 391 Normal Newborn | 321 | 666 | 734 | 854 | 1.87 | 1.62 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 8.33 | 9.50 |
| 430 Psychoses | . | . | 4,236 | 7,145 | . | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 10 | 1,650 | 2,046 | 3,156 | 2.30 | 2.35 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 11,295 | 8,895 | 20,591 | 14.00 | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | 2 | 14,733 | 20,156 | 31,202 | 4.00 | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | . | 4.24 |
| 470 Ungroupable | 57 | 3,022 | 2,826 | 4,262 | 2.89 | 2.77 | 2.73 |
| All others | 782 | 3,990 | 3,852 | 7,986 | 3.16 | 2.92 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.6034

COUNTY: Garfield
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 44
 AFFILIATION:
 % LOS OUTLIER=1.16

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 346 | 942,292 | 41,238,327 | 1,641,774,293 | 755.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 929,733 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 2,723 | 3,533 | 7,901 | 2.27 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 4,453 | 5,309 | 7,119 | 3.71 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|-------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 4 | 2,006 | 4,617 | 7,662 | 2.00 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 10 | 4,991 | 5,098 | 6,831 | 3.90 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 9 | 2,524 | 2,883 | 4,074 | 2.44 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 11 | 2,690 | 2,893 | 3,751 | 2.64 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | . | . | 6,966 | 11,411 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 6 | 4,200 | 4,104 | 6,229 | 3.17 | 4.16 |
| 140 Angina Pectoris | 2 | 2,112 | 2,700 | 3,680 | 1.00 | 1.64 |
| 143 Chest Pain | 2 | 2,371 | 2,588 | 3,643 | 1.00 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 16,742 | 20,020 | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 5 | 4,180 | 3,995 | 4,102 | 2.00 | 1.51 |
| 174 G.I. Hemorrhage w CC | 6 | 2,957 | 4,585 | 6,510 | 2.60 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 12 | 2,308 | 2,996 | 4,732 | 2.09 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 8 | 1,398 | 2,554 | 3,517 | 1.20 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | 14,302 | 17,755 | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.6034

COUNTY: Garfield
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.00

BED SIZE: 44
 AFFILIATION:
 % LOS OUTLIER=1.16

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 8 | 3,155 | 3,369 | 5,387 | 2.63 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 2 | 6,996 | 6,375 | 6,853 | 3.00 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 2 | 4,458 | 5,504 | 5,485 | 2.00 | 2.46 |
| 370 Cesarean Section w CC | 5 | 5,704 | 5,080 | 6,501 | 2.80 | 3.87 |
| 371 Cesarean Section w/o CC | 3 | 5,415 | 4,507 | 5,106 | 2.67 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 7 | 2,247 | 2,824 | 3,392 | 1.71 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 23 | 2,006 | 2,122 | 2,648 | 1.65 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | 3,988 | 3,712 | . | 1.90 |
| 383 Other antepartum diag w med complic | 3 | 1,132 | 2,168 | 3,678 | 1.00 | 2.77 |
| 385 Neonates, died or transf to otr acute | . | . | 1,424 | 13,772 | . | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | . | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | . | 13.28 |
| 389 Full Term Neonate w Major Problems | 5 | 812 | 1,695 | 3,791 | 1.75 | 3.25 |
| 390 Neonate w Other Significant Problems | 11 | 850 | 951 | 1,161 | 1.73 | 1.95 |
| 391 Normal Newborn | 24 | 748 | 734 | 854 | 1.48 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 9.50 |
| 430 Psychoses | 1 | 772 | 4,236 | 7,145 | 1.00 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,046 | 3,156 | . | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,895 | 20,591 | . | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | . | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | . | . | 2,826 | 4,262 | . | 2.77 |
| All others | 177 | 2,924 | 3,852 | 7,986 | 2.36 | 3.84 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ALLEN MEMORIAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management
 UHDDDB CASE MIX INDEX = 0.6801

COUNTY: Grand
 OWNERSHIP: Government
 % CHARGE OUTLIER=1.72

BED SIZE: 38
 AFFILIATION:
 % LOS OUTLIER=1.00

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 699 | 2,666,507 | 41,238,327 | 1,641,774,293 | 1,659.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 2,573,394 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,815 | 3,533 | 7,901 | 2.56 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,052 | 5,309 | 7,119 | 3.59 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|-------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 11 | 6,272 | 4,617 | 7,662 | 3.91 | 3.96 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 17 | 5,203 | 5,098 | 6,831 | 4.25 | 3.96 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 9 | 2,298 | 2,883 | 4,074 | 1.88 | 2.60 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 14 | 1,998 | 2,893 | 3,751 | 2.23 | 2.66 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 1 | 4,697 | 6,966 | 11,411 | 3.00 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 9 | 2,822 | 4,104 | 6,229 | 1.89 | 3.66 | 4.16 |
| 140 Angina Pectoris | 3 | 2,777 | 2,700 | 3,680 | 2.00 | 1.56 | 1.64 |
| 143 Chest Pain | 7 | 2,495 | 2,588 | 3,643 | 2.25 | 1.40 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 3 | 13,792 | 16,742 | 20,020 | 6.67 | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 1 | 23,307 | 14,170 | 22,100 | 10.00 | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 7 | 4,578 | 3,995 | 4,102 | 1.14 | 1.68 | 1.51 |
| 174 G.I. Hemorrhage w CC | 5 | 4,052 | 4,585 | 6,510 | 1.60 | 3.03 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 22 | 2,999 | 2,996 | 4,732 | 2.48 | 2.73 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 16 | 3,879 | 2,554 | 3,517 | 2.80 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 2 | 9,275 | 12,772 | 14,537 | 5.50 | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 14,593 | 9,371 | 8,516 | 5.00 | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | 14,302 | 17,755 | . | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ALLEN MEMORIAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management
 UHDDDB CASE MIX INDEX = 0.6801

COUNTY: Grand
 OWNERSHIP: Government
 % CHARGE OUTLIER=1.72

BED SIZE: 38
 AFFILIATION:
 % LOS OUTLIER=1.00

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 7 | 3,254 | 3,369 | 5,387 | 2.71 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 4 | 7,533 | 6,375 | 6,853 | 3.75 | 3.47 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 8 | 5,640 | 5,504 | 5,485 | 2.67 | 2.46 |
| 370 Cesarean Section w CC | 1 | 6,655 | 5,080 | 6,501 | 3.00 | 3.87 |
| 371 Cesarean Section w/o CC | . | . | 4,507 | 5,106 | . | 3.04 |
| 372 Vaginal Delivery w Complicating Diag | . | . | 2,824 | 3,392 | . | 1.92 |
| 373 Vaginal Deliv w/o Complicating Diag | 7 | 2,233 | 2,122 | 2,648 | 2.00 | 1.59 |
| 374 Vaginal Delivery w Sterilization/D&C | 1 | 3,124 | 3,988 | 3,712 | 2.00 | 1.90 |
| 383 Other antepartum diag w med complic | . | . | 2,168 | 3,678 | . | 2.33 |
| 385 Neonates, died or transf to otr acute | 4 | 981 | 1,424 | 13,772 | . | 1.08 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | . | 3.00 |
| 387 Prematurity w major problems | 1 | 523 | 2,537 | 18,929 | 1.00 | 3.00 |
| 389 Full Term Neonate w Major Problems | 8 | 2,571 | 1,695 | 3,791 | 2.63 | 2.35 |
| 390 Neonate w Other Significant Problems | 17 | 592 | 951 | 1,161 | 1.35 | 1.90 |
| 391 Normal Newborn | 65 | 484 | 734 | 854 | 1.31 | 1.62 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | 3 | 12,208 | 15,532 | 23,367 | 7.00 | 8.33 |
| 430 Psychoses | 2 | 4,505 | 4,236 | 7,145 | 1.00 | 3.63 |
| 435 Alc/Drug Depnd w Rehab Therapy | 2 | 2,737 | 2,046 | 3,156 | 3.00 | 2.35 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 7.31 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 6,138 | 8,895 | 20,591 | 3.00 | 6.71 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | . | 4.75 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 2.00 |
| 486 Other OR proc for mult signif trauma | 2 | 15,625 | 15,114 | 38,464 | 5.00 | 5.50 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.00 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | 2 | 6,267 | 2,826 | 4,262 | 4.00 | 2.77 |
| All others | 436 | 3,650 | 3,852 | 7,986 | 2.48 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CENTRAL VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.5989

COUNTY: Juab
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.28

BED SIZE: 31
 AFFILIATION:
 % LOS OUTLIER=1.39

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 719 | 2,494,356 | 41,238,327 | 1,641,774,293 | 2,271.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 2,431,348 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,469 | 3,533 | 7,901 | 3.22 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,564 | 5,309 | 7,119 | 4.42 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|-------|--------|------------------|------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 10 | 4,564 | 4,617 | 7,662 | 3.30 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 38 | 5,107 | 5,098 | 6,831 | 3.59 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 29 | 3,511 | 2,883 | 4,074 | 2.76 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 34 | 3,288 | 2,893 | 3,751 | 2.78 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 11.20 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 6 | 5,415 | 6,966 | 11,411 | 3.83 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 15 | 4,672 | 4,104 | 6,229 | 3.53 | 4.16 |
| 140 Angina Pectoris | 1 | 2,517 | 2,700 | 3,680 | 1.00 | 1.64 |
| 143 Chest Pain | 7 | 3,957 | 2,588 | 3,643 | 2.14 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 16,742 | 20,020 | . | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 9 | 4,771 | 3,995 | 4,102 | 1.50 | 1.51 |
| 174 G.I. Hemorrhage w CC | 5 | 2,996 | 4,585 | 6,510 | 2.20 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 21 | 2,440 | 2,996 | 4,732 | 2.48 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 2 | 2,688 | 2,554 | 3,517 | 2.50 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | . | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | . | . | 14,302 | 17,755 | . | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

CENTRAL VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.5989

COUNTY: Juab
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.28

BED SIZE: 31
 AFFILIATION:
 % LOS OUTLIER=1.39

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|-------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 17 | 2,926 | 3,369 | 5,387 | 2.71 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 4 | 7,660 | 6,375 | 6,853 | 3.50 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 11 | 6,406 | 5,504 | 5,485 | 2.64 | 2.46 |
| 370 Cesarean Section w CC | 4 | 4,457 | 5,080 | 6,501 | 3.50 | 3.87 |
| 371 Cesarean Section w/o CC | 21 | 4,893 | 4,507 | 5,106 | 3.33 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 10 | 2,717 | 2,824 | 3,392 | 1.50 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 65 | 2,081 | 2,122 | 2,648 | 1.58 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 5 | 4,094 | 3,988 | 3,712 | 1.60 | 1.90 |
| 383 Other antepartum diag w med complic | 8 | 1,441 | 2,168 | 3,678 | 1.86 | 2.77 |
| 385 Neonates, died or transf to otr acute | 5 | 1,936 | 1,424 | 13,772 | 1.00 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 7 | 2,016 | 1,695 | 3,791 | 2.00 | 3.25 |
| 390 Neonate w Other Significant Problems | 14 | 833 | 951 | 1,161 | 2.00 | 1.95 |
| 391 Normal Newborn | 86 | 757 | 734 | 854 | 1.54 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | 8.33 | 9.50 |
| 430 Psychoses | 1 | 10,538 | 4,236 | 7,145 | 13.00 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 2 | 2,303 | 2,046 | 3,156 | 2.50 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,895 | 20,591 | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | . | . | 2,826 | 4,262 | 2.77 | 2.73 |
| All others | 282 | 3,967 | 3,852 | 7,986 | 3.08 | 3.84 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management
 UHDDDB CASE MIX INDEX = 0.6547

COUNTY: Kane
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.58

BED SIZE: 33
 AFFILIATION:
 % LOS OUTLIER=12.8

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 344 | 1,068,391 | 41,238,327 | 1,641,774,293 | 2,012.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 1,068,044 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,238 | 3,533 | 7,901 | 6.17 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 4,827 | 5,309 | 7,119 | 4.13 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|--------|--------|------------------|------|-------|
| | | | | | | |
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 11 | 2,849 | 4,617 | 7,662 | 3.00 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 10 | 6,914 | 5,098 | 6,831 | 3.89 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 8 | 3,192 | 2,883 | 4,074 | 2.25 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 16 | 3,875 | 2,893 | 3,751 | 2.88 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 1 | 2,476 | 6,966 | 11,411 | 1.00 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 16 | 3,134 | 4,104 | 6,229 | 7.00 | 4.16 |
| 140 Angina Pectoris | 1 | 10,329 | 2,700 | 3,680 | 6.00 | 1.64 |
| 143 Chest Pain | 3 | 2,035 | 2,588 | 3,643 | 1.00 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 16,742 | 20,020 | . | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 1 | 6,615 | 3,995 | 4,102 | 2.00 | 1.51 |
| 174 G.I. Hemorrhage w CC | 2 | 1,591 | 4,585 | 6,510 | . | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 6 | 1,635 | 2,996 | 4,732 | 1.40 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 2 | 2,548 | 2,554 | 3,517 | 3.00 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | . | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | . | . | 14,302 | 17,755 | . | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management
 UHDDDB CASE MIX INDEX = 0.6547

COUNTY: Kane
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.58

BED SIZE: 33
 AFFILIATION:
 % LOS OUTLIER=12.8

| | # of Disc. | Charges (\$) | | Days/ALOS | | | |
|--|------------|-----------------|--------|------------------|------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 | |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 | |
| 296 Nutritional/misc metabolic disrdr >17 | 8 | 2,546 | 3,369 | 5,387 | 9.00 | 3.34 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 2 | 6,928 | 6,375 | 6,853 | 3.50 | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 11 | 6,859 | 5,504 | 5,485 | 3.09 | 2.62 | 2.46 |
| 370 Cesarean Section w CC | . | . | 5,080 | 6,501 | . | 3.26 | 3.87 |
| 371 Cesarean Section w/o CC | 2 | 5,441 | 4,507 | 5,106 | 3.00 | 3.04 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 5 | 3,913 | 2,824 | 3,392 | 1.80 | 1.92 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 23 | 2,626 | 2,122 | 2,648 | 1.41 | 1.59 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 2 | 5,035 | 3,988 | 3,712 | 1.50 | 2.00 | 1.90 |
| 383 Other antepartum diag w med complic | 2 | 618 | 2,168 | 3,678 | 1.00 | 2.33 | 2.77 |
| 385 Neonates, died or transf to otr acute | . | . | 1,424 | 13,772 | . | 1.08 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | . | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | . | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 1 | 366 | 1,695 | 3,791 | 1.00 | 2.35 | 3.25 |
| 390 Neonate w Other Significant Problems | 3 | 594 | 951 | 1,161 | 1.00 | 1.90 | 1.95 |
| 391 Normal Newborn | 33 | 714 | 734 | 854 | 1.32 | 1.62 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 8.33 | 9.50 |
| 430 Psychoses | . | . | 4,236 | 7,145 | . | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,046 | 3,156 | . | 2.35 | 3.09 |
| 462 Rehabilitation | 7 | 2,294 | 2,657 | 18,893 | 7.43 | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,895 | 20,591 | . | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | . | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | . | 4.24 |
| 470 Ungroupable | 11 | 4,464 | 2,826 | 4,262 | 2.40 | 2.77 | 2.73 |
| All others | 157 | 3,212 | 3,852 | 7,986 | 2.41 | 2.92 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

FILLMORE COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.6006

COUNTY: Millard
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.85

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=0.85

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 236 | 671,402 | 41,238,327 | 1,641,774,293 | 504.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 639,954 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 2,845 | 3,533 | 7,901 | 2.26 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 4,389 | 5,309 | 7,119 | 3.74 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|-------|--------|------------------|-------|--------|------|
| | Hospital | Peer | State* | Hospital | Peer | State* | |
| 001 Craniotomy age >17 except for trauma | . | . | 22,994 | . | . | 6.22 | |
| 003 Craniotomy age 0-17 | . | . | 16,894 | . | . | 4.95 | |
| 014 Spec Cerebrovascular Disord w/o TIA | 9 | 2,494 | 4,617 | 7,662 | 2.50 | 3.96 | 4.34 |
| 075 Major chest procedures | . | . | 22,563 | . | 8.00 | 8.00 | |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 12 | 3,851 | 5,098 | 6,831 | 2.75 | 3.96 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 6 | 2,777 | 2,883 | 4,074 | 2.67 | 2.60 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 3 | 2,175 | 2,893 | 3,751 | 2.00 | 2.66 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | 60,822 | . | . | 10.21 | |
| 105 Cardiac valve proc w/o cardiac cath | . | . | 46,540 | . | . | 7.65 | |
| 106 Coronary bypass w cardiac cath | . | . | 39,903 | . | . | 8.33 | |
| 107 Coronary bypass w/o cardiac cath | . | . | 34,575 | . | . | 7.00 | |
| 108 Other cardiothoracic procedures | . | . | 33,688 | . | . | 6.43 | |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | 11.20 | 7.85 | |
| 112 Percutaneous Cardiovascular Procd | . | . | 14,362 | . | . | 2.61 | |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | 19,584 | . | . | 2.64 | |
| 121 Circ disrd w ami CV comp disc alive | . | . | 6,966 | 11,411 | 4.85 | 4.96 | |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | 10,664 | . | . | 3.46 | |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | 7,677 | . | . | 1.99 | |
| 127 Heart Failure & Shock | 7 | 2,877 | 4,104 | 6,229 | 2.71 | 3.66 | 4.16 |
| 140 Angina Pectoris | 2 | 1,706 | 2,700 | 3,680 | 1.00 | 1.56 | 1.64 |
| 143 Chest Pain | 2 | 2,116 | 2,588 | 3,643 | 2.00 | 1.40 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 16,742 | 20,020 | . | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 3 | 4,017 | 3,995 | 4,102 | 2.00 | 1.68 | 1.51 |
| 174 G.I. Hemorrhage w CC | 3 | 3,927 | 4,585 | 6,510 | 2.33 | 3.03 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 1 | 1,981 | 2,996 | 4,732 | 2.00 | 2.73 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 2 | 1,542 | 2,554 | 3,517 | 1.50 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | . | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | 14,302 | 17,755 | . | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

FILLMORE COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.6006

COUNTY: Millard
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.85

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=0.85

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 3 | 5,711 | 3,369 | 5,387 | 4.67 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | 6,375 | 6,853 | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 2 | 4,518 | 5,504 | 5,485 | 3.00 | 2.62 |
| 370 Cesarean Section w CC | 2 | 4,954 | 5,080 | 6,501 | 3.00 | 3.26 |
| 371 Cesarean Section w/o CC | 3 | 3,674 | 4,507 | 5,106 | 3.00 | 3.04 |
| 372 Vaginal Delivery w Complicating Diag | 5 | 2,370 | 2,824 | 3,392 | 2.00 | 1.92 |
| 373 Vaginal Deliv w/o Complicating Diag | 29 | 1,852 | 2,122 | 2,648 | 1.33 | 1.59 |
| 374 Vaginal Delivery w Sterilization/D&C | 4 | 3,940 | 3,988 | 3,712 | 2.00 | 2.00 |
| 383 Other antepartum diag w med complic | 1 | 1,671 | 2,168 | 3,678 | 2.00 | 2.33 |
| 385 Neonates, died or transf to otr acute | 2 | 922 | 1,424 | 13,772 | 1.00 | 1.08 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | . | . | 1,695 | 3,791 | 2.35 | 3.25 |
| 390 Neonate w Other Significant Problems | 4 | 1,051 | 951 | 1,161 | 2.25 | 1.90 |
| 391 Normal Newborn | 39 | 788 | 734 | 854 | 1.56 | 1.62 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | 8.33 | 9.50 |
| 430 Psychoses | . | . | 4,236 | 7,145 | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,046 | 3,156 | 2.35 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,895 | 20,591 | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | . | . | 2,826 | 4,262 | 2.77 | 2.73 |
| All others | 92 | 3,321 | 3,852 | 7,986 | 2.60 | 3.84 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DELTA COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.5286

COUNTY: Millard
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.24

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=0.24

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 414 | 1,173,202 | 41,238,327 | 1,641,774,293 | 1,002.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 1,098,320 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 2,834 | 3,533 | 7,901 | 2.50 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,022 | 5,309 | 7,119 | 4.68 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
|--|----|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 2 | 4,187 | 4,617 | 7,662 | 5.00 | 3.96 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 14 | 4,645 | 5,098 | 6,831 | 4.15 | 3.96 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 3 | 3,688 | 2,883 | 4,074 | 3.67 | 2.60 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 3 | 1,630 | 2,893 | 3,751 | 2.00 | 2.66 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 3 | 7,156 | 6,966 | 11,411 | 5.00 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 8 | 4,571 | 4,104 | 6,229 | 4.25 | 3.66 | 4.16 |
| 140 Angina Pectoris | . | . | 2,700 | 3,680 | . | 1.56 | 1.64 |
| 143 Chest Pain | 4 | 1,488 | 2,588 | 3,643 | 1.00 | 1.40 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 16,742 | 20,020 | . | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 11 | 3,845 | 3,995 | 4,102 | 2.00 | 1.68 | 1.51 |
| 174 G.I. Hemorrhage w CC | 3 | 2,915 | 4,585 | 6,510 | 3.00 | 3.03 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 5 | 6,544 | 2,996 | 4,732 | 6.00 | 2.73 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 4 | 1,085 | 2,554 | 3,517 | 1.33 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | . | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | 14,302 | 17,755 | . | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

DELTA COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.5286

COUNTY: Millard
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.24

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=0.24

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 10 | 3,315 | 3,369 | 5,387 | 3.20 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | 6,375 | 6,853 | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 2 | 5,628 | 5,504 | 5,485 | 2.50 | 2.46 |
| 370 Cesarean Section w CC | 9 | 4,212 | 5,080 | 6,501 | 2.78 | 3.87 |
| 371 Cesarean Section w/o CC | 13 | 4,042 | 4,507 | 5,106 | 2.77 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 13 | 2,513 | 2,824 | 3,392 | 1.46 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 71 | 2,391 | 2,122 | 2,648 | 1.57 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 5 | 3,708 | 3,988 | 3,712 | 1.80 | 1.90 |
| 383 Other antepartum diag w med complic | 4 | 1,236 | 2,168 | 3,678 | 1.75 | 2.77 |
| 385 Neonates, died or transf to otr acute | 8 | 1,081 | 1,424 | 13,772 | 1.00 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 25 | 1,155 | 1,695 | 3,791 | 2.00 | 3.25 |
| 390 Neonate w Other Significant Problems | 36 | 990 | 951 | 1,161 | 1.97 | 1.95 |
| 391 Normal Newborn | 44 | 823 | 734 | 854 | 1.65 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | 8.33 | 9.50 |
| 430 Psychoses | . | . | 4,236 | 7,145 | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 1 | 1,269 | 2,046 | 3,156 | 1.00 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,895 | 20,591 | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | . | . | 2,826 | 4,262 | 2.77 | 2.73 |
| All others | 113 | 3,402 | 3,852 | 7,986 | 3.22 | 3.84 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SAN JUAN HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management
 UHDDB CASE MIX INDEX = 0.4809

COUNTY: San Juan
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.13

BED SIZE: 36
 AFFILIATION:
 % LOS OUTLIER=0.13

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 762 | 1,733,466 | 41,238,327 | 1,641,774,293 | 1,126.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 1,733,466 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 2,287 | 3,533 | 7,901 | 1.99 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 4,711 | 5,309 | 7,119 | 4.13 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|-------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 3 | 2,810 | 4,617 | 7,662 | 2.00 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 25 | 3,585 | 5,098 | 6,831 | 3.08 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 37 | 2,264 | 2,883 | 4,074 | 2.29 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 6 | 2,551 | 2,893 | 3,751 | 3.00 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 1 | 3,069 | 6,966 | 11,411 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 6 | 5,377 | 4,104 | 6,229 | 5.50 | 4.16 |
| 140 Angina Pectoris | 9 | 2,112 | 2,700 | 3,680 | 1.89 | 1.64 |
| 143 Chest Pain | 1 | 5,404 | 2,588 | 3,643 | 1.00 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 16,742 | 20,020 | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 2 | 3,876 | 3,995 | 4,102 | 1.00 | 1.51 |
| 174 G.I. Hemorrhage w CC | 8 | 2,621 | 4,585 | 6,510 | 1.57 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 3 | 1,307 | 2,996 | 4,732 | 2.00 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 3 | 1,685 | 2,554 | 3,517 | 3.00 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 8,436 | 9,371 | 8,516 | 3.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | 14,302 | 17,755 | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SAN JUAN HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management
 UHDDDB CASE MIX INDEX = 0.4809

COUNTY: San Juan
 OWNERSHIP: Government
 % CHARGE OUTLIER=0.13

BED SIZE: 36
 AFFILIATION:
 % LOS OUTLIER=0.13

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 2 | 4,395 | 5,747 | 6,856 | 2.00 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 5 | 3,590 | 3,369 | 5,387 | 2.80 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | 6,375 | 6,853 | . | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 4 | 5,991 | 5,504 | 5,485 | 3.25 | 2.46 |
| 370 Cesarean Section w CC | 10 | 6,931 | 5,080 | 6,501 | 3.00 | 3.87 |
| 371 Cesarean Section w/o CC | 12 | 5,559 | 4,507 | 5,106 | 2.58 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 34 | 2,960 | 2,824 | 3,392 | 1.97 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 108 | 1,955 | 2,122 | 2,648 | 1.40 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 7 | 4,140 | 3,988 | 3,712 | 1.57 | 1.90 |
| 383 Other antepartum diag w med complic | 2 | 1,896 | 2,168 | 3,678 | 2.00 | 2.77 |
| 385 Neonates, died or transf to otr acute | 5 | 654 | 1,424 | 13,772 | 1.00 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | . | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | . | 13.28 |
| 389 Full Term Neonate w Major Problems | 3 | 2,094 | 1,695 | 3,791 | 4.00 | 3.25 |
| 390 Neonate w Other Significant Problems | 13 | 842 | 951 | 1,161 | 1.85 | 1.95 |
| 391 Normal Newborn | 158 | 592 | 734 | 854 | 1.37 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 9.50 |
| 430 Psychoses | . | . | 4,236 | 7,145 | . | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 1 | 985 | 2,046 | 3,156 | 1.00 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 5,369 | 8,895 | 20,591 | 3.00 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | . | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | 4 | 1,348 | 2,826 | 4,262 | 1.00 | 2.73 |
| All others | 288 | 2,655 | 3,852 | 7,986 | 2.52 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

GUNNISON VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.4946

COUNTY: Sanpete
 OWNERSHIP: Government
 % CHARGE OUTLIER=1.23

BED SIZE: 21
 AFFILIATION:
 % LOS OUTLIER=2.96

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 1,216 | 3,435,512 | 41,238,327 | 1,641,774,293 | 3,317.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 3,435,512 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,046 | 3,533 | 7,901 | 2.85 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,060 | 5,309 | 7,119 | 5.50 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 15 | 6,027 | 4,617 | 7,662 | 4.80 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 27 | 5,430 | 5,098 | 6,831 | 5.19 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 30 | 2,645 | 2,883 | 4,074 | 2.37 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 12 | 2,913 | 2,893 | 3,751 | 2.80 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 11.20 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | . | . | 6,966 | 11,411 | . | 4.85 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 15 | 5,978 | 4,104 | 6,229 | 4.08 | 3.66 |
| 140 Angina Pectoris | 4 | 3,215 | 2,700 | 3,680 | 2.50 | 1.56 |
| 143 Chest Pain | 14 | 2,324 | 2,588 | 3,643 | 1.36 | 1.40 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 1 | 18,868 | 16,742 | 20,020 | 11.00 | 7.79 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 4.08 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 7 | 4,987 | 3,995 | 4,102 | 1.43 | 1.68 |
| 174 G.I. Hemorrhage w CC | 6 | 4,665 | 4,585 | 6,510 | 3.83 | 3.03 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 30 | 3,274 | 2,996 | 4,732 | 3.27 | 2.73 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 22 | 2,794 | 2,554 | 3,517 | 2.73 | 2.15 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.83 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 2 | 2,345 | 9,371 | 8,516 | 4.00 | 4.00 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | . | . | 14,302 | 17,755 | . | 4.96 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

GUNNISON VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.4946

COUNTY: Sanpete
 OWNERSHIP: Government
 % CHARGE OUTLIER=1.23

BED SIZE: 21
 AFFILIATION:
 % LOS OUTLIER=2.96

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 8 | 4,560 | 3,369 | 5,387 | 3.88 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 1 | 5,994 | 6,375 | 6,853 | 4.00 | 3.47 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 6 | 5,332 | 5,504 | 5,485 | 2.50 | 2.62 |
| 370 Cesarean Section w CC | 10 | 5,666 | 5,080 | 6,501 | 3.40 | 3.26 |
| 371 Cesarean Section w/o CC | 65 | 4,566 | 4,507 | 5,106 | 3.18 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 10 | 3,649 | 2,824 | 3,392 | 2.13 | 1.92 |
| 373 Vaginal Deliv w/o Complicating Diag | 171 | 2,264 | 2,122 | 2,648 | 1.72 | 1.59 |
| 374 Vaginal Delivery w Sterilization/D&C | 14 | 3,935 | 3,988 | 3,712 | 2.31 | 2.00 |
| 383 Other antepartum diag w med complic | 33 | 2,279 | 2,168 | 3,678 | 2.47 | 2.33 |
| 385 Neonates, died or transf to otr acute | 6 | 1,550 | 1,424 | 13,772 | 2.00 | 1.08 |
| 386 Extreme immaturity/resp dist synd, neo | 1 | 1,885 | 3,469 | 54,638 | 3.00 | 3.00 |
| 387 Prematurity w major problems | 1 | 4,886 | 2,537 | 18,929 | 7.00 | 3.00 |
| 389 Full Term Neonate w Major Problems | 8 | 1,792 | 1,695 | 3,791 | 2.75 | 2.35 |
| 390 Neonate w Other Significant Problems | 9 | 1,704 | 951 | 1,161 | 3.20 | 1.90 |
| 391 Normal Newborn | 233 | 1,101 | 734 | 854 | 1.76 | 1.62 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 8.33 |
| 430 Psychoses | . | . | 4,236 | 7,145 | . | 3.63 |
| 435 Alc/Drug Depnd w Rehab Therapy | 2 | 2,118 | 2,046 | 3,156 | 2.00 | 2.35 |
| 462 Rehabilitation | 9 | 2,939 | 2,657 | 18,893 | 7.22 | 7.31 |
| 468 Extensive OR proc unrelated to p.d. | . | . | 8,895 | 20,591 | . | 6.71 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | . | 4.75 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 2.00 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 5.50 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.00 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | 4 | 1,067 | 2,826 | 4,262 | 2.33 | 2.77 |
| All others | 440 | 3,583 | 3,852 | 7,986 | 3.20 | 2.92 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SANPETE VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.5702

COUNTY: Sanpete
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.05

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=1.43

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 488 | 1,883,962 | 41,238,327 | 1,641,774,293 | 1,135.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 1,784,453 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 3,869 | 3,533 | 7,901 | 2.47 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,313 | 5,309 | 7,119 | 4.10 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|--------|--------|------------------|-------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 9 | 5,087 | 4,617 | 7,662 | 3.75 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 27 | 4,987 | 5,098 | 6,831 | 3.52 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 11 | 2,612 | 2,883 | 4,074 | 1.73 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 6 | 2,829 | 2,893 | 3,751 | 2.80 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Procd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | . | . | 6,966 | 11,411 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 11 | 3,935 | 4,104 | 6,229 | 3.09 | 4.16 |
| 140 Angina Pectoris | 3 | 3,099 | 2,700 | 3,680 | 1.33 | 1.64 |
| 143 Chest Pain | 4 | 2,488 | 2,588 | 3,643 | 1.00 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 3 | 12,893 | 16,742 | 20,020 | 5.67 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 2 | 5,383 | 3,995 | 4,102 | 2.00 | 1.51 |
| 174 G.I. Hemorrhage w CC | 4 | 5,989 | 4,585 | 6,510 | 3.25 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 5 | 3,392 | 2,996 | 4,732 | 2.75 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 4 | 3,300 | 2,554 | 3,517 | 1.75 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 1 | 16,796 | 12,772 | 14,537 | 5.00 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 14,952 | 9,371 | 8,516 | 6.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | 14,302 | 17,755 | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SANPETE VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.5702

COUNTY: Sanpete
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.05

BED SIZE: 20
 AFFILIATION:
 % LOS OUTLIER=1.43

| | # of Disc. | Charges (\$) | | Days/ALOS | | |
|--|------------|-----------------|--------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | 10,233 | 13,299 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | 5,747 | 6,856 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 7 | 4,982 | 3,369 | 5,387 | 4.14 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | 6,375 | 6,853 | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 5 | 6,260 | 5,504 | 5,485 | 2.20 | 2.46 |
| 370 Cesarean Section w CC | 3 | 5,000 | 5,080 | 6,501 | 2.67 | 3.87 |
| 371 Cesarean Section w/o CC | 21 | 5,636 | 4,507 | 5,106 | 2.50 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 9 | 2,719 | 2,824 | 3,392 | 1.50 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 70 | 2,572 | 2,122 | 2,648 | 1.09 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 5 | 5,002 | 3,988 | 3,712 | 1.60 | 1.90 |
| 383 Other antepartum diag w med complic | 8 | 3,591 | 2,168 | 3,678 | 3.14 | 2.77 |
| 385 Neonates, died or transf to otr acute | 7 | 1,515 | 1,424 | 13,772 | 1.00 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 3 | 1,163 | 1,695 | 3,791 | 1.67 | 3.25 |
| 390 Neonate w Other Significant Problems | 12 | 1,046 | 951 | 1,161 | 1.50 | 1.95 |
| 391 Normal Newborn | 86 | 893 | 734 | 854 | 1.45 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | 8.33 | 9.50 |
| 430 Psychoses | . | . | 4,236 | 7,145 | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,046 | 3,156 | 2.35 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 2,564 | 8,895 | 20,591 | 1.00 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | 4.24 |
| 470 Ungroupable | . | . | 2,826 | 4,262 | 2.77 | 2.73 |
| All others | 160 | 4,744 | 3,852 | 7,986 | 3.03 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SEVIER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.7476

COUNTY: Sevier
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.43

BED SIZE: 42
 AFFILIATION:
 % LOS OUTLIER=1.07

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 1,403 | 5,895,746 | 41,238,327 | 1,641,774,293 | 3,712.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 5,499,898 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 4,202 | 3,533 | 7,901 | 2.81 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,110 | 5,309 | 7,119 | 3.62 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|-------|--------|------|
| | Hospital | Peer | State* | Hospital | Peer | State* | |
| 001 Craniotomy age >17 except for trauma | . | . | 22,994 | . | . | 6.22 | |
| 003 Craniotomy age 0-17 | . | . | 16,894 | . | . | 4.95 | |
| 014 Spec Cerebrovascular Disord w/o TIA | 29 | 5,728 | 4,617 | 7,662 | 4.07 | 3.96 | 4.34 |
| 075 Major chest procedures | . | . | 22,563 | . | 8.00 | 8.00 | |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 48 | 6,232 | 5,098 | 6,831 | 4.24 | 3.96 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 39 | 4,132 | 2,883 | 4,074 | 3.79 | 2.60 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 32 | 2,872 | 2,893 | 3,751 | 2.65 | 2.66 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | 60,822 | . | . | 10.21 | |
| 105 Cardiac valve proc w/o cardiac cath | . | . | 46,540 | . | . | 7.65 | |
| 106 Coronary bypass w cardiac cath | . | . | 39,903 | . | . | 8.33 | |
| 107 Coronary bypass w/o cardiac cath | . | . | 34,575 | . | . | 7.00 | |
| 108 Other cardiothoracic procedures | . | . | 33,688 | . | . | 6.43 | |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | 11.20 | 7.85 | |
| 112 Percutaneous Cardiovascular Procd | . | . | 14,362 | . | . | 2.61 | |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | 19,584 | . | . | 2.64 | |
| 121 Circ disrd w ami CV comp disc alive | 7 | 8,389 | 6,966 | 11,411 | 6.00 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | 10,664 | . | . | 3.46 | |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | 7,677 | . | . | 1.99 | |
| 127 Heart Failure & Shock | 55 | 5,290 | 4,104 | 6,229 | 3.87 | 3.66 | 4.16 |
| 140 Angina Pectoris | 21 | 2,392 | 2,700 | 3,680 | 1.18 | 1.56 | 1.64 |
| 143 Chest Pain | 17 | 2,673 | 2,588 | 3,643 | 1.43 | 1.40 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 4 | 18,972 | 16,742 | 20,020 | 10.50 | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 19 | 3,459 | 3,995 | 4,102 | 1.74 | 1.68 | 1.51 |
| 174 G.I. Hemorrhage w CC | 25 | 4,973 | 4,585 | 6,510 | 3.36 | 3.03 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 24 | 3,646 | 2,996 | 4,732 | 2.71 | 2.73 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 5 | 3,423 | 2,554 | 3,517 | 1.60 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 1 | 10,035 | 12,772 | 14,537 | 3.00 | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | 9,371 | 8,516 | . | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 15 | 17,066 | 14,302 | 17,755 | 4.93 | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SEVIER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.7476

COUNTY: Sevier
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.43

BED SIZE: 42
 AFFILIATION:
 % LOS OUTLIER=1.07

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|--------|---------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 11 | 10,513 | 10,233 | 13,299 | 4.91 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 13 | 6,145 | 5,747 | 6,856 | 2.08 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 16 | 3,344 | 3,369 | 5,387 | 2.60 | 3.34 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | 6,375 | 6,853 | . | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 1 | 8,719 | 5,504 | 5,485 | . | 2.62 | 2.46 |
| 370 Cesarean Section w CC | 11 | 5,340 | 5,080 | 6,501 | 2.90 | 3.26 | 3.87 |
| 371 Cesarean Section w/o CC | 26 | 4,574 | 4,507 | 5,106 | 3.04 | 3.04 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 33 | 2,690 | 2,824 | 3,392 | 1.78 | 1.92 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 146 | 1,771 | 2,122 | 2,648 | 1.33 | 1.59 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 4 | 4,273 | 3,988 | 3,712 | 2.00 | 2.00 | 1.90 |
| 383 Other antepartum diag w med complic | 10 | 5,164 | 2,168 | 3,678 | 4.00 | 2.33 | 2.77 |
| 385 Neonates, died or transf to otr acute | 4 | 1,093 | 1,424 | 13,772 | 2.00 | 1.08 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | . | . | 3,469 | 54,638 | . | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | . | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 8 | 1,256 | 1,695 | 3,791 | 1.75 | 2.35 | 3.25 |
| 390 Neonate w Other Significant Problems | 32 | 722 | 951 | 1,161 | 1.62 | 1.90 | 1.95 |
| 391 Normal Newborn | 181 | 681 | 734 | 854 | 1.54 | 1.62 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | 2 | 17,194 | 15,532 | 23,367 | 9.00 | 8.33 | 9.50 |
| 430 Psychoses | 1 | 1,798 | 4,236 | 7,145 | 1.00 | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 1 | 1,457 | 2,046 | 3,156 | 1.00 | 2.35 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 17,374 | 8,895 | 20,591 | 7.00 | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | 3 | 6,255 | 20,156 | 31,202 | 1.33 | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | 2 | 14,603 | 15,114 | 38,464 | 6.00 | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | . | 4.24 |
| 470 Ungroupable | 1 | 1,797 | 2,826 | 4,262 | 1.00 | 2.77 | 2.73 |
| All others | 555 | 4,417 | 3,852 | 7,986 | 2.99 | 2.92 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

TOOELE VALLEY HEALTHCARE
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.8519

COUNTY: Tooele
 OWNERSHIP: Government
 % CHARGE OUTLIER=2.14

BED SIZE: 38
 AFFILIATION:
 % LOS OUTLIER=0.69

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 1,166 | 7,030,555 | 41,238,327 | 1,641,774,293 | 3,273.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 6,384,754 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 6,035 | 3,533 | 7,901 | 2.96 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 6,008 | 5,309 | 7,119 | 3.36 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | | |
|--|-----------------|--------|--------|------------------|-------|--------|-------|
| | Hospital | Peer | State* | Hospital | Peer | State* | |
| 001 Craniotomy age >17 except for trauma | . | . | 22,994 | . | . | 6.22 | |
| 003 Craniotomy age 0-17 | . | . | 16,894 | . | . | 4.95 | |
| 014 Spec Cerebrovascular Disord w/o TIA | 11 | 4,180 | 4,617 | 7,662 | 4.18 | 3.96 | 4.34 |
| 075 Major chest procedures | 1 | . | . | 22,563 | 8.00 | 8.00 | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 43 | 6,573 | 5,098 | 6,831 | 3.88 | 3.96 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 8 | 2,475 | 2,883 | 4,074 | 2.00 | 2.60 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 5 | 3,124 | 2,893 | 3,751 | 3.00 | 2.66 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | . | 6.43 |
| 110 Major cardiovascular procedures w cc | 5 | 30,720 | 30,720 | 29,838 | 11.20 | 11.20 | 7.85 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 10 | 10,365 | 6,966 | 11,411 | 4.70 | 4.85 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | . | 1.99 |
| 127 Heart Failure & Shock | 34 | 4,484 | 4,104 | 6,229 | 3.12 | 3.66 | 4.16 |
| 140 Angina Pectoris | 19 | 3,300 | 2,700 | 3,680 | 1.53 | 1.56 | 1.64 |
| 143 Chest Pain | 16 | 3,340 | 2,588 | 3,643 | 1.38 | 1.40 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 21 | 18,580 | 16,742 | 20,020 | 8.33 | 7.79 | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | 19 | 15,077 | 14,170 | 22,100 | 3.79 | 4.08 | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 17 | 6,496 | 3,995 | 4,102 | 1.24 | 1.68 | 1.51 |
| 174 G.I. Hemorrhage w CC | 21 | 7,249 | 4,585 | 6,510 | 3.47 | 3.03 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 17 | 3,535 | 2,996 | 4,732 | 2.41 | 2.73 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 10 | 2,660 | 2,554 | 3,517 | 1.33 | 2.15 | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | 12,772 | 14,537 | . | 6.83 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 2 | 10,769 | 9,371 | 8,516 | 3.00 | 4.00 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 1 | 16,952 | 14,302 | 17,755 | 8.00 | 4.96 | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

TOOELE VALLEY HEALTHCARE
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding
 UHDDDB CASE MIX INDEX = 0.8519

COUNTY: Tooele
 OWNERSHIP: Government
 % CHARGE OUTLIER=2.14

BED SIZE: 38
 AFFILIATION:
 % LOS OUTLIER=0.69

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|--------|---------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 2 | 11,288 | 10,233 | 13,299 | 4.00 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 3 | 5,606 | 5,747 | 6,856 | 3.00 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 14 | 4,003 | 3,369 | 5,387 | 3.00 | 3.34 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 3 | 7,672 | 6,375 | 6,853 | 2.00 | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 33 | 6,046 | 5,504 | 5,485 | 2.00 | 2.62 | 2.46 |
| 370 Cesarean Section w CC | 1 | 11,544 | 5,080 | 6,501 | 6.00 | 3.26 | 3.87 |
| 371 Cesarean Section w/o CC | 16 | 5,959 | 4,507 | 5,106 | 2.44 | 3.04 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 8 | 2,407 | 2,824 | 3,392 | 2.13 | 1.92 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 98 | 2,130 | 2,122 | 2,648 | 1.51 | 1.59 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 14 | 4,580 | 3,988 | 3,712 | 1.79 | 2.00 | 1.90 |
| 383 Other antepartum diag w med complic | 6 | 1,401 | 2,168 | 3,678 | 1.60 | 2.33 | 2.77 |
| 385 Neonates, died or transf to otr acute | 12 | 1,871 | 1,424 | 13,772 | 1.00 | 1.08 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 1 | 4,703 | 3,469 | 54,638 | 3.00 | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | . | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 5 | 2,491 | 1,695 | 3,791 | 2.00 | 2.35 | 3.25 |
| 390 Neonate w Other Significant Problems | 11 | 1,703 | 951 | 1,161 | 2.22 | 1.90 | 1.95 |
| 391 Normal Newborn | 136 | 808 | 734 | 854 | 1.46 | 1.62 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 8.33 | 9.50 |
| 430 Psychoses | 1 | 3,947 | 4,236 | 7,145 | 4.00 | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | 1 | 2,757 | 2,046 | 3,156 | 4.00 | 2.35 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 10 | 9,468 | 8,895 | 20,591 | 8.29 | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | 3 | 37,673 | 20,156 | 31,202 | 8.67 | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 1 | 13,209 | 13,209 | 135,406 | 2.00 | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | 1 | 4,638 | 4,638 | 10,268 | 3.00 | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | . | 4.24 |
| 470 Ungroupable | 2 | 6,653 | 2,826 | 4,262 | 5.50 | 2.77 | 2.73 |
| All others | 524 | 5,470 | 3,852 | 7,986 | 3.14 | 2.92 | 3.84 |

* Including all general acute care hospitals only.
 ** Adjusted by UHDDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

WASATCH COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.4930

COUNTY: Wasatch
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.35

BED SIZE: 40
 AFFILIATION:
 % LOS OUTLIER=1.04

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|---------------|-----------|-----------|------------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 576 | 1,659,725 | 41,238,327 | 1,641,774,293 | 1,251.00 | 31,602.00 | 757,944.00 |
| Total Facility Charges | . | 1,538,075 | 39,421,620 | 1,625,240,905 | . | . | . |
| Actual Average Charges/ALOS | . | 2,881 | 3,533 | 7,901 | 2.24 | 2.88 | 3.65 |
| Adj. Average Charges/ALOS* | . | 5,420 | 5,309 | 7,119 | 4.50 | 4.29 | 3.68 |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|--------|--------|------------------|------|-------|
| 001 Craniotomy age >17 except for trauma | . | . | . | 22,994 | . | 6.22 |
| 003 Craniotomy age 0-17 | . | . | . | 16,894 | . | 4.95 |
| 014 Spec Cerebrovascular Disord w/o TIA | 6 | 3,763 | 4,617 | 7,662 | 6.50 | 4.34 |
| 075 Major chest procedures | . | . | . | 22,563 | . | 8.00 |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 13 | 5,107 | 5,098 | 6,831 | 4.00 | 4.51 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 7 | 3,198 | 2,883 | 4,074 | 2.57 | 2.93 |
| 098 Bronchitis & Asthma Age 0-17 | 7 | 2,067 | 2,893 | 3,751 | 1.86 | 2.79 |
| 104 Cardiac valve proc w cardiac cath | . | . | . | 60,822 | . | 10.21 |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | 46,540 | . | 7.65 |
| 106 Coronary bypass w cardiac cath | . | . | . | 39,903 | . | 8.33 |
| 107 Coronary bypass w/o cardiac cath | . | . | . | 34,575 | . | 7.00 |
| 108 Other cardiothoracic procedures | . | . | . | 33,688 | . | 6.43 |
| 110 Major cardiovascular procedures w cc | . | . | 30,720 | 29,838 | . | 11.20 |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | 14,362 | . | 2.61 |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | 19,584 | . | 2.64 |
| 121 Circ disrd w ami CV comp disc alive | 2 | 7,418 | 6,966 | 11,411 | 5.50 | 4.96 |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | 10,664 | . | 3.46 |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | 7,677 | . | 1.99 |
| 127 Heart Failure & Shock | 11 | 3,555 | 4,104 | 6,229 | 2.73 | 4.16 |
| 140 Angina Pectoris | 4 | 2,235 | 2,700 | 3,680 | 1.75 | 1.64 |
| 143 Chest Pain | 2 | 2,497 | 2,588 | 3,643 | 1.00 | 1.43 |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | 16,742 | 20,020 | . | 9.17 |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | 14,170 | 22,100 | . | 8.52 |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 12 | 4,080 | 3,995 | 4,102 | 1.55 | 1.51 |
| 174 G.I. Hemorrhage w CC | 5 | 2,660 | 4,585 | 6,510 | 1.33 | 3.30 |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 3 | 3,939 | 2,996 | 4,732 | 3.33 | 3.09 |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | 2,554 | 3,517 | . | 2.14 |
| 197 Cholecystectomy w/o C.D.E. w cc | 1 | 12,702 | 12,772 | 14,537 | 9.00 | 6.16 |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 2 | 6,517 | 9,371 | 8,516 | 3.50 | 3.51 |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | . | . | 14,302 | 17,755 | . | 4.28 |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

WASATCH COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 0.4930

COUNTY: Wasatch
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=0.35

BED SIZE: 40
 AFFILIATION:
 % LOS OUTLIER=1.04

| | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|--|------------|-----------------|--------|---------|------------------|------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | 1 | 7,672 | 10,233 | 13,299 | 3.00 | 4.80 | 5.35 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 2 | 5,523 | 5,747 | 6,856 | 2.00 | 2.21 | 2.34 |
| 296 Nutritional/misc metabolic disrdr >17 | 7 | 2,320 | 3,369 | 5,387 | 2.14 | 3.34 | 3.70 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 2 | 8,463 | 6,375 | 6,853 | 4.50 | 3.47 | 3.10 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 8 | 5,560 | 5,504 | 5,485 | 2.88 | 2.62 | 2.46 |
| 370 Cesarean Section w CC | 14 | 4,777 | 5,080 | 6,501 | 3.36 | 3.26 | 3.87 |
| 371 Cesarean Section w/o CC | 24 | 4,333 | 4,507 | 5,106 | 2.71 | 3.04 | 3.18 |
| 372 Vaginal Delivery w Complicating Diag | 10 | 2,583 | 2,824 | 3,392 | 1.30 | 1.92 | 2.02 |
| 373 Vaginal Deliv w/o Complicating Diag | 117 | 2,109 | 2,122 | 2,648 | 1.28 | 1.59 | 1.70 |
| 374 Vaginal Delivery w Sterilization/D&C | 6 | 3,535 | 3,988 | 3,712 | 1.33 | 2.00 | 1.90 |
| 383 Other antepartum diag w med complic | . | . | 2,168 | 3,678 | . | 2.33 | 2.77 |
| 385 Neonates, died or transf to otr acute | 2 | 1,024 | 1,424 | 13,772 | . | 1.08 | 8.02 |
| 386 Extreme immaturity/resp dist synd, neo | 1 | 3,817 | 3,469 | 54,638 | 3.00 | 3.00 | 25.54 |
| 387 Prematurity w major problems | . | . | 2,537 | 18,929 | . | 3.00 | 13.28 |
| 389 Full Term Neonate w Major Problems | 1 | 935 | 1,695 | 3,791 | 3.00 | 2.35 | 3.25 |
| 390 Neonate w Other Significant Problems | 1 | 373 | 951 | 1,161 | 1.00 | 1.90 | 1.95 |
| 391 Normal Newborn | 163 | 540 | 734 | 854 | 1.59 | 1.62 | 1.72 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | 8,034 | . | . | 2.95 |
| 415 OR proc for infectious/parasitic disea | . | . | 15,532 | 23,367 | . | 8.33 | 9.50 |
| 430 Psychoses | 2 | 3,912 | 4,236 | 7,145 | 4.00 | 3.63 | 6.85 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | 2,046 | 3,156 | . | 2.35 | 3.09 |
| 462 Rehabilitation | . | . | 2,657 | 18,893 | . | 7.31 | 13.96 |
| 468 Extensive OR proc unrelated to p.d. | 1 | 9,513 | 8,895 | 20,591 | 6.00 | 6.71 | 7.58 |
| 475 Resp sys diagnosis with vent support | . | . | 20,156 | 31,202 | . | 4.75 | 9.97 |
| 481 Bone marrow transplant | . | . | . | 118,311 | . | . | 27.50 |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | 13,209 | 135,406 | . | 2.00 | 31.93 |
| 486 Other OR proc for mult signif trauma | . | . | 15,114 | 38,464 | . | 5.50 | 10.46 |
| 499 Back & neck procedures w cc | . | . | 4,638 | 10,268 | . | 3.00 | 3.89 |
| 500 Back & Neck Procedures w/o CC | . | . | . | 6,240 | . | . | 2.21 |
| 502 Knee procedures w/o cc | . | . | 9,911 | 9,458 | . | . | 4.24 |
| 470 Ungroupable | . | . | 2,826 | 4,262 | . | 2.77 | 2.73 |
| All others | 139 | 4,084 | 3,852 | 7,986 | 3.04 | 2.92 | 3.84 |

* Including all general acute care hospitals only.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

| | | |
|---|---------------------------|--------------------|
| BENCHMARK REGIONAL HOSPITAL | COUNTY: Davis | BED SIZE: 68 |
| PEER GROUP: Psychiatric & substance abuse (n=7) | OWNERSHIP: Investor-owned | AFFILIATION: |
| Ramsay Hlth Care | | |
| UHDBB CASE MIX INDEX = Not calculated for this hospital | % CHARGE OUTLIER=42.9 | % LOS OUTLIER=47.6 |

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|--------|-----------|-----------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 42 | 10,356,071 | 47,352,417 | | 23467.00 | 72,236.00 | |
| Total Facility Charges | . | 10,355,674 | 47,238,270 | | . | . | |
| Actual Average Charges/ALOS | . | 246,573 | 10,901 | | 558.74 | 16.84 | |
| Adj. Average Charges/ALOS* | . | 138,308 | 8,281 | | 390.91 | 10.78 | |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|---|---|------------------|---|---|
| 001 Craniotomy age >17 except for trauma | . | . | . | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . |
| 014 Spec Cerebrovascular Disord w/o TIA | . | . | . | . | . | . |
| 075 Major chest procedures | . | . | . | . | . | . |
| 089 Simple Pneumonia & Pleurisy >17 w CC | . | . | . | . | . | . |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | . | . | . | . |
| 098 Bronchitis & Asthma Age 0-17 | . | . | . | . | . | . |
| 104 Cardiac valve proc w cardiac cath | . | . | . | . | . | . |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | . | . | . |
| 106 Coronary bypass w cardiac cath | . | . | . | . | . | . |
| 107 Coronary bypass w/o cardiac cath | . | . | . | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | . |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | . | . | . |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | . | . | . |
| 121 Circ disrd w ami CV comp disc alive | . | . | . | . | . | . |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | . | . | . |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | . | . | . |
| 127 Heart Failure & Shock | . | . | . | . | . | . |
| 140 Angina Pectoris | . | . | . | . | . | . |
| 143 Chest Pain | . | . | . | . | . | . |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | . | . | . | . |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | . | . | . | . |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | . | . | . | . |
| 174 G.I. Hemorrhage w CC | . | . | . | . | . | . |
| 182 Esoph,Gastr,Misc Digs Disrd>17 w CC | . | . | . | . | . | . |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | . | . | . | . |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | . | . | . | . |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | . | . | . | . |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | . | . | . | . | . | . |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK REGIONAL HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Ramsay Hlth Care
 UHDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 68
 AFFILIATION:

% CHARGE OUTLIER=42.9 % LOS OUTLIER=47.6

| | # of Disc. | Charges (\$) | Days/ALOS |
|--|------------|-----------------|------------------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | Average*** (day) |
| 210 Hip & femur proc exc major joint >17 w | . | . | . |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . |
| 387 Prematurity w major problems | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . |
| 391 Normal Newborn | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . |
| 430 Psychoses | 4 | 8,451 | 8.88 |
| 435 Alc/Drug Depnd w Rehab Therapy | . | 5,743 | 6.23 |
| 462 Rehabilitation | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . |
| 475 Resp sys diagnosis with vent support | . | . | . |
| 481 Bone marrow transplant | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . |
| 499 Back & neck procedures w cc | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . |
| 502 Knee procedures w/o cc | . | . | . |
| 470 Ungroupable | . | 8,439 | 13.86 |
| All others | 38 | 138,308 | 9,156 |
| | | | 390.91 |
| | | | 15.90 |

* Not comparable to non-psychiatric/ substance abuse hospitals.
 ** Adjusted by UHDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OLYMPUS VIEW HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Comm. Psych. Services
 UHDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 102
 AFFILIATION:

% CHARGE OUTLIER=3.77 % LOS OUTLIER=4.77

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|--------|-----------|-----------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 902 | 5,991,326 | 47,352,417 | | 8,773.00 | 72,236.00 | |
| Total Facility Charges | . | 5,982,327 | 47,238,270 | | . | . | |
| Actual Average Charges/ALOS | . | 6,694 | 10,901 | | 9.85 | 16.84 | |
| Adj. Average Charges/ALOS* | . | 6,184 | 8,281 | | 6.50 | 10.78 | |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|---|---|------------------|---|---|
| 001 Craniotomy age >17 except for trauma | . | . | . | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . |
| 014 Spec Cerebrovascular Disord w/o TIA | . | . | . | . | . | . |
| 075 Major chest procedures | . | . | . | . | . | . |
| 089 Simple Pneumonia & Pleurisy >17 w CC | . | . | . | . | . | . |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | . | . | . | . |
| 098 Bronchitis & Asthma Age 0-17 | . | . | . | . | . | . |
| 104 Cardiac valve proc w cardiac cath | . | . | . | . | . | . |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | . | . | . |
| 106 Coronary bypass w cardiac cath | . | . | . | . | . | . |
| 107 Coronary bypass w/o cardiac cath | . | . | . | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | . |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | . | . | . |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | . | . | . |
| 121 Circ disrd w ami CV comp disc alive | . | . | . | . | . | . |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | . | . | . |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | . | . | . |
| 127 Heart Failure & Shock | . | . | . | . | . | . |
| 140 Angina Pectoris | . | . | . | . | . | . |
| 143 Chest Pain | . | . | . | . | . | . |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | . | . | . | . |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | . | . | . | . |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | . | . | . | . |
| 174 G.I. Hemorrhage w CC | . | . | . | . | . | . |
| 182 Esoph,Gastr,Misc Digs Disrd>17 w CC | . | . | . | . | . | . |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | . | . | . | . |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | . | . | . | . |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | . | . | . | . |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | . | . | . | . | . | . |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

OLYMPUS VIEW HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Comm. Psych. Services
 UHDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned
 % CHARGE OUTLIER=3.77

BED SIZE: 102
 AFFILIATION:
 % LOS OUTLIER=4.77

| | # of Disc. | Charges (\$) | Days/ALOS |
|--|-----------------|------------------|-----------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | | |
| | Average*** (\$) | Average*** (day) | |
| 210 Hip & femur proc exc major joint >17 w | . | . | . |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . |
| 387 Prematurity w major problems | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . |
| 391 Normal Newborn | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . |
| 430 Psychoses | 273 | 8,320 | 8,451 |
| 435 Alc/Drug Depnd w Rehab Therapy | 92 | 5,810 | 5,743 |
| 462 Rehabilitation | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . |
| 475 Resp sys diagnosis with vent support | . | . | . |
| 481 Bone marrow transplant | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . |
| 499 Back & neck procedures w cc | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . |
| 502 Knee procedures w/o cc | . | . | . |
| 470 Ungroupable | 116 | 6,137 | 8,439 |
| All others | 421 | 4,844 | 9,156 |

* Not comparable to non-psychiatric/ substance abuse hospitals.
 ** Adjusted by UHDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

COPPER HILLS YOUTH CENTER
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Children's Comprehensive Services, Inc.
 UHDBB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 80
 AFFILIATION:

% CHARGE OUTLIER=0.00 % LOS OUTLIER=46.2

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|----------|-----------|-----------|--|
| | Hospital | Peer | State* | Hospital | Peer | State* | |
| Total Charges/Length of Stay | 158 | 599,755 | 47,352,417 | | 11034.00 | 72,236.00 | |
| Total Facility Charges | . | 599,745 | 47,238,270 | | . | . | |
| Actual Average Charges/ALOS | . | 3,796 | 10,901 | | 70.28 | 16.84 | |
| Adj. Average Charges/ALOS* | . | 3,796 | 8,281 | | 42.90 | 10.78 | |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|---|---|------------------|---|---|
| 001 Craniotomy age >17 except for trauma | . | . | . | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . |
| 014 Spec Cerebrovascular Disord w/o TIA | . | . | . | . | . | . |
| 075 Major chest procedures | . | . | . | . | . | . |
| 089 Simple Pneumonia & Pleurisy >17 w CC | . | . | . | . | . | . |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | . | . | . | . |
| 098 Bronchitis & Asthma Age 0-17 | . | . | . | . | . | . |
| 104 Cardiac valve proc w cardiac cath | . | . | . | . | . | . |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | . | . | . |
| 106 Coronary bypass w cardiac cath | . | . | . | . | . | . |
| 107 Coronary bypass w/o cardiac cath | . | . | . | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | . |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | . | . | . |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | . | . | . |
| 121 Circ disrd w ami CV comp disc alive | . | . | . | . | . | . |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | . | . | . |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | . | . | . |
| 127 Heart Failure & Shock | . | . | . | . | . | . |
| 140 Angina Pectoris | . | . | . | . | . | . |
| 143 Chest Pain | . | . | . | . | . | . |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | . | . | . | . |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | . | . | . | . |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | . | . | . | . |
| 174 G.I. Hemorrhage w CC | . | . | . | . | . | . |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | . | . | . | . | . | . |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | . | . | . | . |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | . | . | . | . |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | . | . | . | . |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | . | . | . | . | . | . |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

| | | |
|---|---------------------------|--------------------|
| COPPER HILLS YOUTH CENTER | COUNTY: Salt Lake | BED SIZE: 80 |
| PEER GROUP: Psychiatric & substance abuse (n=7) | OWNERSHIP: Investor-owned | AFFILIATION: |
| Children's Comprehensive Services, Inc. | | |
| UHDBB CASE MIX INDEX = Not calculated for this hospital | % CHARGE OUTLIER=0.00 | % LOS OUTLIER=46.2 |

| | # of Disc. | Charges (\$) | | Days/ALOS | |
|--|------------|-----------------|------------------|-----------|-------|
| | | | | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | Average*** (day) | | |
| 210 Hip & femur proc exc major joint >17 w | . | . | . | . | . |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . | . | . |
| 370 Cesarean Section w CC | . | . | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . | . | . |
| 391 Normal Newborn | . | . | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . | . | . |
| 430 Psychoses | 53 | 4,397 | 8,451 | 26.77 | 8.88 |
| 435 Alc/Drug Depnd w Rehab Therapy | 18 | 4,178 | 5,743 | 47.67 | 6.23 |
| 462 Rehabilitation | . | . | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . | . | . |
| 475 Resp sys diagnosis with vent support | . | . | . | . | . |
| 481 Bone marrow transplant | . | . | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . |
| 470 Ungroupable | 54 | 2,599 | 8,439 | 44.19 | 13.86 |
| All others | 33 | 4,580 | 9,156 | 55.39 | 15.90 |

* Not comparable to non-psychiatric/ substance abuse hospitals.
 ** Adjusted by UHDBB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Psych.Inst.Amer.
 UHDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 90
 AFFILIATION:
 % CHARGE OUTLIER=6.16
 % LOS OUTLIER=2.81

| | # of Disc. | Charges (\$) | | Days/ALOS | |
|--|------------|-----------------|-------|------------------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | |
| 210 Hip & femur proc exc major joint >17 w | . | . | . | . | . |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . | . | . |
| 370 Cesarean Section w CC | . | . | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . | . | . |
| 391 Normal Newborn | . | . | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . | . | . |
| 430 Psychoses | 1,291 | 10,051 | 8,451 | 9.93 | 8.88 |
| 435 Alc/Drug Depnd w Rehab Therapy | 231 | 5,707 | 5,743 | 5.26 | 6.23 |
| 462 Rehabilitation | . | . | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . | . | . |
| 475 Resp sys diagnosis with vent support | . | . | . | . | . |
| 481 Bone marrow transplant | . | . | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . |
| 470 Ungroupable | 1 | 8,270 | 8,439 | 8.00 | 13.86 |
| All others | 540 | 7,295 | 9,156 | 6.65 | 15.90 |

* Not comparable to non-psychiatric/ substance abuse hospitals.

** Adjusted by UHDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK SOUTH COUNTY: Salt Lake BED SIZE: 80
 PEER GROUP: Psychiatric & substance abuse (n=7) OWNERSHIP: Investor-owned AFFILIATION:
 Ramsay Hlth Care
 UHDDB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=3.89 % LOS OUTLIER=2.00

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|------------|--------|-----------|-----------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| Total Charges/Length of Stay | 849 | 5,283,347 | 47,352,417 | | 4,929.00 | 72,236.00 | |
| Total Facility Charges | . | 5,257,907 | 47,238,270 | | . | . | |
| Actual Average Charges/ALOS | . | 6,223 | 10,901 | | 5.95 | 16.84 | |
| Adj. Average Charges/ALOS* | . | 5,481 | 8,281 | | 5.66 | 10.78 | |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|---|---|------------------|---|---|
| 001 Craniotomy age >17 except for trauma | . | . | . | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . |
| 014 Spec Cerebrovascular Disord w/o TIA | . | . | . | . | . | . |
| 075 Major chest procedures | . | . | . | . | . | . |
| 089 Simple Pneumonia & Pleurisy >17 w CC | . | . | . | . | . | . |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | . | . | . | . |
| 098 Bronchitis & Asthma Age 0-17 | . | . | . | . | . | . |
| 104 Cardiac valve proc w cardiac cath | . | . | . | . | . | . |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | . | . | . |
| 106 Coronary bypass w cardiac cath | . | . | . | . | . | . |
| 107 Coronary bypass w/o cardiac cath | . | . | . | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | . |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | . | . | . |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | . | . | . |
| 121 Circ disrd w ami CV comp disc alive | . | . | . | . | . | . |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | . | . | . |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | . | . | . |
| 127 Heart Failure & Shock | . | . | . | . | . | . |
| 140 Angina Pectoris | . | . | . | . | . | . |
| 143 Chest Pain | . | . | . | . | . | . |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | . | . | . | . |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | . | . | . | . |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | . | . | . | . |
| 174 G.I. Hemorrhage w CC | . | . | . | . | . | . |
| 182 Esoph,Gastr,Misc Digs Disrd>17 w CC | . | . | . | . | . | . |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | . | . | . | . |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | . | . | . | . |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | . | . | . | . |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | . | . | . | . | . | . |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK SOUTH COUNTY: Salt Lake BED SIZE: 80
 PEER GROUP: Psychiatric & substance abuse (n=7) OWNERSHIP: Investor-owned AFFILIATION:
 Ramsay Hlth Care
 UHDDB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=3.89 % LOS OUTLIER=2.00

| | # of Disc. | Charges (\$) | | Days/ALOS | |
|--|------------|-----------------|-------|------------------|-------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | | Average*** (day) | |
| 210 Hip & femur proc exc major joint >17 w | . | . | . | . | . |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . | . | . |
| 370 Cesarean Section w CC | . | . | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . | . | . |
| 387 Prematurity w major problems | . | . | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . | . | . |
| 391 Normal Newborn | . | . | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . | . | . |
| 430 Psychoses | 591 | 5,580 | 8,451 | 6.37 | 8.88 |
| 435 Alc/Drug Depnd w Rehab Therapy | 168 | 5,057 | 5,743 | 3.66 | 6.23 |
| 462 Rehabilitation | . | . | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . | . | . |
| 475 Resp sys diagnosis with vent support | . | . | . | . | . |
| 481 Bone marrow transplant | . | . | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . | . | . |
| 499 Back & neck procedures w cc | . | . | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . | . | . |
| 502 Knee procedures w/o cc | . | . | . | . | . |
| 470 Ungroupable | 4 | 8,663 | 8,439 | 1.67 | 13.86 |
| All others | 86 | 5,402 | 9,156 | 4.68 | 15.90 |

* Not comparable to non-psychiatric/ substance abuse hospitals.
 ** Adjusted by UHDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Am. Intl. Hlth. Sys.
 UHDDB CASE MIX INDEX = Not calculated for this hospital

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 34
 AFFILIATION:

% CHARGE OUTLIER=2.67 % LOS OUTLIER=7.72

| | # of Disc. | Charges (\$) | Days/ALOS |
|---|------------|-----------------|------------------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | | |
| | | Average*** (\$) | Average*** (day) |
| 210 Hip & femur proc exc major joint >17 w | . | . | . |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . |
| 387 Prematurity w major problems | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . |
| 391 Normal Newborn | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . |
| 430 Psychoses | . | 8,451 | 8.88 |
| 435 Alc/Drug Depnd w Rehab Therapy | 56 | 8,586 | 13.67 |
| 462 Rehabilitation | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . |
| 475 Resp sys diagnosis with vent support | . | . | . |
| 481 Bone marrow transplant | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . |
| 499 Back & neck procedures w cc | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . |
| 502 Knee procedures w/o cc | . | . | . |
| 470 Ungroupable | 281 | 10,493 | 14.52 |
| All others | . | 9,156 | 15.90 |

* Not comparable to non-psychiatric/ substance abuse hospitals.
 ** Adjusted by UHDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 1.8823

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.19

BED SIZE: 232
 AFFILIATION:
 % LOS OUTLIER=2.53

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. _____ Charges (\$) | | | _____ Days/ALOS _____ | | |
|---------------------------------------|-------------------------------|-------------|--------|-----------------------|-------|--------|
| | Hospital | Peer* | State* | Hospital | Peer* | State* |
| Total Charges/Length of Stay | 8,576 | 123,265,564 | | 53319.00 | | |
| Total Facility Charges | . | 122,652,009 | | . | | |
| Actual Average Charges/ALOS | . | 14,373 | | 6.25 | | |
| Adj. Average Charges/ALOS* | . | 6,907 | | 3.05 | | |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | _____ Average*** (\$) | | | _____ Average*** (day) _____ | | |
|--|-----------------------|---------|--|------------------------------|--|--|
| 001 Craniotomy age >17 except for trauma | 23 | 17,865 | | 7.76 | | |
| 003 Craniotomy age 0-17 | 389 | 17,839 | | 6.86 | | |
| 014 Spec Cerebrovascular Disord w/o TIA | 7 | 12,506 | | 6.86 | | |
| 075 Major chest procedures | 82 | 20,579 | | 9.50 | | |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 2 | 10,447 | | 5.00 | | |
| 091 Simple Pneumonia & Pleurisy 0-17 | 314 | 4,704 | | 3.39 | | |
| 098 Bronchitis & Asthma Age 0-17 | 796 | 4,182 | | 3.16 | | |
| 104 Cardiac valve proc w cardiac cath | 3 | 106,669 | | 26.33 | | |
| 105 Cardiac valve proc w/o cardiac cath | 37 | 27,905 | | 5.64 | | |
| 106 Coronary bypass w cardiac cath | . | . | | . | | |
| 107 Coronary bypass w/o cardiac cath | 1 | 24,413 | | 4.00 | | |
| 108 Other cardiothoracic procedures | 142 | 52,951 | | 14.19 | | |
| 110 Major cardiovascular procedures w cc | 69 | 44,730 | | 13.93 | | |
| 112 Percutaneous Cardiovascular Prcd | 24 | 16,279 | | 3.91 | | |
| 116 Oth perm card pacemakr implnt/aicd lea | 20 | 16,241 | | 3.32 | | |
| 121 Circ disrd w ami CV comp disc alive | 1 | 39,540 | | 15.00 | | |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | | . | | |
| 124 Circ disrdr exc ami, w card cath & cmp | 6 | 28,554 | | 9.40 | | |
| 125 Circ disrdr exc ami, w card cath w/o c | 21 | 14,959 | | 3.95 | | |
| 127 Heart Failure & Shock | 18 | 8,724 | | 5.44 | | |
| 140 Angina Pectoris | . | . | | . | | |
| 143 Chest Pain | 2 | 4,614 | | 1.50 | | |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 60 | 37,103 | | 17.67 | | |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | | . | | |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 57 | 4,542 | | 2.25 | | |
| 174 G.I. Hemorrhage w CC | 6 | 8,089 | | 3.67 | | |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 3 | 3,681 | | 2.00 | | |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 1 | 4,414 | | 2.00 | | |
| 197 Cholecystectomy w/o C.D.E. w cc | 4 | 14,188 | | 5.75 | | |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 1 | 5,049 | | 2.00 | | |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 6 | 20,513 | | 4.50 | | |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None
 IHC, Inc.
 UHDDDB CASE MIX INDEX = 1.8823

COUNTY: Salt Lake
 OWNERSHIP: Not for profit
 % CHARGE OUTLIER=2.19

BED SIZE: 232
 AFFILIATION:
 % LOS OUTLIER=2.53

| | # of Disc. | Charges (\$) | Days/ALOS |
|--|------------|-----------------|------------------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | Average*** (day) |
| 210 Hip & femur proc exc major joint >17 w | 2 | 5,671 | 2.00 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 3 | 4,687 | 1.33 |
| 296 Nutritional/misc metabolic disrdr >17 | 6 | 9,090 | 6.17 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 4 | 7,586 | 3.00 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 7 | 5,644 | 2.43 |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | 66 | 51,740 | 21.44 |
| 386 Extreme immaturity/resp dist synd, neo | 99 | 91,788 | 42.66 |
| 387 Prematurity w major problems | 76 | 35,088 | 17.54 |
| 389 Full Term Neonate w Major Problems | 216 | 9,173 | 4.49 |
| 390 Neonate w Other Significant Problems | 62 | 3,174 | 2.23 |
| 391 Normal Newborn | 13 | 2,385 | 2.00 |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 309 | 7,916 | 3.40 |
| 415 OR proc for infectious/parasitic disea | 15 | 37,624 | 10.92 |
| 430 Psychoses | 123 | 7,495 | 7.63 |
| 435 Alc/Drug Depnd w Rehab Therapy | 2 | 2,989 | 3.00 |
| 462 Rehabilitation | 71 | 24,857 | 15.80 |
| 468 Extensive OR proc unrelated to p.d. | 44 | 45,926 | 15.98 |
| 475 Resp sys diagnosis with vent support | 115 | 29,882 | 11.14 |
| 481 Bone marrow transplant | 30 | 147,290 | 31.43 |
| 483 Tracheostomy exc mouth/larynx/pharynx | 23 | 183,039 | 47.47 |
| 486 Other OR proc for mult signif trauma | 19 | 28,951 | 9.61 |
| 499 Back & neck procedures w cc | 1 | 18,466 | 5.00 |
| 500 Back & Neck Procedures w/o CC | 4 | 8,618 | 3.25 |
| 502 Knee procedures w/o cc | 6 | 6,213 | 2.83 |
| 470 Ungroupable | . | . | . |
| All others | 5,165 | 8,605 | 4.20 |

* No comparable hospitals.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SOUTH DAVIS COMMUNITY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Davis
 OWNERSHIP: Government

BED SIZE: 39
 AFFILIATION:

UHDBB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=2.86

% LOS OUTLIER=2.86

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|--------------|-------|--------|-----------|-------|--------|
| | | Hospital | Peer* | State* | Hospital | Peer* | State* |
| Total Charges/Length of Stay | 35 | 131,343 | | | 175.00 | | |
| Total Facility Charges | . | 131,344 | | | . | | |
| Actual Average Charges/ALOS | . | 3,753 | | | 5.00 | | |
| Adj. Average Charges/ALOS* | . | 3,459 | | | 4.71 | | |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | # of Disc. | Average*** (\$) | Average*** (day) |
|--|------------|-----------------|------------------|
| 001 Craniotomy age >17 except for trauma | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . |
| 014 Spec Cerebrovascular Disord w/o TIA | 1 | 1,876 | 3.00 |
| 075 Major chest procedures | . | . | . |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 4 | 2,667 | 4.25 |
| 091 Simple Pneumonia & Pleurisy 0-17 | 3 | 2,153 | 3.00 |
| 098 Bronchitis & Asthma Age 0-17 | . | . | . |
| 104 Cardiac valve proc w cardiac cath | . | . | . |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . |
| 106 Coronary bypass w cardiac cath | . | . | . |
| 107 Coronary bypass w/o cardiac cath | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . |
| 112 Percutaneous Cardiovascular Procd | . | . | . |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . |
| 121 Circ disrd w ami CV comp disc alive | . | . | . |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . |
| 127 Heart Failure & Shock | . | . | . |
| 140 Angina Pectoris | . | . | . |
| 143 Chest Pain | . | . | . |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | . |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | . |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | . |
| 174 G.I. Hemorrhage w CC | . | . | . |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | . | . | . |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | . |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | . |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | . |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | . |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

SOUTH DAVIS COMMUNITY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Davis
 OWNERSHIP: Government

BED SIZE: 39
 AFFILIATION:

UHDDB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=2.86

% LOS OUTLIER=2.86

| | # of Disc. | Charges (\$) | Days/ALOS |
|--|------------|-----------------|------------------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | Average*** (day) |
| 210 Hip & femur proc exc major joint >17 w | . | . | . |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | 2 | 1,855 | 8.00 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . |
| 387 Prematurity w major problems | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . |
| 391 Normal Newborn | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . |
| 430 Psychoses | . | . | . |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | . |
| 462 Rehabilitation | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . |
| 475 Resp sys diagnosis with vent support | . | . | . |
| 481 Bone marrow transplant | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . |
| 499 Back & neck procedures w cc | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . |
| 502 Knee procedures w/o cc | . | . | . |
| 470 Ungroupable | 1 | 17,330 | 16.00 |
| All others | 24 | 3,310 | 4.30 |

* No comparable hospitals.

** Adjusted by UHDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BONNEVILLE HEALTH SYSTEMS
 PEER GROUP: None
 Bonneville Health

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 12
 AFFILIATION:

UHDBB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=0.00

% LOS OUTLIER=0.00

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. | | | Charges (\$) | | | Days/ALOS | | |
|---------------------------------------|------------|-------|--------|--------------|-------|--------|-----------|-------|--------|
| | Hospital | Peer* | State* | Hospital | Peer* | State* | Hospital | Peer* | State* |
| Total Charges/Length of Stay | 4 | | | 6,598 | | | 9.00 | | |
| Total Facility Charges | . | | | 6,598 | | | . | | |
| Actual Average Charges/ALOS | . | | | 1,649 | | | 2.25 | | |
| Adj. Average Charges/ALOS* | . | | | 1,649 | | | 2.25 | | |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | Average*** (\$) | | | Average*** (day) | | |
|--|-----------------|---|---|------------------|---|---|
| 001 Craniotomy age >17 except for trauma | . | . | . | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . |
| 014 Spec Cerebrovascular Disord w/o TIA | . | . | . | . | . | . |
| 075 Major chest procedures | . | . | . | . | . | . |
| 089 Simple Pneumonia & Pleurisy >17 w CC | . | . | . | . | . | . |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | . | . | . | . |
| 098 Bronchitis & Asthma Age 0-17 | . | . | . | . | . | . |
| 104 Cardiac valve proc w cardiac cath | . | . | . | . | . | . |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | . | . | . |
| 106 Coronary bypass w cardiac cath | . | . | . | . | . | . |
| 107 Coronary bypass w/o cardiac cath | . | . | . | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | . |
| 112 Percutaneous Cardiovascular Procd | . | . | . | . | . | . |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | . | . | . |
| 121 Circ disrd w ami CV comp disc alive | . | . | . | . | . | . |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | . | . | . |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | . | . | . |
| 127 Heart Failure & Shock | . | . | . | . | . | . |
| 140 Angina Pectoris | . | . | . | . | . | . |
| 143 Chest Pain | . | . | . | . | . | . |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | . | . | . | . |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | . | . | . | . |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | . | . | . | . |
| 174 G.I. Hemorrhage w CC | . | . | . | . | . | . |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | . | . | . | . | . | . |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | . | . | . | . |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | . | . | . | . |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | . | . | . | . |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | . | . | . | . | . | . |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

BONNEVILLE HEALTH SYSTEMS
 PEER GROUP: None
 Bonneville Health

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 12
 AFFILIATION:

UHDDDB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=0.00

% LOS OUTLIER=0.00

| | # of Disc. | Charges (\$) | Days/ALOS |
|--|------------|-----------------|------------------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | Average*** (day) |
| 210 Hip & femur proc exc major joint >17 w | . | . | . |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . |
| 387 Prematurity w major problems | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . |
| 391 Normal Newborn | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . |
| 430 Psychoses | . | . | . |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | . |
| 462 Rehabilitation | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | . | . | . |
| 475 Resp sys diagnosis with vent support | . | . | . |
| 481 Bone marrow transplant | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . |
| 499 Back & neck procedures w cc | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . |
| 502 Knee procedures w/o cc | . | . | . |
| 470 Ungroupable | . | . | . |
| All others | 4 | 1,649 | 2.25 |

* No comparable hospitals.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

HEALTHSOUTH COUNTY: Salt Lake BED SIZE: 50
 PEER GROUP: None OWNERSHIP: Investor-owned AFFILIATION:
 Rehab. Svcs. Corp.
 UHDDB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=16.5 % LOS OUTLIER=26.9

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. _____ Charges (\$) _____ | | | _____ Days/ALOS _____ | | |
|--|-------------------------------------|-----------|--------|------------------------------|-------|--------|
| | Hospital | Peer* | State* | Hospital | Peer* | State* |
| Total Charges/Length of Stay | 346 | 5,932,590 | | 6,859.00 | | |
| Total Facility Charges | . | 5,932,590 | | . | | |
| Actual Average Charges/ALOS | . | 20,599 | | 20.06 | | |
| Adj. Average Charges/ALOS* | . | 14,334 | | 13.97 | | |
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | _____ Average*** (\$) _____ | | | _____ Average*** (day) _____ | | |
| 001 Craniotomy age >17 except for trauma | 1 | 20,009 | | 23.00 | | |
| 003 Craniotomy age 0-17 | . | . | | . | | |
| 014 Spec Cerebrovascular Disord w/o TIA | 101 | 15,036 | | 13.94 | | |
| 075 Major chest procedures | . | . | | . | | |
| 089 Simple Pneumonia & Pleurisy >17 w CC | . | . | | . | | |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | | . | | |
| 098 Bronchitis & Asthma Age 0-17 | . | . | | . | | |
| 104 Cardiac valve proc w cardiac cath | . | . | | . | | |
| 105 Cardiac valve proc w/o cardiac cath | . | . | | . | | |
| 106 Coronary bypass w cardiac cath | . | . | | . | | |
| 107 Coronary bypass w/o cardiac cath | . | . | | . | | |
| 108 Other cardiothoracic procedures | . | . | | . | | |
| 110 Major cardiovascular procedures w cc | . | . | | . | | |
| 112 Percutaneous Cardiovascular Procd | . | . | | . | | |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | | . | | |
| 121 Circ disrd w ami CV comp disc alive | 1 | . | | . | | |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | | . | | |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | | . | | |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | | . | | |
| 127 Heart Failure & Shock | 2 | 10,455 | | 10.50 | | |
| 140 Angina Pectoris | . | . | | . | | |
| 143 Chest Pain | . | . | | . | | |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | | . | | |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | | . | | |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | | . | | |
| 174 G.I. Hemorrhage w CC | . | . | | . | | |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 1 | 12,681 | | . | | |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | | . | | |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | | . | | |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | | . | | |
| 209 Mjr Jnt/Limb Reattach Procd, Low Extr | 22 | 9,739 | | 7.62 | | |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

HEALTHSOUTH COUNTY: Salt Lake BED SIZE: 50
 PEER GROUP: None OWNERSHIP: Investor-owned AFFILIATION:
 Rehab. Svcs. Corp.
 UHDDB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=16.5 % LOS OUTLIER=26.9

| | # of Disc. | Charges (\$) | Days/ALOS |
|--|------------|-----------------|------------------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | Average*** (day) |
| 210 Hip & femur proc exc major joint >17 w | 1 | 9,216 | 10.00 |
| 219 Low extrem/humer pr exc hip/ft/femur > | . | . | . |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . |
| 387 Prematurity w major problems | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . |
| 391 Normal Newborn | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . |
| 415 OR proc for infectious/parasitic disea | . | . | . |
| 430 Psychoses | . | . | . |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | . |
| 462 Rehabilitation | 2 | 46,219 | 13.00 |
| 468 Extensive OR proc unrelated to p.d. | 3 | 13,762 | 18.00 |
| 475 Resp sys diagnosis with vent support | . | . | . |
| 481 Bone marrow transplant | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | 1 | 55,585 | 59.00 |
| 486 Other OR proc for mult signif trauma | . | . | . |
| 499 Back & neck procedures w cc | . | . | . |
| 500 Back & Neck Procedures w/o CC | . | . | . |
| 502 Knee procedures w/o cc | . | . | . |
| 470 Ungroupable | 42 | 13,675 | 16.78 |
| All others | 169 | 14,240 | 13.24 |

* No comparable hospitals.

** Adjusted by UHDDB Case Mix Index and excluded outliers. *** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 14
 AFFILIATION:

UHDBB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=0.77

% LOS OUTLIER=0.51

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. _____ Charges (\$) _____ | | | _____ Days/ALOS _____ | | |
|---------------------------------------|-------------------------------------|-----------|--------|-----------------------|-------|--------|
| | Hospital | Peer* | State* | Hospital | Peer* | State* |
| Total Charges/Length of Stay | 783 | 7,502,352 | | 2,066.00 | | |
| Total Facility Charges | . | 7,501,669 | | . | | |
| Actual Average Charges/ALOS | . | 9,582 | | 2.67 | | |
| Adj. Average Charges/ALOS* | . | 9,461 | | 2.61 | | |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | _____ Average*** (\$) _____ | | | _____ Average*** (day) _____ | | |
|--|-----------------------------|--------|---|------------------------------|---|---|
| 001 Craniotomy age >17 except for trauma | . | . | . | . | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . |
| 014 Spec Cerebrovascular Disord w/o TIA | . | . | . | . | . | . |
| 075 Major chest procedures | . | . | . | . | . | . |
| 089 Simple Pneumonia & Pleurisy >17 w CC | . | . | . | . | . | . |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | . | . | . | . |
| 098 Bronchitis & Asthma Age 0-17 | . | . | . | . | . | . |
| 104 Cardiac valve proc w cardiac cath | . | . | . | . | . | . |
| 105 Cardiac valve proc w/o cardiac cath | . | . | . | . | . | . |
| 106 Coronary bypass w cardiac cath | . | . | . | . | . | . |
| 107 Coronary bypass w/o cardiac cath | . | . | . | . | . | . |
| 108 Other cardiothoracic procedures | . | . | . | . | . | . |
| 110 Major cardiovascular procedures w cc | . | . | . | . | . | . |
| 112 Percutaneous Cardiovascular Prcd | . | . | . | . | . | . |
| 116 Oth perm card pacemakr implnt/aicd lea | . | . | . | . | . | . |
| 121 Circ disrd w ami CV comp disc alive | . | . | . | . | . | . |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | . | . | . | . | . | . |
| 125 Circ disrdr exc ami, w card cath w/o c | . | . | . | . | . | . |
| 127 Heart Failure & Shock | . | . | . | . | . | . |
| 140 Angina Pectoris | . | . | . | . | . | . |
| 143 Chest Pain | . | . | . | . | . | . |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | . | . | . | . | . | . |
| 154 Stomach/esophageal/duodenal pr >17 w c | . | . | . | . | . | . |
| 167 Appendectomy Exc Comp Prnc D w/o CC | . | . | . | . | . | . |
| 174 G.I. Hemorrhage w CC | . | . | . | . | . | . |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | . | . | . | . | . | . |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | . | . | . | . | . | . |
| 197 Cholecystectomy w/o C.D.E. w cc | . | . | . | . | . | . |
| 198 Cholecystectomy w/o C.D.E. w/o CC | . | . | . | . | . | . |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 326 | 13,714 | | 3.56 | | |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 14
 AFFILIATION:

UHDDDB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=0.77

% LOS OUTLIER=0.51

| | # of Disc. | Charges (\$) | Days/ALOS |
|--|------------|-----------------|------------------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | Average*** (day) |
| 210 Hip & femur proc exc major joint >17 w | 5 | 6,063 | 3.00 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 34 | 5,158 | 1.88 |
| 296 Nutritional/misc metabolic disrdr >17 | . | . | . |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | . | . | . |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | . | . | . |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . |
| 387 Prematurity w major problems | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . |
| 391 Normal Newborn | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | . | . | . |
| 415 OR proc for infectious/parasitic disea | 3 | 4,804 | 2.33 |
| 430 Psychoses | . | . | . |
| 435 Alc/Drug Depnd w Rehab Therapy | . | . | . |
| 462 Rehabilitation | . | . | . |
| 468 Extensive OR proc unrelated to p.d. | 1 | 3,107 | 1.00 |
| 475 Resp sys diagnosis with vent support | . | . | . |
| 481 Bone marrow transplant | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | . | . | . |
| 486 Other OR proc for mult signif trauma | . | . | . |
| 499 Back & neck procedures w cc | . | . | . |
| 500 Back & Neck Procedures w/o CC | 8 | 7,145 | 3.13 |
| 502 Knee procedures w/o cc | 2 | 4,990 | 2.00 |
| 470 Ungroupable | 2 | 14,996 | 3.50 |
| All others | 402 | 6,482 | 1.87 |

* No comparable hospitals.

** Adjusted by UHDDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 138
 AFFILIATION:

UHDBB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=0.00

% LOS OUTLIER=9.32

| SUMMARY OF CHARGES AND LENGTH OF STAY | # of Disc. _____ Charges (\$) | | | _____ Days/ALOS _____ | | |
|---------------------------------------|-------------------------------|-------|--------|-----------------------|-------|--------|
| | Hospital | Peer* | State* | Hospital | Peer* | State* |
| Total Charges/Length of Stay | 6,043 | . | . | 42695.00 | . | . |
| Total Facility Charges | . | . | . | . | . | . |
| Actual Average Charges/ALOS | . | . | . | 7.23 | . | . |
| Adj. Average Charges/ALOS* | . | . | . | 5.63 | . | . |

| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | _____ Average*** (\$) | | | _____ Average*** (day) _____ | | |
|--|-----------------------|---|---|------------------------------|---|---|
| 001 Craniotomy age >17 except for trauma | 30 | . | . | 10.12 | . | . |
| 003 Craniotomy age 0-17 | . | . | . | . | . | . |
| 014 Spec Cerebrovascular Disord w/o TIA | 55 | . | . | 5.78 | . | . |
| 075 Major chest procedures | 21 | . | . | 9.53 | . | . |
| 089 Simple Pneumonia & Pleurisy >17 w CC | 115 | . | . | 5.79 | . | . |
| 091 Simple Pneumonia & Pleurisy 0-17 | . | . | . | . | . | . |
| 098 Bronchitis & Asthma Age 0-17 | . | . | . | . | . | . |
| 104 Cardiac valve proc w cardiac cath | 12 | . | . | 9.70 | . | . |
| 105 Cardiac valve proc w/o cardiac cath | 60 | . | . | 8.96 | . | . |
| 106 Coronary bypass w cardiac cath | 7 | . | . | 12.17 | . | . |
| 107 Coronary bypass w/o cardiac cath | 80 | . | . | 9.56 | . | . |
| 108 Other cardiothoracic procedures | 2 | . | . | 11.00 | . | . |
| 110 Major cardiovascular procedures w cc | 28 | . | . | 7.76 | . | . |
| 112 Percutaneous Cardiovascular Prcd | 99 | . | . | 3.37 | . | . |
| 116 Oth perm card pacemakr implnt/aicd lea | 127 | . | . | 4.27 | . | . |
| 121 Circ disrd w ami CV comp disc alive | 39 | . | . | 6.11 | . | . |
| 122 Circ disrd w/o ami CV comp disc alive | . | . | . | . | . | . |
| 124 Circ disrdr exc ami, w card cath & cmp | 111 | . | . | 6.75 | . | . |
| 125 Circ disrdr exc ami, w card cath w/o c | 48 | . | . | 3.79 | . | . |
| 127 Heart Failure & Shock | 132 | . | . | 4.88 | . | . |
| 140 Angina Pectoris | 46 | . | . | 2.51 | . | . |
| 143 Chest Pain | 103 | . | . | 1.76 | . | . |
| 148 Maj Sm & Lg Bowel Prcdrs w CC | 28 | . | . | 9.42 | . | . |
| 154 Stomach/esophageal/duodenal pr >17 w c | 16 | . | . | 12.07 | . | . |
| 167 Appendectomy Exc Comp Prnc D w/o CC | 3 | . | . | 1.67 | . | . |
| 174 G.I. Hemorrhage w CC | 91 | . | . | 4.40 | . | . |
| 182 Esoph,Gastro,Misc Digs Disrd>17 w CC | 55 | . | . | 4.77 | . | . |
| 183 Esoph,Gastr,Misc Digs Disrd>17 /o CC | 29 | . | . | 2.12 | . | . |
| 197 Cholecystectomy w/o C.D.E. w cc | 6 | . | . | 19.50 | . | . |
| 198 Cholecystectomy w/o C.D.E. w/o CC | 2 | . | . | 6.00 | . | . |
| 209 Mjr Jnt/Limb Reattach Prcd, Low Extr | 125 | . | . | 6.52 | . | . |

ST 1-2
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (DRG BY FACILITY CHARGE AND LENGTH OF STAY)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 138
 AFFILIATION:

UHDDB CASE MIX INDEX = Not calculated for this hospital % CHARGE OUTLIER=0.00

% LOS OUTLIER=9.32

| | # of Disc. | Charges (\$) | Days/ALOS |
|--|------------|-----------------|------------------|
| SELECTED 62 DIAGNOSIS RELATED GROUPS (DRG) | | Average*** (\$) | Average*** (day) |
| 210 Hip & femur proc exc major joint >17 w | 27 | . | 9.76 |
| 219 Low extrem/humer pr exc hip/ft/femur > | 16 | . | 3.38 |
| 296 Nutritional/misc metabolic disrdr >17 | 50 | . | 5.31 |
| 358 Uterine & Adnexa Prcd Nonmalig w CC | 1 | . | 3.00 |
| 359 Uterine/Adnexa Prcd Nonmalig w/o CC | 4 | . | 2.67 |
| 370 Cesarean Section w CC | . | . | . |
| 371 Cesarean Section w/o CC | . | . | . |
| 372 Vaginal Delivery w Complicating Diag | . | . | . |
| 373 Vaginal Deliv w/o Complicating Diag | . | . | . |
| 374 Vaginal Delivery w Sterilization/D&C | . | . | . |
| 383 Other antepartum diag w med complic | . | . | . |
| 385 Neonates, died or transf to otr acute | . | . | . |
| 386 Extreme immaturity/resp dist synd, neo | . | . | . |
| 387 Prematurity w major problems | . | . | . |
| 389 Full Term Neonate w Major Problems | . | . | . |
| 390 Neonate w Other Significant Problems | . | . | . |
| 391 Normal Newborn | . | . | . |
| 410 Chemo w/o Acute Leukemia as Sec Dia | 40 | . | 3.58 |
| 415 OR proc for infectious/parasitic disea | 17 | . | 13.81 |
| 430 Psychoses | 398 | . | 10.69 |
| 435 Alc/Drug Depnd w Rehab Therapy | 106 | . | 6.07 |
| 462 Rehabilitation | 32 | . | 11.87 |
| 468 Extensive OR proc unrelated to p.d. | 10 | . | 7.57 |
| 475 Resp sys diagnosis with vent support | 31 | . | 13.34 |
| 481 Bone marrow transplant | . | . | . |
| 483 Tracheostomy exc mouth/larynx/pharynx | 10 | . | 34.63 |
| 486 Other OR proc for mult signif trauma | . | . | . |
| 499 Back & neck procedures w cc | 11 | . | 7.30 |
| 500 Back & Neck Procedures w/o CC | 23 | . | 2.09 |
| 502 Knee procedures w/o cc | 2 | . | 3.00 |
| 470 Ungroupable | 1 | . | 8.00 |
| All others | 3,794 | . | 4.86 |

* No comparable hospitals.

** Adjusted by UHDDB Case Mix Index and excluded outliers.

*** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LDS HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 520
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 79 | 7,119 | 7,817 | 6,818 | 3.37 | 3.71 | 3.88 |
| Major or Extreme CC | 51 | 11,646 | 13,513 | 10,227 | 6.08 | 6.52 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 161 | 5,664 | 6,069 | 4,840 | 3.52 | 3.57 | 3.43 |
| Major or Extreme CC | 102 | 10,210 | 10,108 | 8,238 | 5.47 | 5.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 54 | 5,009 | 4,932 | 3,529 | 3.08 | 3.00 | 2.50 |
| Major or Extreme CC | 13 | 4,554 | 6,300 | 6,286 | 3.00 | 3.44 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 543 | 17,348 | 16,374 | 16,368 | 1.72 | 1.84 | 1.82 |
| Major or Extreme CC | 81 | 21,701 | 20,195 | 22,725 | 3.13 | 3.13 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 117 | 9,366 | 9,806 | 8,265 | 3.56 | 3.68 | 3.16 |
| Major or Extreme CC | 89 | 18,621 | 20,640 | 14,900 | 6.37 | 6.67 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 208 | 6,798 | 7,770 | 7,941 | 2.04 | 2.13 | 2.11 |
| Major or Extreme CC | 19 | 11,025 | 14,739 | 13,057 | 4.32 | 5.20 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 161 | 6,213 | 6,635 | 5,447 | 3.62 | 3.87 | 3.76 |
| Major or Extreme CC | 99 | 10,717 | 10,515 | 8,551 | 5.57 | 5.42 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 89 | 4,008 | 4,083 | 3,763 | 1.96 | 2.38 | 2.15 |
| Major or Extreme CC | 31 | 9,994 | 10,345 | 7,864 | 4.08 | 4.31 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 23 | 13,621 | 15,766 | 13,947 | 7.52 | 8.26 | 7.27 |
| Major or Extreme CC | 21 | 22,184 | 28,084 | 24,531 | 10.14 | 9.97 | 10.92 |
| 164 APPENDICCTOMY | | | | | | | |
| No, Minor, or Moderate CC | 126 | 6,375 | 6,603 | 5,434 | 1.88 | 2.04 | 2.29 |
| Major or Extreme CC | 2 | 53,128 | 25,545 | 15,125 | 12.00 | 7.14 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 23 | 5,775 | 6,632 | 4,865 | 2.52 | 2.49 | 2.67 |
| Major or Extreme CC | 18 | 11,774 | 12,127 | 9,498 | 5.72 | 5.52 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 72 | 3,694 | 3,274 | 2,853 | 2.36 | 2.14 | 2.09 |
| Major or Extreme CC | 18 | 5,411 | 6,566 | 5,389 | 3.50 | 3.75 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 70 | 5,313 | 5,693 | 4,524 | 2.22 | 2.39 | 2.34 |
| Major or Extreme CC | 16 | 8,068 | 8,791 | 8,410 | 4.50 | 4.45 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 405 | 17,940 | 19,356 | 17,541 | 4.22 | 4.97 | 4.02 |
| Major or Extreme CC | 58 | 21,006 | 23,977 | 22,091 | 5.00 | 5.95 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 164 | 7,210 | 8,499 | 7,330 | 2.64 | 2.57 | 2.50 |
| Major or Extreme CC | 17 | 15,091 | 18,846 | 15,281 | 5.19 | 5.48 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LDS HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 520
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 13 | 4,856 | 4,920 | 3,015 | 2.75 | 2.86 | 2.37 |
| Major or Extreme CC | 12 | 7,577 | 8,773 | 6,574 | 4.36 | 4.81 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 545 | 6,283 | 6,697 | 5,752 | 2.71 | 2.72 | 2.61 |
| Major or Extreme CC | 14 | 12,765 | 13,201 | 11,953 | 6.07 | 5.84 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 581 | 5,537 | 5,663 | 5,070 | 3.37 | 3.44 | 3.17 |
| Major or Extreme CC | 126 | 8,914 | 9,791 | 7,853 | 4.81 | 5.18 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 3,287 | 3,084 | 3,028 | 2,661 | 1.67 | 1.66 | 1.70 |
| Major or Extreme CC | 214 | 4,829 | 5,183 | 4,044 | 2.33 | 2.58 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 189 | 3,786 | 3,962 | 3,602 | 1.74 | 1.81 | 1.85 |
| Major or Extreme CC | 9 | 6,341 | 8,208 | 6,076 | 3.44 | 4.00 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 371 | 6,435 | 8,113 | 6,168 | 5.65 | 7.86 | 6.08 |
| Major or Extreme CC | 55 | 12,573 | 14,655 | 11,462 | 10.08 | 12.83 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 3,807 | 880 | 877 | 883 | 1.78 | 1.72 | 1.75 |
| Major or Extreme CC | 54 | 4,484 | 3,672 | 3,209 | 3.60 | 3.26 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 84 | 3,595 | 4,026 | 3,131 | 2.90 | 3.31 | 2.91 |
| Major or Extreme CC | 10 | 7,519 | 7,430 | 5,920 | 4.20 | 4.53 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 460 | 7,199 | 9,225 | 7,725 | 2.29 | 2.50 | 2.31 |
| Major or Extreme CC | 24 | 21,413 | 24,394 | 21,115 | 6.54 | 6.98 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 151 | 6,382 | 7,002 | 7,153 | 2.27 | 2.14 | 2.33 |
| Major or Extreme CC | 23 | 14,666 | 15,074 | 13,515 | 6.13 | 6.13 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 70 | 5,621 | 5,874 | 4,605 | 2.54 | 2.43 | 2.47 |
| Major or Extreme CC | 51 | 9,599 | 10,806 | 9,068 | 4.00 | 4.25 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 9 | 5,352 | 6,187 | 4,873 | 2.78 | 2.94 | 2.50 |
| Major or Extreme CC | 3 | 22,525 | 19,221 | 11,427 | 6.67 | 5.75 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 40 | 4,783 | 5,067 | 4,601 | 2.78 | 2.86 | 3.08 |
| Major or Extreme CC | 11 | 10,980 | 10,847 | 6,914 | 5.80 | 5.50 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 90 | 4,596 | 5,130 | 4,256 | 2.55 | 2.75 | 2.65 |
| Major or Extreme CC | 51 | 9,791 | 10,599 | 8,831 | 5.50 | 5.70 | 5.27 |
| All other APDRGs | 11,414 | 17,490 | 18,315 | 11,555 | 6.44 | 6.61 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY OF UTAH HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 425
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 48 | 9,016 | 7,817 | 6,818 | 4.25 | 3.71 | 3.88 |
| Major or Extreme CC | 23 | 17,585 | 13,513 | 10,227 | 7.48 | 6.52 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 88 | 6,799 | 6,069 | 4,840 | 3.67 | 3.57 | 3.43 |
| Major or Extreme CC | 57 | 9,913 | 10,108 | 8,238 | 4.81 | 5.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 24 | 4,759 | 4,932 | 3,529 | 2.81 | 3.00 | 2.50 |
| Major or Extreme CC | 7 | 10,082 | 6,300 | 6,286 | 4.33 | 3.44 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 160 | 13,036 | 16,374 | 16,368 | 2.26 | 1.84 | 1.82 |
| Major or Extreme CC | 32 | 16,128 | 20,195 | 22,725 | 3.15 | 3.13 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 47 | 10,990 | 9,806 | 8,265 | 3.96 | 3.68 | 3.16 |
| Major or Extreme CC | 24 | 28,718 | 20,640 | 14,900 | 7.76 | 6.67 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 136 | 9,268 | 7,770 | 7,941 | 2.29 | 2.13 | 2.11 |
| Major or Extreme CC | 24 | 17,646 | 14,739 | 13,057 | 5.95 | 5.20 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 81 | 7,527 | 6,635 | 5,447 | 4.36 | 3.87 | 3.76 |
| Major or Extreme CC | 36 | 9,921 | 10,515 | 8,551 | 4.97 | 5.42 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 161 | 4,127 | 4,083 | 3,763 | 2.62 | 2.38 | 2.15 |
| Major or Extreme CC | 19 | 11,005 | 10,345 | 7,864 | 4.69 | 4.31 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 35 | 17,308 | 15,766 | 13,947 | 8.76 | 8.26 | 7.27 |
| Major or Extreme CC | 9 | 41,197 | 28,084 | 24,531 | 9.50 | 9.97 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 50 | 7,193 | 6,603 | 5,434 | 2.43 | 2.04 | 2.29 |
| Major or Extreme CC | 5 | 14,512 | 25,545 | 15,125 | 5.20 | 7.14 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 16 | 7,865 | 6,632 | 4,865 | 2.44 | 2.49 | 2.67 |
| Major or Extreme CC | 7 | 13,034 | 12,127 | 9,498 | 5.00 | 5.52 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 74 | 2,848 | 3,274 | 2,853 | 1.90 | 2.14 | 2.09 |
| Major or Extreme CC | 16 | 7,794 | 6,566 | 5,389 | 4.00 | 3.75 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 39 | 6,384 | 5,693 | 4,524 | 2.68 | 2.39 | 2.34 |
| Major or Extreme CC | 10 | 10,058 | 8,791 | 8,410 | 4.38 | 4.45 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 337 | 21,096 | 19,356 | 17,541 | 5.89 | 4.97 | 4.02 |
| Major or Extreme CC | 54 | 27,292 | 23,977 | 22,091 | 6.98 | 5.95 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 219 | 9,475 | 8,499 | 7,330 | 2.52 | 2.57 | 2.50 |
| Major or Extreme CC | 13 | 24,166 | 18,846 | 15,281 | 5.85 | 5.48 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY OF UTAH HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2)
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 425
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 21 | 4,958 | 4,920 | 3,015 | 2.94 | 2.86 | 2.37 |
| Major or Extreme CC | 15 | 9,651 | 8,773 | 6,574 | 5.13 | 4.81 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 152 | 8,272 | 6,697 | 5,752 | 2.76 | 2.72 | 2.61 |
| Major or Extreme CC | 11 | 13,755 | 13,201 | 11,953 | 5.55 | 5.84 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 379 | 5,864 | 5,663 | 5,070 | 3.55 | 3.44 | 3.17 |
| Major or Extreme CC | 174 | 10,436 | 9,791 | 7,853 | 5.45 | 5.18 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,928 | 2,930 | 3,028 | 2,661 | 1.66 | 1.66 | 1.70 |
| Major or Extreme CC | 318 | 5,427 | 5,183 | 4,044 | 2.75 | 2.58 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 94 | 4,349 | 3,962 | 3,602 | 1.96 | 1.81 | 1.85 |
| Major or Extreme CC | 27 | 8,908 | 8,208 | 6,076 | 4.22 | 4.00 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 144 | 12,899 | 8,113 | 6,168 | 13.62 | 7.86 | 6.08 |
| Major or Extreme CC | 24 | 20,274 | 14,655 | 11,462 | 19.45 | 12.83 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 2,108 | 873 | 877 | 883 | 1.62 | 1.72 | 1.75 |
| Major or Extreme CC | 44 | 2,712 | 3,672 | 3,209 | 2.86 | 3.26 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 13 | 7,276 | 4,026 | 3,131 | 5.92 | 3.31 | 2.91 |
| Major or Extreme CC | 5 | 7,208 | 7,430 | 5,920 | 5.20 | 4.53 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 320 | 12,597 | 9,225 | 7,725 | 2.82 | 2.50 | 2.31 |
| Major or Extreme CC | 21 | 28,002 | 24,394 | 21,115 | 7.48 | 6.98 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 55 | 8,744 | 7,002 | 7,153 | 1.79 | 2.14 | 2.33 |
| Major or Extreme CC | 7 | 16,416 | 15,074 | 13,515 | 6.14 | 6.13 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 24 | 6,647 | 5,874 | 4,605 | 2.09 | 2.43 | 2.47 |
| Major or Extreme CC | 16 | 14,579 | 10,806 | 9,068 | 5.00 | 4.25 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 8 | 7,260 | 6,187 | 4,873 | 3.14 | 2.94 | 2.50 |
| Major or Extreme CC | 1 | 9,310 | 19,221 | 11,427 | 3.00 | 5.75 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 10 | 6,328 | 5,067 | 4,601 | 3.22 | 2.86 | 3.08 |
| Major or Extreme CC | 2 | 10,179 | 10,847 | 6,914 | 4.00 | 5.50 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 89 | 5,676 | 5,130 | 4,256 | 2.96 | 2.75 | 2.65 |
| Major or Extreme CC | 34 | 11,876 | 10,599 | 8,831 | 6.00 | 5.70 | 5.27 |
| All other APDRGs | 11,456 | 19,164 | 18,315 | 11,555 | 6.78 | 6.61 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Paracelsus Health Care

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 200
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 11 | 11,224 | 7,331 | 6,818 | 4.36 | 4.10 | 3.88 |
| Major or Extreme CC | 17 | 14,890 | 10,981 | 10,227 | 6.00 | 5.86 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 86 | 4,461 | 5,455 | 4,840 | 3.27 | 3.69 | 3.43 |
| Major or Extreme CC | 74 | 8,584 | 9,004 | 8,238 | 4.89 | 5.42 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 19 | 3,341 | 3,812 | 3,529 | 2.89 | 2.61 | 2.50 |
| Major or Extreme CC | 7 | 5,290 | 7,470 | 6,286 | 2.43 | 4.15 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 80 | 18,051 | 16,404 | 16,368 | 1.75 | 1.74 | 1.82 |
| Major or Extreme CC | 17 | 28,752 | 25,305 | 22,725 | 3.63 | 4.20 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 25 | 7,918 | 9,052 | 8,265 | 3.92 | 3.65 | 3.16 |
| Major or Extreme CC | 25 | 17,114 | 17,738 | 14,900 | 5.91 | 6.36 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 61 | 8,626 | 8,142 | 7,941 | 1.77 | 2.07 | 2.11 |
| Major or Extreme CC | 10 | 15,783 | 15,100 | 13,057 | 5.30 | 5.00 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 61 | 6,524 | 6,007 | 5,447 | 3.83 | 3.93 | 3.76 |
| Major or Extreme CC | 29 | 8,510 | 9,166 | 8,551 | 5.17 | 5.42 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 29 | 4,935 | 4,004 | 3,763 | 2.58 | 2.26 | 2.15 |
| Major or Extreme CC | 16 | 12,255 | 9,167 | 7,864 | 4.94 | 3.93 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 6 | 8,728 | 14,025 | 13,947 | 6.83 | 7.60 | 7.27 |
| Major or Extreme CC | 7 | 5,805 | 26,895 | 24,531 | 14.71 | 12.94 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 18 | 9,988 | 5,668 | 5,434 | 3.47 | 2.44 | 2.29 |
| Major or Extreme CC | 2 | 47,268 | 19,233 | 15,125 | 17.50 | 9.31 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 12 | 6,130 | 5,066 | 4,865 | 2.42 | 2.79 | 2.67 |
| Major or Extreme CC | 5 | 18,808 | 11,338 | 9,498 | 5.20 | 5.07 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 20 | 3,268 | 3,135 | 2,853 | 1.90 | 2.17 | 2.09 |
| Major or Extreme CC | 1 | 10,870 | 5,325 | 5,389 | 1.00 | 3.45 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 25 | 3,103 | 4,607 | 4,524 | 2.28 | 2.43 | 2.34 |
| Major or Extreme CC | 2 | . | 7,889 | 8,410 | 5.00 | 4.96 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 46 | 19,500 | 17,258 | 17,541 | 3.76 | 3.65 | 4.02 |
| Major or Extreme CC | 5 | 21,172 | 20,871 | 22,091 | 6.80 | 5.24 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 37 | 9,939 | 7,437 | 7,330 | 2.65 | 2.53 | 2.50 |
| Major or Extreme CC | 1 | 15,328 | 15,119 | 15,281 | 5.00 | 5.88 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Paracelsus Health Care

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 200
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 6 | 5,848 | 3,067 | 3,015 | 3.00 | 2.33 | 2.37 |
| Major or Extreme CC | 4 | 4,728 | 6,055 | 6,574 | 6.50 | 4.58 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 144 | 6,389 | 5,725 | 5,752 | 2.63 | 2.64 | 2.61 |
| Major or Extreme CC | 3 | 11,343 | 12,906 | 11,953 | 3.67 | 4.92 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 197 | 6,606 | 5,358 | 5,070 | 3.25 | 3.27 | 3.17 |
| Major or Extreme CC | 17 | 9,546 | 7,826 | 7,853 | 3.94 | 4.57 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,022 | 2,918 | 2,971 | 2,661 | 1.78 | 1.79 | 1.70 |
| Major or Extreme CC | 67 | 4,032 | 4,609 | 4,044 | 2.24 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 50 | 4,094 | 3,780 | 3,602 | 1.92 | 1.95 | 1.85 |
| Major or Extreme CC | 3 | 4,971 | 5,501 | 6,076 | 2.67 | 2.50 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,590 | 6,168 | . | 5.82 | 6.08 |
| Major or Extreme CC | . | . | 7,343 | 11,462 | . | 6.51 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 1,205 | 1,227 | 963 | 883 | 1.75 | 1.82 | 1.75 |
| Major or Extreme CC | 17 | 4,009 | 3,429 | 3,209 | 3.44 | 3.19 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 4 | 2,860 | 3,185 | 3,131 | 1.50 | 2.65 | 2.91 |
| Major or Extreme CC | 3 | 7,607 | 7,154 | 5,920 | 3.67 | 4.33 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 56 | 9,554 | 7,595 | 7,725 | 2.63 | 2.19 | 2.31 |
| Major or Extreme CC | 2 | 7,098 | 19,054 | 21,115 | 4.00 | 7.63 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 27 | 10,288 | 7,283 | 7,153 | 2.41 | 2.46 | 2.33 |
| Major or Extreme CC | 4 | 18,025 | 16,389 | 13,515 | 8.50 | 7.28 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 20 | 5,603 | 4,860 | 4,605 | 2.35 | 2.52 | 2.47 |
| Major or Extreme CC | 9 | 12,303 | 9,178 | 9,068 | 4.33 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 3,415 | 4,292 | 4,873 | 6.00 | 2.52 | 2.50 |
| Major or Extreme CC | . | . | 6,817 | 11,427 | . | 3.90 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 5 | 4,715 | 4,912 | 4,601 | 2.00 | 3.13 | 3.08 |
| Major or Extreme CC | 1 | 9,708 | 7,129 | 6,914 | 1.00 | 4.25 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 37 | 5,072 | 4,784 | 4,256 | 1.91 | 2.85 | 2.65 |
| Major or Extreme CC | 7 | 11,261 | 8,905 | 8,831 | 4.00 | 5.29 | 5.27 |
| All other APDRGs | 2,279 | 11,933 | 12,340 | 11,555 | 4.51 | 5.18 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ST. MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Columbia Healthcare, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 276
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 86 | 7,901 | 7,331 | 6,818 | 4.65 | 4.10 | 3.88 |
| Major or Extreme CC | 32 | 11,885 | 10,981 | 10,227 | 7.19 | 5.86 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 228 | 5,979 | 5,455 | 4,840 | 4.15 | 3.69 | 3.43 |
| Major or Extreme CC | 131 | 9,231 | 9,004 | 8,238 | 5.73 | 5.42 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 58 | 3,364 | 3,812 | 3,529 | 2.75 | 2.61 | 2.50 |
| Major or Extreme CC | 16 | 6,350 | 7,470 | 6,286 | 4.40 | 4.15 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 340 | 19,483 | 16,404 | 16,368 | 1.87 | 1.74 | 1.82 |
| Major or Extreme CC | 31 | 33,527 | 25,305 | 22,725 | 5.00 | 4.20 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 85 | 8,996 | 9,052 | 8,265 | 3.62 | 3.65 | 3.16 |
| Major or Extreme CC | 40 | 17,168 | 17,738 | 14,900 | 6.26 | 6.36 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 181 | 8,713 | 8,142 | 7,941 | 2.17 | 2.07 | 2.11 |
| Major or Extreme CC | 15 | 16,688 | 15,100 | 13,057 | 5.80 | 5.00 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 206 | 6,318 | 6,007 | 5,447 | 4.24 | 3.93 | 3.76 |
| Major or Extreme CC | 55 | 9,668 | 9,166 | 8,551 | 5.98 | 5.42 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 134 | 3,628 | 4,004 | 3,763 | 2.19 | 2.26 | 2.15 |
| Major or Extreme CC | 25 | 7,904 | 9,167 | 7,864 | 4.10 | 3.93 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 32 | 14,965 | 14,025 | 13,947 | 6.94 | 7.60 | 7.27 |
| Major or Extreme CC | 12 | 34,791 | 26,895 | 24,531 | 12.82 | 12.94 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 132 | 6,506 | 5,668 | 5,434 | 2.16 | 2.44 | 2.29 |
| Major or Extreme CC | 4 | 15,281 | 19,233 | 15,125 | 8.25 | 9.31 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 36 | 5,503 | 5,066 | 4,865 | 3.03 | 2.79 | 2.67 |
| Major or Extreme CC | 14 | 9,961 | 11,338 | 9,498 | 4.92 | 5.07 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 126 | 3,183 | 3,135 | 2,853 | 2.20 | 2.17 | 2.09 |
| Major or Extreme CC | 11 | 5,262 | 5,325 | 5,389 | 3.45 | 3.45 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 87 | 5,231 | 4,607 | 4,524 | 2.60 | 2.43 | 2.34 |
| Major or Extreme CC | 12 | 7,182 | 7,889 | 8,410 | 4.64 | 4.96 | 5.45 |
| MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 508 | 17,764 | 17,258 | 17,541 | 3.63 | 3.65 | 4.02 |
| Major or Extreme CC | 24 | 20,317 | 20,871 | 22,091 | 4.14 | 5.24 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 191 | 8,593 | 7,437 | 7,330 | 2.27 | 2.53 | 2.50 |
| Major or Extreme CC | 12 | 19,242 | 15,119 | 15,281 | 6.58 | 5.88 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ST. MARK'S HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 Columbia Healthcare, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 276
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 32 | 4,433 | 3,067 | 3,015 | 2.85 | 2.33 | 2.37 |
| Major or Extreme CC | 14 | 7,061 | 6,055 | 6,574 | 4.38 | 4.58 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 646 | 6,033 | 5,725 | 5,752 | 2.50 | 2.64 | 2.61 |
| Major or Extreme CC | 7 | 19,562 | 12,906 | 11,953 | 5.43 | 4.92 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 560 | 5,587 | 5,358 | 5,070 | 3.34 | 3.27 | 3.17 |
| Major or Extreme CC | 41 | 7,345 | 7,826 | 7,853 | 4.17 | 4.57 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 2,273 | 3,206 | 2,971 | 2,661 | 1.97 | 1.79 | 1.70 |
| Major or Extreme CC | 87 | 4,620 | 4,609 | 4,044 | 2.46 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 84 | 4,572 | 3,780 | 3,602 | 2.04 | 1.95 | 1.85 |
| Major or Extreme CC | 7 | 5,694 | 5,501 | 6,076 | 2.14 | 2.50 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,590 | 6,168 | . | 5.82 | 6.08 |
| Major or Extreme CC | 1 | 4,060 | 7,343 | 11,462 | 4.00 | 6.51 | 9.94 |
| 678 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 2,770 | 989 | 963 | 883 | 1.94 | 1.82 | 1.75 |
| Major or Extreme CC | 67 | 2,552 | 3,429 | 3,209 | 3.11 | 3.19 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 14 | 4,978 | 3,185 | 3,131 | 3.00 | 2.65 | 2.91 |
| Major or Extreme CC | 3 | 9,310 | 7,154 | 5,920 | 5.67 | 4.33 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 350 | 9,870 | 7,595 | 7,725 | 2.20 | 2.19 | 2.31 |
| Major or Extreme CC | 7 | 23,980 | 19,054 | 21,115 | 5.50 | 7.63 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 100 | 8,296 | 7,283 | 7,153 | 2.25 | 2.46 | 2.33 |
| Major or Extreme CC | 12 | 18,881 | 16,389 | 13,515 | 8.75 | 7.28 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 84 | 5,072 | 4,860 | 4,605 | 2.70 | 2.52 | 2.47 |
| Major or Extreme CC | 49 | 8,371 | 9,178 | 9,068 | 4.17 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 6 | 5,498 | 4,292 | 4,873 | 3.17 | 2.52 | 2.50 |
| Major or Extreme CC | 3 | 6,033 | 6,817 | 11,427 | 4.33 | 3.90 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 42 | 5,264 | 4,912 | 4,601 | 3.45 | 3.13 | 3.08 |
| Major or Extreme CC | 4 | 8,142 | 7,129 | 6,914 | 5.50 | 4.25 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 100 | 4,907 | 4,784 | 4,256 | 3.01 | 2.85 | 2.65 |
| Major or Extreme CC | 38 | 9,409 | 8,905 | 8,831 | 5.67 | 5.29 | 5.27 |
| All other APDRGs | 8,611 | 11,954 | 12,340 | 11,555 | 4.68 | 5.18 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.

In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 395
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 56 | 6,905 | 7,331 | 6,818 | 3.95 | 4.10 | 3.88 |
| Major or Extreme CC | 20 | 9,011 | 10,981 | 10,227 | 5.10 | 5.86 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 311 | 5,657 | 5,455 | 4,840 | 3.90 | 3.69 | 3.43 |
| Major or Extreme CC | 104 | 10,526 | 9,004 | 8,238 | 6.32 | 5.42 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 125 | 3,641 | 3,812 | 3,529 | 2.57 | 2.61 | 2.50 |
| Major or Extreme CC | 9 | 9,582 | 7,470 | 6,286 | 5.38 | 4.15 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 575 | 14,242 | 16,404 | 16,368 | 1.51 | 1.74 | 1.82 |
| Major or Extreme CC | 65 | 20,063 | 25,305 | 22,725 | 3.73 | 4.20 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 51 | 9,205 | 9,052 | 8,265 | 3.44 | 3.65 | 3.16 |
| Major or Extreme CC | 37 | 19,855 | 17,738 | 14,900 | 7.09 | 6.36 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 145 | 6,591 | 8,142 | 7,941 | 1.94 | 2.07 | 2.11 |
| Major or Extreme CC | 14 | 14,980 | 15,100 | 13,057 | 4.46 | 5.00 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 146 | 6,228 | 6,007 | 5,447 | 4.16 | 3.93 | 3.76 |
| Major or Extreme CC | 60 | 9,857 | 9,166 | 8,551 | 5.78 | 5.42 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 86 | 4,030 | 4,004 | 3,763 | 2.18 | 2.26 | 2.15 |
| Major or Extreme CC | 20 | 8,726 | 9,167 | 7,864 | 3.28 | 3.93 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 23 | 15,929 | 14,025 | 13,947 | 9.43 | 7.60 | 7.27 |
| Major or Extreme CC | 22 | 33,634 | 26,895 | 24,531 | 15.57 | 12.94 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 212 | 4,599 | 5,668 | 5,434 | 2.30 | 2.44 | 2.29 |
| Major or Extreme CC | 6 | 13,463 | 19,233 | 15,125 | 8.17 | 9.31 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 33 | 4,542 | 5,066 | 4,865 | 2.73 | 2.79 | 2.67 |
| Major or Extreme CC | 17 | 11,645 | 11,338 | 9,498 | 5.38 | 5.07 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 94 | 3,261 | 3,135 | 2,853 | 2.36 | 2.17 | 2.09 |
| Major or Extreme CC | 14 | 5,568 | 5,325 | 5,389 | 3.85 | 3.45 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 101 | 4,161 | 4,607 | 4,524 | 2.17 | 2.43 | 2.34 |
| Major or Extreme CC | 19 | 8,779 | 7,889 | 8,410 | 5.53 | 4.96 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 294 | 15,503 | 17,258 | 17,541 | 3.76 | 3.65 | 4.02 |
| Major or Extreme CC | 52 | 19,211 | 20,871 | 22,091 | 5.42 | 5.24 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 144 | 6,424 | 7,437 | 7,330 | 2.83 | 2.53 | 2.50 |
| Major or Extreme CC | 18 | 11,744 | 15,119 | 15,281 | 5.72 | 5.88 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UTAH VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 395
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 79 | 2,388 | 3,067 | 3,015 | 2.12 | 2.33 | 2.37 |
| Major or Extreme CC | 9 | 7,167 | 6,055 | 6,574 | 5.22 | 4.58 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 199 | 5,510 | 5,725 | 5,752 | 2.91 | 2.64 | 2.61 |
| Major or Extreme CC | 7 | 9,427 | 12,906 | 11,953 | 5.14 | 4.92 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 422 | 4,605 | 5,358 | 5,070 | 3.21 | 3.27 | 3.17 |
| Major or Extreme CC | 89 | 8,239 | 7,826 | 7,853 | 5.10 | 4.57 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 2,847 | 2,632 | 2,971 | 2,661 | 1.55 | 1.79 | 1.70 |
| Major or Extreme CC | 145 | 4,940 | 4,609 | 4,044 | 2.65 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 90 | 3,214 | 3,780 | 3,602 | 1.81 | 1.95 | 1.85 |
| Major or Extreme CC | 3 | 6,006 | 5,501 | 6,076 | 2.33 | 2.50 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 651 | 5,512 | 5,590 | 6,168 | 5.57 | 5.82 | 6.08 |
| Major or Extreme CC | 32 | 6,939 | 7,343 | 11,462 | 6.69 | 6.51 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 3,198 | 920 | 963 | 883 | 1.69 | 1.82 | 1.75 |
| Major or Extreme CC | 60 | 2,795 | 3,429 | 3,209 | 2.73 | 3.19 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 71 | 2,844 | 3,185 | 3,131 | 2.72 | 2.65 | 2.91 |
| Major or Extreme CC | 3 | 4,696 | 7,154 | 5,920 | 3.67 | 4.33 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 637 | 5,784 | 7,595 | 7,725 | 1.85 | 2.19 | 2.31 |
| Major or Extreme CC | 16 | 18,151 | 19,054 | 21,115 | 9.06 | 7.63 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 159 | 6,405 | 7,283 | 7,153 | 2.53 | 2.46 | 2.33 |
| Major or Extreme CC | 25 | 14,500 | 16,389 | 13,515 | 6.63 | 7.28 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 39 | 4,028 | 4,860 | 4,605 | 2.18 | 2.52 | 2.47 |
| Major or Extreme CC | 24 | 10,148 | 9,178 | 9,068 | 4.77 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 10 | 4,516 | 4,292 | 4,873 | 2.56 | 2.52 | 2.50 |
| Major or Extreme CC | 2 | 4,245 | 6,817 | 11,427 | 2.50 | 3.90 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 19 | 5,238 | 4,912 | 4,601 | 3.47 | 3.13 | 3.08 |
| Major or Extreme CC | 5 | 6,711 | 7,129 | 6,914 | 4.40 | 4.25 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 66 | 4,685 | 4,784 | 4,256 | 3.02 | 2.85 | 2.65 |
| Major or Extreme CC | 25 | 7,582 | 8,905 | 8,831 | 4.96 | 5.29 | 5.27 |
| All other APDRGs | 8,333 | 12,451 | 12,340 | 11,555 | 5.71 | 5.18 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MCKAY DEE HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.

COUNTY: Weber
 OWNERSHIP: Not for profit

BED SIZE: 428
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 110 | 6,765 | 7,331 | 6,818 | 3.75 | 4.10 | 3.88 |
| Major or Extreme CC | 44 | 10,016 | 10,981 | 10,227 | 5.20 | 5.86 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 256 | 5,017 | 5,455 | 4,840 | 3.18 | 3.69 | 3.43 |
| Major or Extreme CC | 83 | 7,159 | 9,004 | 8,238 | 4.39 | 5.42 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 127 | 4,248 | 3,812 | 3,529 | 2.54 | 2.61 | 2.50 |
| Major or Extreme CC | 3 | 9,646 | 7,470 | 6,286 | 3.67 | 4.15 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 105 | 18,041 | 16,404 | 16,368 | 2.55 | 1.74 | 1.82 |
| Major or Extreme CC | 14 | 29,870 | 25,305 | 22,725 | 5.21 | 4.20 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 48 | 9,468 | 9,052 | 8,265 | 3.79 | 3.65 | 3.16 |
| Major or Extreme CC | 29 | 16,218 | 17,738 | 14,900 | 5.96 | 6.36 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 62 | 9,739 | 8,142 | 7,941 | 2.34 | 2.07 | 2.11 |
| Major or Extreme CC | 9 | 12,169 | 15,100 | 13,057 | 4.00 | 5.00 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 137 | 5,147 | 6,007 | 5,447 | 3.26 | 3.93 | 3.76 |
| Major or Extreme CC | 36 | 7,667 | 9,166 | 8,551 | 4.22 | 5.42 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 79 | 4,315 | 4,004 | 3,763 | 2.34 | 2.26 | 2.15 |
| Major or Extreme CC | 14 | 9,424 | 9,167 | 7,864 | 3.25 | 3.93 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 19 | 11,255 | 14,025 | 13,947 | 6.74 | 7.60 | 7.27 |
| Major or Extreme CC | 10 | 14,604 | 26,895 | 24,531 | 6.30 | 12.94 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 60 | 6,533 | 5,668 | 5,434 | 3.23 | 2.44 | 2.29 |
| Major or Extreme CC | 4 | 17,823 | 19,233 | 15,125 | 8.00 | 9.31 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 17 | 4,721 | 5,066 | 4,865 | 2.65 | 2.79 | 2.67 |
| Major or Extreme CC | 11 | 10,578 | 11,338 | 9,498 | 4.73 | 5.07 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 129 | 2,983 | 3,135 | 2,853 | 2.04 | 2.17 | 2.09 |
| Major or Extreme CC | 8 | 4,325 | 5,325 | 5,389 | 3.13 | 3.45 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 65 | 4,842 | 4,607 | 4,524 | 2.67 | 2.43 | 2.34 |
| Major or Extreme CC | 13 | 7,239 | 7,889 | 8,410 | 4.38 | 4.96 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 315 | 17,862 | 17,258 | 17,541 | 3.55 | 3.65 | 4.02 |
| Major or Extreme CC | 24 | 25,115 | 20,871 | 22,091 | 5.52 | 5.24 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 129 | 6,337 | 7,437 | 7,330 | 2.54 | 2.53 | 2.50 |
| Major or Extreme CC | 10 | 16,640 | 15,119 | 15,281 | 5.33 | 5.88 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MCKAY DEE HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4)
 IHC, Inc.

COUNTY: Weber
 OWNERSHIP: Not for profit

BED SIZE: 428
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 56 | 3,070 | 3,067 | 3,015 | 2.32 | 2.33 | 2.37 |
| Major or Extreme CC | 12 | 4,665 | 6,055 | 6,574 | 3.67 | 4.58 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 544 | 5,303 | 5,725 | 5,752 | 2.71 | 2.64 | 2.61 |
| Major or Extreme CC | 7 | 10,398 | 12,906 | 11,953 | 4.71 | 4.92 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 460 | 5,353 | 5,358 | 5,070 | 3.26 | 3.27 | 3.17 |
| Major or Extreme CC | 70 | 7,193 | 7,826 | 7,853 | 4.33 | 4.57 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 2,320 | 3,177 | 2,971 | 2,661 | 1.90 | 1.79 | 1.70 |
| Major or Extreme CC | 115 | 4,483 | 4,609 | 4,044 | 2.50 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 182 | 3,634 | 3,780 | 3,602 | 1.98 | 1.95 | 1.85 |
| Major or Extreme CC | 7 | 5,317 | 5,501 | 6,076 | 2.86 | 2.50 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 267 | 5,785 | 5,590 | 6,168 | 6.45 | 5.82 | 6.08 |
| Major or Extreme CC | 7 | 9,660 | 7,343 | 11,462 | 6.00 | 6.51 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 2,775 | 894 | 963 | 883 | 1.88 | 1.82 | 1.75 |
| Major or Extreme CC | 38 | 6,260 | 3,429 | 3,209 | 4.13 | 3.19 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 69 | 3,191 | 3,185 | 3,131 | 2.57 | 2.65 | 2.91 |
| Major or Extreme CC | . | . | 7,154 | 5,920 | . | 4.33 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 230 | 8,902 | 7,595 | 7,725 | 2.98 | 2.19 | 2.31 |
| Major or Extreme CC | 6 | 19,701 | 19,054 | 21,115 | 7.17 | 7.63 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 82 | 7,016 | 7,283 | 7,153 | 2.61 | 2.46 | 2.33 |
| Major or Extreme CC | 13 | 17,073 | 16,389 | 13,515 | 6.77 | 7.28 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 50 | 4,877 | 4,860 | 4,605 | 2.55 | 2.52 | 2.47 |
| Major or Extreme CC | 28 | 8,710 | 9,178 | 9,068 | 4.00 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 7 | 3,127 | 4,292 | 4,873 | 1.43 | 2.52 | 2.50 |
| Major or Extreme CC | 5 | 8,317 | 6,817 | 11,427 | 4.20 | 3.90 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 36 | 4,357 | 4,912 | 4,601 | 2.72 | 3.13 | 3.08 |
| Major or Extreme CC | 2 | 5,363 | 7,129 | 6,914 | 3.00 | 4.25 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 70 | 4,548 | 4,784 | 4,256 | 2.96 | 2.85 | 2.65 |
| Major or Extreme CC | 22 | 8,719 | 8,905 | 8,831 | 5.38 | 5.29 | 5.27 |
| All other APDRGs | 6,769 | 12,805 | 12,340 | 11,555 | 5.39 | 5.18 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 128
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 30 | 6,568 | 6,605 | 6,818 | 3.83 | 3.86 | 3.88 |
| Major or Extreme CC | 18 | 11,799 | 9,771 | 10,227 | 7.12 | 5.98 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 61 | 6,572 | 5,317 | 4,840 | 3.64 | 3.51 | 3.43 |
| Major or Extreme CC | 28 | 10,023 | 8,963 | 8,238 | 5.27 | 5.16 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 8 | 6,243 | 3,409 | 3,529 | 3.00 | 2.39 | 2.50 |
| Major or Extreme CC | . | . | 6,677 | 6,286 | . | 3.85 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 20 | 17,466 | 16,055 | 16,368 | 2.05 | 2.29 | 1.82 |
| Major or Extreme CC | 5 | 22,072 | 20,914 | 22,725 | 3.80 | 4.08 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 27 | 10,731 | 9,582 | 8,265 | 3.54 | 3.34 | 3.16 |
| Major or Extreme CC | 21 | 18,611 | 15,241 | 14,900 | 6.42 | 5.71 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 28 | 9,819 | 8,480 | 7,941 | 2.00 | 2.06 | 2.11 |
| Major or Extreme CC | . | . | 11,069 | 13,057 | . | 4.39 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 39 | 6,228 | 5,525 | 5,447 | 3.62 | 3.90 | 3.76 |
| Major or Extreme CC | 9 | 10,774 | 8,429 | 8,551 | 7.33 | 5.71 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 27 | 4,758 | 3,694 | 3,763 | 1.92 | 1.99 | 2.15 |
| Major or Extreme CC | 5 | 6,868 | 7,441 | 7,864 | 3.00 | 3.75 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 9 | 17,291 | 12,359 | 13,947 | 6.67 | 6.08 | 7.27 |
| Major or Extreme CC | 4 | 22,225 | 22,081 | 24,531 | 6.75 | 9.20 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 24 | 7,578 | 5,336 | 5,434 | 2.62 | 2.22 | 2.29 |
| Major or Extreme CC | 1 | 15,903 | 9,115 | 15,125 | 5.00 | 4.20 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 7 | 7,914 | 5,161 | 4,865 | 2.40 | 2.42 | 2.67 |
| Major or Extreme CC | 4 | 9,364 | 8,411 | 9,498 | 4.00 | 4.59 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 29 | 4,430 | 3,135 | 2,853 | 2.48 | 2.14 | 2.09 |
| Major or Extreme CC | 6 | 8,747 | 6,639 | 5,389 | 6.33 | 4.94 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 18 | 5,565 | 4,867 | 4,524 | 3.00 | 2.22 | 2.34 |
| Major or Extreme CC | 3 | 8,763 | 8,592 | 8,410 | 4.67 | 5.76 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 171 | 15,394 | 16,817 | 17,541 | 3.76 | 3.79 | 4.02 |
| Major or Extreme CC | 7 | 23,547 | 22,486 | 22,091 | 6.43 | 5.62 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 44 | 8,852 | 7,370 | 7,330 | 2.65 | 2.62 | 2.50 |
| Major or Extreme CC | . | . | 14,363 | 15,281 | . | 5.00 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 128
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 6 | 2,656 | 2,996 | 3,015 | 2.00 | 2.35 | 2.37 |
| Major or Extreme CC | 4 | 3,993 | 7,493 | 6,574 | 3.25 | 4.72 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 176 | 6,528 | 5,797 | 5,752 | 2.32 | 2.60 | 2.61 |
| Major or Extreme CC | 3 | 8,992 | 10,275 | 11,953 | 4.33 | 4.64 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 136 | 5,723 | 5,249 | 5,070 | 2.97 | 3.23 | 3.17 |
| Major or Extreme CC | 6 | 6,979 | 6,825 | 7,853 | 3.67 | 4.28 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 503 | 3,075 | 2,654 | 2,661 | 1.93 | 1.83 | 1.70 |
| Major or Extreme CC | 12 | 4,749 | 3,419 | 4,044 | 2.50 | 2.29 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 22 | 5,072 | 3,685 | 3,602 | 2.00 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 3,986 | 6,076 | . | 2.13 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 124 | 5,817 | 5,420 | 6,168 | 6.03 | 5.28 | 6.08 |
| Major or Extreme CC | 2 | 8,443 | 11,507 | 11,462 | 7.50 | 9.13 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 596 | 1,073 | 907 | 883 | 1.92 | 1.84 | 1.75 |
| Major or Extreme CC | 6 | 3,913 | 2,987 | 3,209 | 3.50 | 3.33 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 11 | 2,255 | 2,661 | 3,131 | 1.50 | 2.99 | 2.91 |
| Major or Extreme CC | . | . | 5,123 | 5,920 | . | 3.55 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 14 | 8,292 | 6,552 | 7,725 | 3.62 | 2.37 | 2.31 |
| Major or Extreme CC | . | . | 13,828 | 21,115 | . | 4.13 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 32 | 8,732 | 7,749 | 7,153 | 2.40 | 2.36 | 2.33 |
| Major or Extreme CC | 3 | 11,540 | 11,992 | 13,515 | 2.67 | 4.17 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 18 | 6,783 | 5,128 | 4,605 | 2.94 | 2.67 | 2.47 |
| Major or Extreme CC | 8 | 9,815 | 9,824 | 9,068 | 4.13 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 5,676 | 5,411 | 4,873 | 3.00 | 2.56 | 2.50 |
| Major or Extreme CC | . | . | 8,662 | 11,427 | . | 3.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 9 | 6,201 | 5,074 | 4,601 | 2.44 | 3.49 | 3.08 |
| Major or Extreme CC | 4 | 12,723 | 6,916 | 6,914 | 6.00 | 4.00 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 17 | 5,926 | 4,781 | 4,256 | 3.31 | 2.66 | 2.65 |
| Major or Extreme CC | 4 | 9,285 | 9,859 | 8,831 | 7.75 | 5.80 | 5.27 |
| All other APDRGs | 1,742 | 8,775 | 8,594 | 11,555 | 4.60 | 4.34 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 126
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 61 | 5,790 | 6,605 | 6,818 | 4.16 | 3.86 | 3.88 |
| Major or Extreme CC | 27 | 7,189 | 9,771 | 10,227 | 5.56 | 5.98 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 133 | 4,166 | 5,317 | 4,840 | 3.47 | 3.51 | 3.43 |
| Major or Extreme CC | 38 | 6,582 | 8,963 | 8,238 | 4.45 | 5.16 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 55 | 3,618 | 3,409 | 3,529 | 2.79 | 2.39 | 2.50 |
| Major or Extreme CC | 4 | 6,223 | 6,677 | 6,286 | 2.50 | 3.85 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 39 | 17,280 | 16,055 | 16,368 | 2.14 | 2.29 | 1.82 |
| Major or Extreme CC | 2 | 27,726 | 20,914 | 22,725 | 5.00 | 4.08 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 34 | 9,357 | 9,582 | 8,265 | 2.59 | 3.34 | 3.16 |
| Major or Extreme CC | 4 | 12,236 | 15,241 | 14,900 | 5.00 | 5.71 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 86 | 9,025 | 8,480 | 7,941 | 1.89 | 2.06 | 2.11 |
| Major or Extreme CC | 10 | 11,503 | 11,069 | 13,057 | 5.89 | 4.39 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 90 | 5,075 | 5,525 | 5,447 | 3.98 | 3.90 | 3.76 |
| Major or Extreme CC | 27 | 7,696 | 8,429 | 8,551 | 6.07 | 5.71 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 49 | 3,894 | 3,694 | 3,763 | 1.85 | 1.99 | 2.15 |
| Major or Extreme CC | 6 | 8,080 | 7,441 | 7,864 | 3.33 | 3.75 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 11 | 11,446 | 12,359 | 13,947 | 6.27 | 6.08 | 7.27 |
| Major or Extreme CC | 3 | 15,360 | 22,081 | 24,531 | 7.00 | 9.20 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 70 | 7,141 | 5,336 | 5,434 | 2.98 | 2.22 | 2.29 |
| Major or Extreme CC | 3 | 9,692 | 9,115 | 15,125 | 4.67 | 4.20 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 25 | 4,177 | 5,161 | 4,865 | 2.56 | 2.42 | 2.67 |
| Major or Extreme CC | 9 | 8,824 | 8,411 | 9,498 | 4.44 | 4.59 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 41 | 2,592 | 3,135 | 2,853 | 2.00 | 2.14 | 2.09 |
| Major or Extreme CC | 2 | 8,447 | 6,639 | 5,389 | 6.50 | 4.94 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 46 | 5,105 | 4,867 | 4,524 | 2.27 | 2.22 | 2.34 |
| Major or Extreme CC | 12 | 6,893 | 8,592 | 8,410 | 6.17 | 5.76 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 67 | 17,203 | 16,817 | 17,541 | 3.96 | 3.79 | 4.02 |
| Major or Extreme CC | 2 | 17,324 | 22,486 | 22,091 | 5.00 | 5.62 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 28 | 9,639 | 7,370 | 7,330 | 2.61 | 2.62 | 2.50 |
| Major or Extreme CC | 2 | 17,770 | 14,363 | 15,281 | 5.50 | 5.00 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 126
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 35 | 2,158 | 2,996 | 3,015 | 2.14 | 2.35 | 2.37 |
| Major or Extreme CC | 6 | 4,485 | 7,493 | 6,574 | 3.83 | 4.72 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 356 | 6,384 | 5,797 | 5,752 | 2.40 | 2.60 | 2.61 |
| Major or Extreme CC | 3 | 9,391 | 10,275 | 11,953 | 3.33 | 4.64 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 275 | 5,060 | 5,249 | 5,070 | 3.01 | 3.23 | 3.17 |
| Major or Extreme CC | 36 | 7,402 | 6,825 | 7,853 | 4.22 | 4.28 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,358 | 2,148 | 2,654 | 2,661 | 1.83 | 1.83 | 1.70 |
| Major or Extreme CC | 90 | 2,908 | 3,419 | 4,044 | 2.32 | 2.29 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 112 | 3,818 | 3,685 | 3,602 | 1.88 | 1.95 | 1.85 |
| Major or Extreme CC | 3 | 3,970 | 3,986 | 6,076 | 2.33 | 2.13 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 29 | 12,601 | 5,420 | 6,168 | 10.52 | 5.28 | 6.08 |
| Major or Extreme CC | 19 | 13,462 | 11,507 | 11,462 | 11.00 | 9.13 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 1,691 | 615 | 907 | 883 | 1.80 | 1.84 | 1.75 |
| Major or Extreme CC | 14 | 3,723 | 2,987 | 3,209 | 4.07 | 3.33 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 8 | 4,629 | 2,661 | 3,131 | 3.38 | 2.99 | 2.91 |
| Major or Extreme CC | 1 | 10,833 | 5,123 | 5,920 | 9.00 | 3.55 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 23 | 7,574 | 6,552 | 7,725 | 2.78 | 2.37 | 2.31 |
| Major or Extreme CC | . | . | 13,828 | 21,115 | . | 4.13 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 55 | 9,531 | 7,749 | 7,153 | 2.22 | 2.36 | 2.33 |
| Major or Extreme CC | 8 | 10,196 | 11,992 | 13,515 | 3.25 | 4.17 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 31 | 4,373 | 5,128 | 4,605 | 2.67 | 2.67 | 2.47 |
| Major or Extreme CC | 7 | 8,690 | 9,824 | 9,068 | 4.29 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,936 | 5,411 | 4,873 | 2.33 | 2.56 | 2.50 |
| Major or Extreme CC | 1 | 7,549 | 8,662 | 11,427 | 5.00 | 3.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 15 | 3,876 | 5,074 | 4,601 | 2.93 | 3.49 | 3.08 |
| Major or Extreme CC | 2 | 7,247 | 6,916 | 6,914 | 4.50 | 4.00 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 66 | 4,337 | 4,781 | 4,256 | 2.13 | 2.66 | 2.65 |
| Major or Extreme CC | 16 | 7,911 | 9,859 | 8,831 | 5.13 | 5.80 | 5.27 |
| All other APDRGs | 2,520 | 7,336 | 8,594 | 11,555 | 4.23 | 4.34 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

COTTONWOOD HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 213
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 97 | 7,202 | 6,605 | 6,818 | 3.99 | 3.86 | 3.88 |
| Major or Extreme CC | 43 | 11,349 | 9,771 | 10,227 | 5.64 | 5.98 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 168 | 5,537 | 5,317 | 4,840 | 3.56 | 3.51 | 3.43 |
| Major or Extreme CC | 122 | 8,741 | 8,963 | 8,238 | 4.76 | 5.16 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 58 | 3,062 | 3,409 | 3,529 | 2.09 | 2.39 | 2.50 |
| Major or Extreme CC | 16 | 7,691 | 6,677 | 6,286 | 4.27 | 3.85 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 4 | 21,306 | 16,055 | 16,368 | 2.75 | 2.29 | 1.82 |
| Major or Extreme CC | 1 | 12,503 | 20,914 | 22,725 | 1.00 | 4.08 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 120 | 9,307 | 9,582 | 8,265 | 3.45 | 3.34 | 3.16 |
| Major or Extreme CC | 45 | 14,775 | 15,241 | 14,900 | 5.38 | 5.71 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 133 | 7,492 | 8,480 | 7,941 | 2.13 | 2.06 | 2.11 |
| Major or Extreme CC | 13 | 12,339 | 11,069 | 13,057 | 4.67 | 4.39 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 76 | 6,806 | 5,525 | 5,447 | 3.74 | 3.90 | 3.76 |
| Major or Extreme CC | 51 | 9,008 | 8,429 | 8,551 | 4.88 | 5.71 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 128 | 3,160 | 3,694 | 3,763 | 1.95 | 1.99 | 2.15 |
| Major or Extreme CC | 29 | 6,668 | 7,441 | 7,864 | 3.22 | 3.75 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 21 | 8,059 | 12,359 | 13,947 | 5.14 | 6.08 | 7.27 |
| Major or Extreme CC | 7 | 17,873 | 22,081 | 24,531 | 9.29 | 9.20 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 218 | 3,468 | 5,336 | 5,434 | 1.70 | 2.22 | 2.29 |
| Major or Extreme CC | 5 | 7,294 | 9,115 | 15,125 | 3.60 | 4.20 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 19 | 4,091 | 5,161 | 4,865 | 2.28 | 2.42 | 2.67 |
| Major or Extreme CC | 6 | 7,994 | 8,411 | 9,498 | 3.83 | 4.59 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 74 | 3,128 | 3,135 | 2,853 | 2.00 | 2.14 | 2.09 |
| Major or Extreme CC | 5 | 4,701 | 6,639 | 5,389 | 3.60 | 4.94 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 114 | 4,201 | 4,867 | 4,524 | 2.05 | 2.22 | 2.34 |
| Major or Extreme CC | 15 | 9,052 | 8,592 | 8,410 | 6.00 | 5.76 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 110 | 16,787 | 16,817 | 17,541 | 3.76 | 3.79 | 4.02 |
| Major or Extreme CC | 12 | 22,092 | 22,486 | 22,091 | 5.50 | 5.62 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 133 | 6,010 | 7,370 | 7,330 | 2.68 | 2.62 | 2.50 |
| Major or Extreme CC | 6 | 11,824 | 14,363 | 15,281 | 4.80 | 5.00 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

COTTONWOOD HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 213
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 37 | 2,761 | 2,996 | 3,015 | 2.26 | 2.35 | 2.37 |
| Major or Extreme CC | 6 | 12,291 | 7,493 | 6,574 | 7.00 | 4.72 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 529 | 4,981 | 5,797 | 5,752 | 2.82 | 2.60 | 2.61 |
| Major or Extreme CC | 3 | 11,144 | 10,275 | 11,953 | 5.67 | 4.64 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 584 | 5,291 | 5,249 | 5,070 | 3.53 | 3.23 | 3.17 |
| Major or Extreme CC | 43 | 6,049 | 6,825 | 7,853 | 4.21 | 4.28 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 2,575 | 2,978 | 2,654 | 2,661 | 1.80 | 1.83 | 1.70 |
| Major or Extreme CC | 120 | 3,763 | 3,419 | 4,044 | 2.03 | 2.29 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 104 | 3,719 | 3,685 | 3,602 | 1.94 | 1.95 | 1.85 |
| Major or Extreme CC | 3 | 4,523 | 3,986 | 6,076 | 2.33 | 2.13 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,211 | 5,420 | 6,168 | 1.00 | 5.28 | 6.08 |
| Major or Extreme CC | . | . | 11,507 | 11,462 | . | 9.13 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 3,225 | 1,127 | 907 | 883 | 1.93 | 1.84 | 1.75 |
| Major or Extreme CC | 32 | 2,527 | 2,987 | 3,209 | 3.28 | 3.33 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 6 | 3,814 | 2,661 | 3,131 | 2.20 | 2.99 | 2.91 |
| Major or Extreme CC | 4 | 3,607 | 5,123 | 5,920 | 1.50 | 3.55 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 557 | 5,709 | 6,552 | 7,725 | 2.29 | 2.37 | 2.31 |
| Major or Extreme CC | 5 | 8,970 | 13,828 | 21,115 | 3.20 | 4.13 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 121 | 5,814 | 7,749 | 7,153 | 2.31 | 2.36 | 2.33 |
| Major or Extreme CC | 11 | 9,572 | 11,992 | 13,515 | 4.55 | 4.17 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 35 | 4,470 | 5,128 | 4,605 | 2.43 | 2.67 | 2.47 |
| Major or Extreme CC | 26 | 7,129 | 9,824 | 9,068 | 3.27 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 4,474 | 5,411 | 4,873 | 2.00 | 2.56 | 2.50 |
| Major or Extreme CC | 1 | 6,555 | 8,662 | 11,427 | 3.00 | 3.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 18 | 4,585 | 5,074 | 4,601 | 2.78 | 3.49 | 3.08 |
| Major or Extreme CC | 6 | 5,618 | 6,916 | 6,914 | 2.50 | 4.00 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 83 | 4,811 | 4,781 | 4,256 | 2.70 | 2.66 | 2.65 |
| Major or Extreme CC | 16 | 9,550 | 9,859 | 8,831 | 5.27 | 5.80 | 5.27 |
| All other APDRGs | 4,731 | 7,872 | 8,594 | 11,555 | 3.82 | 4.34 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 139
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 33 | 5,097 | 6,605 | 6,818 | 2.85 | 3.86 | 3.88 |
| Major or Extreme CC | 8 | 6,503 | 9,771 | 10,227 | 4.75 | 5.98 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 128 | 4,745 | 5,317 | 4,840 | 3.25 | 3.51 | 3.43 |
| Major or Extreme CC | 35 | 9,823 | 8,963 | 8,238 | 5.38 | 5.16 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 46 | 3,255 | 3,409 | 3,529 | 2.44 | 2.39 | 2.50 |
| Major or Extreme CC | 4 | 5,650 | 6,677 | 6,286 | 4.50 | 3.85 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | 16,055 | 16,368 | . | 2.29 | 1.82 |
| Major or Extreme CC | . | . | 20,914 | 22,725 | . | 4.08 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 46 | 9,418 | 9,582 | 8,265 | 2.52 | 3.34 | 3.16 |
| Major or Extreme CC | 15 | 12,523 | 15,241 | 14,900 | 4.58 | 5.71 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 110 | 9,419 | 8,480 | 7,941 | 2.08 | 2.06 | 2.11 |
| Major or Extreme CC | 9 | 10,554 | 11,069 | 13,057 | 2.78 | 4.39 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 51 | 5,211 | 5,525 | 5,447 | 3.55 | 3.90 | 3.76 |
| Major or Extreme CC | 15 | 6,335 | 8,429 | 8,551 | 5.07 | 5.71 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 23 | 4,214 | 3,694 | 3,763 | 2.18 | 1.99 | 2.15 |
| Major or Extreme CC | 10 | 7,915 | 7,441 | 7,864 | 4.60 | 3.75 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 11 | 15,287 | 12,359 | 13,947 | 5.91 | 6.08 | 7.27 |
| Major or Extreme CC | 2 | 20,322 | 22,081 | 24,531 | 7.50 | 9.20 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 20 | 11,114 | 5,336 | 5,434 | 3.50 | 2.22 | 2.29 |
| Major or Extreme CC | . | . | 9,115 | 15,125 | . | 4.20 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 16 | 5,199 | 5,161 | 4,865 | 2.44 | 2.42 | 2.67 |
| Major or Extreme CC | 3 | 6,820 | 8,411 | 9,498 | 4.00 | 4.59 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 23 | 2,994 | 3,135 | 2,853 | 2.43 | 2.14 | 2.09 |
| Major or Extreme CC | . | . | 6,639 | 5,389 | . | 4.94 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 18 | 6,037 | 4,867 | 4,524 | 2.61 | 2.22 | 2.34 |
| Major or Extreme CC | 1 | 8,793 | 8,592 | 8,410 | 6.00 | 5.76 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 43 | 20,438 | 16,817 | 17,541 | 3.77 | 3.79 | 4.02 |
| Major or Extreme CC | 2 | 26,924 | 22,486 | 22,091 | 6.00 | 5.62 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 34 | 7,920 | 7,370 | 7,330 | 2.97 | 2.62 | 2.50 |
| Major or Extreme CC | 4 | 11,737 | 14,363 | 15,281 | 4.33 | 5.00 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Paracelsus Health Care

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 139
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 9 | 4,615 | 2,996 | 3,015 | 3.33 | 2.35 | 2.37 |
| Major or Extreme CC | 2 | 2,812 | 7,493 | 6,574 | 1.50 | 4.72 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 61 | 6,193 | 5,797 | 5,752 | 2.83 | 2.60 | 2.61 |
| Major or Extreme CC | 3 | 9,843 | 10,275 | 11,953 | 4.67 | 4.64 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 63 | 4,744 | 5,249 | 5,070 | 2.95 | 3.23 | 3.17 |
| Major or Extreme CC | 3 | 6,188 | 6,825 | 7,853 | 3.67 | 4.28 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 353 | 2,265 | 2,654 | 2,661 | 1.78 | 1.83 | 1.70 |
| Major or Extreme CC | 19 | 2,778 | 3,419 | 4,044 | 2.53 | 2.29 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 33 | 3,327 | 3,685 | 3,602 | 1.94 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 3,986 | 6,076 | . | 2.13 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 2,987 | 5,420 | 6,168 | 1.00 | 5.28 | 6.08 |
| Major or Extreme CC | 1 | 1,704 | 11,507 | 11,462 | 1.00 | 9.13 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 422 | 606 | 907 | 883 | 1.87 | 1.84 | 1.75 |
| Major or Extreme CC | 7 | 817 | 2,987 | 3,209 | 2.29 | 3.33 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 2 | 5,408 | 2,661 | 3,131 | 1.50 | 2.99 | 2.91 |
| Major or Extreme CC | 1 | 16,103 | 5,123 | 5,920 | 6.00 | 3.55 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 3 | 9,322 | 6,552 | 7,725 | 2.00 | 2.37 | 2.31 |
| Major or Extreme CC | . | . | 13,828 | 21,115 | . | 4.13 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 30 | 10,025 | 7,749 | 7,153 | 2.29 | 2.36 | 2.33 |
| Major or Extreme CC | 5 | 11,341 | 11,992 | 13,515 | 3.40 | 4.17 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 15 | 5,210 | 5,128 | 4,605 | 2.40 | 2.67 | 2.47 |
| Major or Extreme CC | 8 | 9,461 | 9,824 | 9,068 | 3.75 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 5,266 | 5,411 | 4,873 | 2.00 | 2.56 | 2.50 |
| Major or Extreme CC | 3 | 9,735 | 8,662 | 11,427 | 3.67 | 3.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 12 | 3,881 | 5,074 | 4,601 | 4.67 | 3.49 | 3.08 |
| Major or Extreme CC | 2 | 0 | 6,916 | 6,914 | 5.00 | 4.00 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 13 | 4,775 | 4,781 | 4,256 | 3.23 | 2.66 | 2.65 |
| Major or Extreme CC | 5 | 15,189 | 9,859 | 8,831 | 7.40 | 5.80 | 5.27 |
| All other APDRGs | 1,239 | 7,199 | 8,594 | 11,555 | 3.84 | 4.34 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 126
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 29 | 6,971 | 6,605 | 6,818 | 3.66 | 3.86 | 3.88 |
| Major or Extreme CC | 14 | 8,828 | 9,771 | 10,227 | 5.50 | 5.98 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 110 | 6,936 | 5,317 | 4,840 | 3.76 | 3.51 | 3.43 |
| Major or Extreme CC | 39 | 13,357 | 8,963 | 8,238 | 6.76 | 5.16 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 14 | 3,738 | 3,409 | 3,529 | 2.08 | 2.39 | 2.50 |
| Major or Extreme CC | 1 | 4,156 | 6,677 | 6,286 | 2.00 | 3.85 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | 16,055 | 16,368 | . | 2.29 | 1.82 |
| Major or Extreme CC | . | . | 20,914 | 22,725 | . | 4.08 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 64 | 10,342 | 9,582 | 8,265 | 3.37 | 3.34 | 3.16 |
| Major or Extreme CC | 24 | 16,168 | 15,241 | 14,900 | 5.60 | 5.71 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 21 | 9,598 | 8,480 | 7,941 | 2.10 | 2.06 | 2.11 |
| Major or Extreme CC | . | . | 11,069 | 13,057 | . | 4.39 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 21 | 7,125 | 5,525 | 5,447 | 3.86 | 3.90 | 3.76 |
| Major or Extreme CC | 4 | 12,994 | 8,429 | 8,551 | 6.25 | 5.71 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 28 | 4,561 | 3,694 | 3,763 | 1.61 | 1.99 | 2.15 |
| Major or Extreme CC | 4 | 11,648 | 7,441 | 7,864 | 4.50 | 3.75 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 3 | 13,063 | 12,359 | 13,947 | 4.67 | 6.08 | 7.27 |
| Major or Extreme CC | 2 | 20,193 | 22,081 | 24,531 | 5.50 | 9.20 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 21 | 8,632 | 5,336 | 5,434 | 2.33 | 2.22 | 2.29 |
| Major or Extreme CC | . | . | 9,115 | 15,125 | . | 4.20 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 11 | 7,459 | 5,161 | 4,865 | 2.18 | 2.42 | 2.67 |
| Major or Extreme CC | 1 | 7,342 | 8,411 | 9,498 | 5.00 | 4.59 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 19 | 3,596 | 3,135 | 2,853 | 2.22 | 2.14 | 2.09 |
| Major or Extreme CC | 2 | 6,900 | 6,639 | 5,389 | 3.50 | 4.94 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 22 | 5,893 | 4,867 | 4,524 | 1.86 | 2.22 | 2.34 |
| Major or Extreme CC | 2 | 19,482 | 8,592 | 8,410 | 6.50 | 5.76 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 133 | 18,623 | 16,817 | 17,541 | 3.60 | 3.79 | 4.02 |
| Major or Extreme CC | 7 | 23,379 | 22,486 | 22,091 | 4.86 | 5.62 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 26 | 8,729 | 7,370 | 7,330 | 2.42 | 2.62 | 2.50 |
| Major or Extreme CC | 2 | 23,616 | 14,363 | 15,281 | 6.00 | 5.00 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MOUNTAIN VIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 126
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 20 | 4,510 | 2,996 | 3,015 | 2.79 | 2.35 | 2.37 |
| Major or Extreme CC | 4 | 13,831 | 7,493 | 6,574 | 7.33 | 4.72 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 95 | 6,338 | 5,797 | 5,752 | 2.57 | 2.60 | 2.61 |
| Major or Extreme CC | . | . | 10,275 | 11,953 | . | 4.64 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 148 | 5,439 | 5,249 | 5,070 | 2.94 | 3.23 | 3.17 |
| Major or Extreme CC | 10 | 6,324 | 6,825 | 7,853 | 3.60 | 4.28 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 928 | 2,876 | 2,654 | 2,661 | 1.71 | 1.83 | 1.70 |
| Major or Extreme CC | 13 | 4,129 | 3,419 | 4,044 | 2.54 | 2.29 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 34 | 4,442 | 3,685 | 3,602 | 1.85 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 3,986 | 6,076 | . | 2.13 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 122 | 5,095 | 5,420 | 6,168 | 4.77 | 5.28 | 6.08 |
| Major or Extreme CC | 9 | 9,149 | 11,507 | 11,462 | 6.44 | 9.13 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 1,049 | 1,043 | 907 | 883 | 1.69 | 1.84 | 1.75 |
| Major or Extreme CC | 9 | 4,601 | 2,987 | 3,209 | 3.00 | 3.33 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 24 | 3,838 | 2,661 | 3,131 | 3.04 | 2.99 | 2.91 |
| Major or Extreme CC | 1 | 2,561 | 5,123 | 5,920 | 2.00 | 3.55 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 62 | 9,226 | 6,552 | 7,725 | 2.61 | 2.37 | 2.31 |
| Major or Extreme CC | 2 | 23,646 | 13,828 | 21,115 | 6.00 | 4.13 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 25 | 9,431 | 7,749 | 7,153 | 2.80 | 2.36 | 2.33 |
| Major or Extreme CC | 9 | 17,543 | 11,992 | 13,515 | 5.22 | 4.17 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 15 | 5,615 | 5,128 | 4,605 | 2.00 | 2.67 | 2.47 |
| Major or Extreme CC | 10 | 20,848 | 9,824 | 9,068 | 6.89 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 10,930 | 5,411 | 4,873 | 4.00 | 2.56 | 2.50 |
| Major or Extreme CC | . | . | 8,662 | 11,427 | . | 3.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 11 | 5,917 | 5,074 | 4,601 | 3.27 | 3.49 | 3.08 |
| Major or Extreme CC | 1 | 7,765 | 6,916 | 6,914 | 4.00 | 4.00 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 16 | 5,008 | 4,781 | 4,256 | 2.33 | 2.66 | 2.65 |
| Major or Extreme CC | 14 | 10,676 | 9,859 | 8,831 | 6.07 | 5.80 | 5.27 |
| All other APDRGs | 1,846 | 9,901 | 8,594 | 11,555 | 4.37 | 4.34 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Weber
 OWNERSHIP: Investor-owned

BED SIZE: 227
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 69 | 7,153 | 6,605 | 6,818 | 4.02 | 3.86 | 3.88 |
| Major or Extreme CC | 21 | 9,965 | 9,771 | 10,227 | 7.15 | 5.98 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 107 | 4,895 | 5,317 | 4,840 | 3.51 | 3.51 | 3.43 |
| Major or Extreme CC | 57 | 7,087 | 8,963 | 8,238 | 5.20 | 5.16 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 47 | 3,142 | 3,409 | 3,529 | 2.20 | 2.39 | 2.50 |
| Major or Extreme CC | 2 | 3,805 | 6,677 | 6,286 | 3.00 | 3.85 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 73 | 14,726 | 16,055 | 16,368 | 2.41 | 2.29 | 1.82 |
| Major or Extreme CC | 5 | 18,712 | 20,914 | 22,725 | 4.75 | 4.08 | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 38 | 8,824 | 9,582 | 8,265 | 4.43 | 3.34 | 3.16 |
| Major or Extreme CC | 26 | 14,386 | 15,241 | 14,900 | 6.35 | 5.71 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 60 | 7,181 | 8,480 | 7,941 | 2.16 | 2.06 | 2.11 |
| Major or Extreme CC | 7 | 8,816 | 11,069 | 13,057 | 4.00 | 4.39 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 123 | 4,715 | 5,525 | 5,447 | 4.18 | 3.90 | 3.76 |
| Major or Extreme CC | 30 | 7,853 | 8,429 | 8,551 | 6.52 | 5.71 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 55 | 3,573 | 3,694 | 3,763 | 2.31 | 1.99 | 2.15 |
| Major or Extreme CC | 8 | 7,487 | 7,441 | 7,864 | 5.00 | 3.75 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 11 | 14,433 | 12,359 | 13,947 | 7.90 | 6.08 | 7.27 |
| Major or Extreme CC | 12 | 26,777 | 22,081 | 24,531 | 11.42 | 9.20 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 40 | 6,685 | 5,336 | 5,434 | 2.86 | 2.22 | 2.29 |
| Major or Extreme CC | 1 | 9,704 | 9,115 | 15,125 | 5.00 | 4.20 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 19 | 5,152 | 5,161 | 4,865 | 2.53 | 2.42 | 2.67 |
| Major or Extreme CC | 4 | 8,618 | 8,411 | 9,498 | 7.00 | 4.59 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 48 | 2,785 | 3,135 | 2,853 | 2.10 | 2.14 | 2.09 |
| Major or Extreme CC | 1 | 3,757 | 6,639 | 5,389 | 3.00 | 4.94 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 16 | 5,735 | 4,867 | 4,524 | 2.53 | 2.22 | 2.34 |
| Major or Extreme CC | 6 | 7,093 | 8,592 | 8,410 | 4.40 | 5.76 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 94 | 14,954 | 16,817 | 17,541 | 4.04 | 3.79 | 4.02 |
| Major or Extreme CC | 10 | 21,737 | 22,486 | 22,091 | 5.78 | 5.62 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 44 | 7,424 | 7,370 | 7,330 | 2.23 | 2.62 | 2.50 |
| Major or Extreme CC | 4 | 13,835 | 14,363 | 15,281 | 5.00 | 5.00 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OGDEN REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Weber
 OWNERSHIP: Investor-owned

BED SIZE: 227
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 26 | 2,847 | 2,996 | 3,015 | 2.13 | 2.35 | 2.37 |
| Major or Extreme CC | 9 | 5,901 | 7,493 | 6,574 | 4.25 | 4.72 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 219 | 5,921 | 5,797 | 5,752 | 2.54 | 2.60 | 2.61 |
| Major or Extreme CC | 2 | 12,870 | 10,275 | 11,953 | 5.50 | 4.64 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 268 | 5,128 | 5,249 | 5,070 | 3.17 | 3.23 | 3.17 |
| Major or Extreme CC | 18 | 7,816 | 6,825 | 7,853 | 5.38 | 4.28 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,388 | 2,352 | 2,654 | 2,661 | 1.91 | 1.83 | 1.70 |
| Major or Extreme CC | 39 | 3,198 | 3,419 | 4,044 | 2.78 | 2.29 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 97 | 3,045 | 3,685 | 3,602 | 2.05 | 1.95 | 1.85 |
| Major or Extreme CC | 2 | 3,202 | 3,986 | 6,076 | 1.50 | 2.13 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 82 | 2,824 | 5,420 | 6,168 | 3.19 | 5.28 | 6.08 |
| Major or Extreme CC | . | . | 11,507 | 11,462 | . | 9.13 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 1,650 | 670 | 907 | 883 | 1.78 | 1.84 | 1.75 |
| Major or Extreme CC | 8 | 3,113 | 2,987 | 3,209 | 3.38 | 3.33 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 98 | 2,131 | 2,661 | 3,131 | 3.15 | 2.99 | 2.91 |
| Major or Extreme CC | 4 | 3,107 | 5,123 | 5,920 | 4.00 | 3.55 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 90 | 9,463 | 6,552 | 7,725 | 2.45 | 2.37 | 2.31 |
| Major or Extreme CC | 1 | 18,481 | 13,828 | 21,115 | 5.00 | 4.13 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 26 | 7,889 | 7,749 | 7,153 | 2.42 | 2.36 | 2.33 |
| Major or Extreme CC | 5 | 11,123 | 11,992 | 13,515 | 4.60 | 4.17 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 27 | 5,422 | 5,128 | 4,605 | 3.36 | 2.67 | 2.47 |
| Major or Extreme CC | 9 | 7,803 | 9,824 | 9,068 | 5.11 | 4.27 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 3,862 | 5,411 | 4,873 | 2.50 | 2.56 | 2.50 |
| Major or Extreme CC | . | . | 8,662 | 11,427 | . | 3.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 21 | 6,031 | 5,074 | 4,601 | 4.47 | 3.49 | 3.08 |
| Major or Extreme CC | 4 | 6,137 | 6,916 | 6,914 | 3.50 | 4.00 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 38 | 4,919 | 4,781 | 4,256 | 3.11 | 2.66 | 2.65 |
| Major or Extreme CC | 16 | 9,837 | 9,859 | 8,831 | 5.73 | 5.80 | 5.27 |
| All other APDRGs | 3,126 | 10,398 | 8,594 | 11,555 | 5.29 | 4.34 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

JORDAN VALLEY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 Paracelsus Health Care

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 50
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 5 | 0 | 5,929 | 6,818 | 2.00 | 3.54 | 3.88 |
| Major or Extreme CC | 3 | 6,376 | 9,280 | 10,227 | 6.00 | 5.35 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 97 | 1,992 | 4,131 | 4,840 | 2.91 | 3.21 | 3.43 |
| Major or Extreme CC | 24 | 2,690 | 7,009 | 8,238 | 4.79 | 5.05 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 23 | 2,541 | 3,533 | 3,529 | 2.74 | 2.64 | 2.50 |
| Major or Extreme CC | 3 | 3,618 | 6,914 | 6,286 | 1.67 | 3.74 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 17 | 2,683 | 4,892 | 8,265 | 1.87 | 2.31 | 3.16 |
| Major or Extreme CC | 12 | 4,927 | 6,989 | 14,900 | 3.67 | 3.75 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 17 | 3,695 | 5,060 | 5,447 | 3.35 | 3.35 | 3.76 |
| Major or Extreme CC | 11 | 6,117 | 7,021 | 8,551 | 3.82 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 8 | 3,686 | 3,961 | 3,763 | 2.38 | 1.97 | 2.15 |
| Major or Extreme CC | 3 | 1,539 | 5,193 | 7,864 | 2.00 | 2.46 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 0 | 9,661 | 13,947 | 14.00 | 7.57 | 7.27 |
| Major or Extreme CC | 1 | 0 | 18,621 | 24,531 | 23.00 | 13.86 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 19 | 5,380 | 4,626 | 5,434 | 1.89 | 2.16 | 2.29 |
| Major or Extreme CC | 2 | 5,050 | 4,180 | 15,125 | 3.00 | 2.00 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 3 | 0 | 4,320 | 4,865 | 2.00 | 2.42 | 2.67 |
| Major or Extreme CC | 1 | 0 | 10,411 | 9,498 | 6.00 | 5.33 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 37 | 1,264 | 2,477 | 2,853 | 1.89 | 1.91 | 2.09 |
| Major or Extreme CC | 2 | 0 | 3,565 | 5,389 | 1.00 | 2.67 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 19 | 0 | 3,124 | 4,524 | 3.18 | 2.18 | 2.34 |
| Major or Extreme CC | 2 | 0 | 4,956 | 8,410 | 12.50 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 12 | 18,578 | 15,980 | 17,541 | 3.83 | 3.64 | 4.02 |
| Major or Extreme CC | . | . | 21,027 | 22,091 | . | 5.13 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 11 | 4,147 | 5,982 | 7,330 | 3.18 | 2.35 | 2.50 |
| Major or Extreme CC | 1 | 0 | 9,533 | 15,281 | 3.00 | 3.11 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

JORDAN VALLEY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 Paracelsus Health Care

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 50
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 7 | 1,501 | 2,868 | 3,015 | 2.14 | 2.26 | 2.37 |
| Major or Extreme CC | 3 | 2,885 | 4,619 | 6,574 | 4.33 | 4.50 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 98 | 5,020 | 5,094 | 5,752 | 2.57 | 2.46 | 2.61 |
| Major or Extreme CC | 1 | 15,286 | 10,560 | 11,953 | 4.00 | 4.86 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 140 | 3,053 | 4,649 | 5,070 | 3.17 | 3.03 | 3.17 |
| Major or Extreme CC | 31 | 5,141 | 6,349 | 7,853 | 3.97 | 3.91 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,046 | 1,242 | 2,432 | 2,661 | 1.86 | 1.66 | 1.70 |
| Major or Extreme CC | 95 | 1,936 | 3,080 | 4,044 | 2.43 | 2.06 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 72 | 2,527 | 3,204 | 3,602 | 1.88 | 1.76 | 1.85 |
| Major or Extreme CC | 2 | 2,517 | 3,117 | 6,076 | 3.50 | 2.75 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,939 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 1,265 | 459 | 855 | 883 | 1.79 | 1.73 | 1.75 |
| Major or Extreme CC | 13 | 969 | 2,340 | 3,209 | 2.77 | 3.00 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,970 | 3,131 | . | 1.88 | 2.91 |
| Major or Extreme CC | 2 | 1,959 | 3,811 | 5,920 | 5.00 | 5.00 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,263 | 7,725 | . | 1.53 | 2.31 |
| Major or Extreme CC | . | . | 36,400 | 21,115 | . | 7.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 19 | 6,489 | 6,222 | 7,153 | 2.37 | 2.50 | 2.33 |
| Major or Extreme CC | 4 | 9,083 | 17,704 | 13,515 | 3.75 | 6.90 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 11 | 1,558 | 3,673 | 4,605 | 2.18 | 2.21 | 2.47 |
| Major or Extreme CC | 3 | 16,181 | 8,284 | 9,068 | 5.33 | 3.29 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,778 | 4,873 | . | 1.67 | 2.50 |
| Major or Extreme CC | 1 | 5,010 | 5,010 | 11,427 | 2.00 | 2.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 16 | 2,932 | 4,483 | 4,601 | 2.87 | 3.00 | 3.08 |
| Major or Extreme CC | 1 | 0 | 4,440 | 6,914 | 6.00 | 3.75 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 60 | 2,530 | 3,302 | 4,256 | 2.28 | 2.36 | 2.65 |
| Major or Extreme CC | 4 | 7,244 | 6,882 | 8,831 | 3.75 | 3.86 | 5.27 |
| All other APDRGs | 1,148 | 2,867 | 5,302 | 11,555 | 2.98 | 3.16 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 70
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 35 | 6,771 | 5,929 | 6,818 | 3.97 | 3.54 | 3.88 |
| Major or Extreme CC | 10 | 8,462 | 9,280 | 10,227 | 4.90 | 5.35 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 69 | 5,793 | 4,131 | 4,840 | 3.96 | 3.21 | 3.43 |
| Major or Extreme CC | 59 | 8,588 | 7,009 | 8,238 | 5.50 | 5.05 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 27 | 4,596 | 3,533 | 3,529 | 3.04 | 2.64 | 2.50 |
| Major or Extreme CC | 12 | 6,938 | 6,914 | 6,286 | 4.50 | 3.74 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 48 | 5,784 | 4,892 | 8,265 | 2.52 | 2.31 | 3.16 |
| Major or Extreme CC | 12 | 7,328 | 6,989 | 14,900 | 3.00 | 3.75 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 54 | 5,811 | 5,060 | 5,447 | 3.87 | 3.35 | 3.76 |
| Major or Extreme CC | 16 | 9,402 | 7,021 | 8,551 | 6.50 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 49 | 3,913 | 3,961 | 3,763 | 2.13 | 1.97 | 2.15 |
| Major or Extreme CC | 7 | 5,315 | 5,193 | 7,864 | 2.71 | 2.46 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 3 | 12,800 | 9,661 | 13,947 | 8.00 | 7.57 | 7.27 |
| Major or Extreme CC | 3 | 37,380 | 18,621 | 24,531 | 19.33 | 13.86 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 124 | 3,950 | 4,626 | 5,434 | 1.99 | 2.16 | 2.29 |
| Major or Extreme CC | 1 | 4,115 | 4,180 | 15,125 | 1.00 | 2.00 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 9 | 5,203 | 4,320 | 4,865 | 2.78 | 2.42 | 2.67 |
| Major or Extreme CC | 4 | 18,408 | 10,411 | 9,498 | 6.75 | 5.33 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 37 | 2,895 | 2,477 | 2,853 | 1.67 | 1.91 | 2.09 |
| Major or Extreme CC | 4 | 5,328 | 3,565 | 5,389 | 4.00 | 2.67 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 48 | 3,850 | 3,124 | 4,524 | 2.21 | 2.18 | 2.34 |
| Major or Extreme CC | 1 | 10,239 | 4,956 | 8,410 | 5.00 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 73 | 14,298 | 15,980 | 17,541 | 3.58 | 3.64 | 4.02 |
| Major or Extreme CC | 6 | 16,225 | 21,027 | 22,091 | 4.50 | 5.13 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 64 | 5,390 | 5,982 | 7,330 | 2.21 | 2.35 | 2.50 |
| Major or Extreme CC | 2 | 6,971 | 9,533 | 15,281 | 3.00 | 3.11 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ALTA VIEW HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 70
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 9 | 3,127 | 2,868 | 3,015 | 2.11 | 2.26 | 2.37 |
| Major or Extreme CC | 2 | 6,450 | 4,619 | 6,574 | 5.00 | 4.50 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 262 | 4,734 | 5,094 | 5,752 | 2.32 | 2.46 | 2.61 |
| Major or Extreme CC | 4 | 11,625 | 10,560 | 11,953 | 5.67 | 4.86 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 225 | 4,759 | 4,649 | 5,070 | 2.93 | 3.03 | 3.17 |
| Major or Extreme CC | 10 | 8,800 | 6,349 | 7,853 | 4.50 | 3.91 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,470 | 2,868 | 2,432 | 2,661 | 1.61 | 1.66 | 1.70 |
| Major or Extreme CC | 36 | 4,171 | 3,080 | 4,044 | 1.94 | 2.06 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 96 | 3,332 | 3,204 | 3,602 | 1.70 | 1.76 | 1.85 |
| Major or Extreme CC | . | . | 3,117 | 6,076 | . | 2.75 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,939 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 1,756 | 962 | 855 | 883 | 1.74 | 1.73 | 1.75 |
| Major or Extreme CC | 10 | 3,363 | 2,340 | 3,209 | 3.60 | 3.00 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 5 | 3,439 | 2,970 | 3,131 | 2.20 | 1.88 | 2.91 |
| Major or Extreme CC | 1 | 7,516 | 3,811 | 5,920 | 5.00 | 5.00 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 14 | 5,280 | 7,263 | 7,725 | 2.36 | 1.53 | 2.31 |
| Major or Extreme CC | . | . | 36,400 | 21,115 | . | 7.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 72 | 5,838 | 6,222 | 7,153 | 2.52 | 2.50 | 2.33 |
| Major or Extreme CC | 10 | 24,683 | 17,704 | 13,515 | 10.20 | 6.90 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 23 | 4,692 | 3,673 | 4,605 | 2.38 | 2.21 | 2.47 |
| Major or Extreme CC | 10 | 6,417 | 8,284 | 9,068 | 2.90 | 3.29 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 3,708 | 3,778 | 4,873 | 2.00 | 1.67 | 2.50 |
| Major or Extreme CC | . | . | 5,010 | 11,427 | . | 2.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 21 | 4,767 | 4,483 | 4,601 | 3.24 | 3.00 | 3.08 |
| Major or Extreme CC | 3 | 5,920 | 4,440 | 6,914 | 3.00 | 3.75 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 26 | 3,790 | 3,302 | 4,256 | 2.35 | 2.36 | 2.65 |
| Major or Extreme CC | 13 | 7,038 | 6,882 | 8,831 | 4.08 | 3.86 | 5.27 |
| All other APDRGs | 1,779 | 5,909 | 5,302 | 11,555 | 3.37 | 3.16 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 4,158 | 5,929 | 6,818 | 4.00 | 3.54 | 3.88 |
| Major or Extreme CC | . | . | 9,280 | 10,227 | . | 5.35 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,975 | 4,131 | 4,840 | 2.75 | 3.21 | 3.43 |
| Major or Extreme CC | 8 | 4,886 | 7,009 | 8,238 | 3.71 | 5.05 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 2 | 5,556 | 3,533 | 3,529 | 4.00 | 2.64 | 2.50 |
| Major or Extreme CC | . | . | 6,914 | 6,286 | . | 3.74 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,892 | 8,265 | . | 2.31 | 3.16 |
| Major or Extreme CC | . | . | 6,989 | 14,900 | . | 3.75 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 2 | 5,487 | 5,060 | 5,447 | 5.00 | 3.35 | 3.76 |
| Major or Extreme CC | 2 | 3,076 | 7,021 | 8,551 | 2.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,961 | 3,763 | . | 1.97 | 2.15 |
| Major or Extreme CC | . | . | 5,193 | 7,864 | . | 2.46 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 9,661 | 13,947 | . | 7.57 | 7.27 |
| Major or Extreme CC | . | . | 18,621 | 24,531 | . | 13.86 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 9 | 4,505 | 4,626 | 5,434 | 2.00 | 2.16 | 2.29 |
| Major or Extreme CC | 2 | 3,190 | 4,180 | 15,125 | 1.50 | 2.00 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,320 | 4,865 | . | 2.42 | 2.67 |
| Major or Extreme CC | . | . | 10,411 | 9,498 | . | 5.33 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 2 | 6,300 | 2,477 | 2,853 | 5.50 | 1.91 | 2.09 |
| Major or Extreme CC | . | . | 3,565 | 5,389 | . | 2.67 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 5 | 3,082 | 3,124 | 4,524 | 1.60 | 2.18 | 2.34 |
| Major or Extreme CC | . | . | 4,956 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 1 | 14,887 | 15,980 | 17,541 | 3.00 | 3.64 | 4.02 |
| Major or Extreme CC | . | . | 21,027 | 22,091 | . | 5.13 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 1 | 4,867 | 5,982 | 7,330 | 2.00 | 2.35 | 2.50 |
| Major or Extreme CC | . | . | 9,533 | 15,281 | . | 3.11 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OREM COMMUNITY HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,357 | 2,868 | 3,015 | 2.00 | 2.26 | 2.37 |
| Major or Extreme CC | . | . | 4,619 | 6,574 | . | 4.50 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 37 | 5,471 | 5,094 | 5,752 | 2.86 | 2.46 | 2.61 |
| Major or Extreme CC | 1 | 12,523 | 10,560 | 11,953 | 6.00 | 4.86 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 190 | 4,980 | 4,649 | 5,070 | 3.09 | 3.03 | 3.17 |
| Major or Extreme CC | 24 | 6,374 | 6,349 | 7,853 | 3.48 | 3.91 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,056 | 2,825 | 2,432 | 2,661 | 1.53 | 1.66 | 1.70 |
| Major or Extreme CC | 73 | 3,335 | 3,080 | 4,044 | 1.73 | 2.06 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 39 | 3,460 | 3,204 | 3,602 | 1.56 | 1.76 | 1.85 |
| Major or Extreme CC | . | . | 3,117 | 6,076 | . | 2.75 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,939 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 1,273 | 886 | 855 | 883 | 1.69 | 1.73 | 1.75 |
| Major or Extreme CC | 24 | 2,601 | 2,340 | 3,209 | 2.91 | 3.00 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,970 | 3,131 | . | 1.88 | 2.91 |
| Major or Extreme CC | . | . | 3,811 | 5,920 | . | 5.00 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 5 | 6,507 | 7,263 | 7,725 | 1.00 | 1.53 | 2.31 |
| Major or Extreme CC | . | . | 36,400 | 21,115 | . | 7.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 1 | 2,286 | 6,222 | 7,153 | 1.00 | 2.50 | 2.33 |
| Major or Extreme CC | . | . | 17,704 | 13,515 | . | 6.90 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,673 | 4,605 | . | 2.21 | 2.47 |
| Major or Extreme CC | . | . | 8,284 | 9,068 | . | 3.29 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,778 | 4,873 | . | 1.67 | 2.50 |
| Major or Extreme CC | . | . | 5,010 | 11,427 | . | 2.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,483 | 4,601 | . | 3.00 | 3.08 |
| Major or Extreme CC | . | . | 4,440 | 6,914 | . | 3.75 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 2 | 6,471 | 3,302 | 4,256 | 4.00 | 2.36 | 2.65 |
| Major or Extreme CC | . | . | 6,882 | 8,831 | . | 3.86 | 5.27 |
| All other APDRGs | 273 | 3,456 | 5,302 | 11,555 | 2.67 | 3.16 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 72
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 11 | 5,031 | 5,929 | 6,818 | 3.45 | 3.54 | 3.88 |
| Major or Extreme CC | 3 | 7,992 | 9,280 | 10,227 | 4.67 | 5.35 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 137 | 4,115 | 4,131 | 4,840 | 2.98 | 3.21 | 3.43 |
| Major or Extreme CC | 40 | 7,086 | 7,009 | 8,238 | 4.95 | 5.05 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 49 | 3,144 | 3,533 | 3,529 | 2.28 | 2.64 | 2.50 |
| Major or Extreme CC | 4 | 3,966 | 6,914 | 6,286 | 2.25 | 3.74 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 11 | 3,758 | 4,892 | 8,265 | 2.14 | 2.31 | 3.16 |
| Major or Extreme CC | 6 | 10,435 | 6,989 | 14,900 | 5.17 | 3.75 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 68 | 4,263 | 5,060 | 5,447 | 2.77 | 3.35 | 3.76 |
| Major or Extreme CC | 18 | 4,886 | 7,021 | 8,551 | 3.50 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 31 | 3,244 | 3,961 | 3,763 | 1.79 | 1.97 | 2.15 |
| Major or Extreme CC | 1 | 4,255 | 5,193 | 7,864 | 2.00 | 2.46 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 2 | 10,946 | 9,661 | 13,947 | 6.50 | 7.57 | 7.27 |
| Major or Extreme CC | 2 | 11,273 | 18,621 | 24,531 | 6.50 | 13.86 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 62 | 4,528 | 4,626 | 5,434 | 2.52 | 2.16 | 2.29 |
| Major or Extreme CC | 1 | 4,487 | 4,180 | 15,125 | 2.00 | 2.00 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 13 | 3,196 | 4,320 | 4,865 | 2.00 | 2.42 | 2.67 |
| Major or Extreme CC | 4 | 5,017 | 10,411 | 9,498 | 3.75 | 5.33 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 41 | 2,591 | 2,477 | 2,853 | 1.85 | 1.91 | 2.09 |
| Major or Extreme CC | 1 | 3,642 | 3,565 | 5,389 | 2.00 | 2.67 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 23 | 3,183 | 3,124 | 4,524 | 1.70 | 2.18 | 2.34 |
| Major or Extreme CC | 4 | 5,011 | 4,956 | 8,410 | 3.75 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 50 | 16,117 | 15,980 | 17,541 | 3.64 | 3.64 | 4.02 |
| Major or Extreme CC | 5 | 23,337 | 21,027 | 22,091 | 5.20 | 5.13 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 29 | 6,730 | 5,982 | 7,330 | 2.48 | 2.35 | 2.50 |
| Major or Extreme CC | 5 | 7,097 | 9,533 | 15,281 | 2.40 | 3.11 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

AMERICAN FORK HOSPITAL
 PEER GROUP: Acute, urban, low CMI (n=5)
 IHC, Inc.

COUNTY: Utah
 OWNERSHIP: Not for profit

BED SIZE: 72
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 11 | 3,081 | 2,868 | 3,015 | 2.55 | 2.26 | 2.37 |
| Major or Extreme CC | 3 | 5,133 | 4,619 | 6,574 | 4.33 | 4.50 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 137 | 4,807 | 5,094 | 5,752 | 2.58 | 2.46 | 2.61 |
| Major or Extreme CC | 2 | 5,618 | 10,560 | 11,953 | 3.50 | 4.86 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 269 | 4,892 | 4,649 | 5,070 | 2.93 | 3.03 | 3.17 |
| Major or Extreme CC | 19 | 6,134 | 6,349 | 7,853 | 3.47 | 3.91 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,890 | 2,339 | 2,432 | 2,661 | 1.62 | 1.66 | 1.70 |
| Major or Extreme CC | 58 | 3,650 | 3,080 | 4,044 | 1.91 | 2.06 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 53 | 3,055 | 3,204 | 3,602 | 1.74 | 1.76 | 1.85 |
| Major or Extreme CC | 2 | 3,716 | 3,117 | 6,076 | 2.00 | 2.75 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,939 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 2,133 | 920 | 855 | 883 | 1.73 | 1.73 | 1.75 |
| Major or Extreme CC | 2 | 1,730 | 2,340 | 3,209 | 3.00 | 3.00 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 3 | 1,721 | 2,970 | 3,131 | 1.50 | 1.88 | 2.91 |
| Major or Extreme CC | . | . | 3,811 | 5,920 | . | 5.00 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,263 | 7,725 | . | 1.53 | 2.31 |
| Major or Extreme CC | . | . | 36,400 | 21,115 | . | 7.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 28 | 5,261 | 6,222 | 7,153 | 2.56 | 2.50 | 2.33 |
| Major or Extreme CC | 3 | 6,432 | 17,704 | 13,515 | 2.67 | 6.90 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 12 | 3,087 | 3,673 | 4,605 | 2.08 | 2.21 | 2.47 |
| Major or Extreme CC | 1 | 3,263 | 8,284 | 9,068 | 1.00 | 3.29 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,917 | 3,778 | 4,873 | 1.00 | 1.67 | 2.50 |
| Major or Extreme CC | . | . | 5,010 | 11,427 | . | 2.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 9 | 3,857 | 4,483 | 4,601 | 2.56 | 3.00 | 3.08 |
| Major or Extreme CC | . | . | 4,440 | 6,914 | . | 3.75 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 25 | 2,984 | 3,302 | 4,256 | 2.12 | 2.36 | 2.65 |
| Major or Extreme CC | 9 | 5,778 | 6,882 | 8,831 | 3.44 | 3.86 | 5.27 |
| All other APDRGs | 1,669 | 4,827 | 5,302 | 11,555 | 2.99 | 3.16 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

TIMPANOGOS REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=5)
 Columbia Healthcare, Inc.

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 47
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 7 | 7,739 | 5,929 | 6,818 | 2.57 | 3.54 | 3.88 |
| Major or Extreme CC | 1 | 30,040 | 9,280 | 10,227 | 10.00 | 5.35 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 50 | 6,281 | 4,131 | 4,840 | 3.50 | 3.21 | 3.43 |
| Major or Extreme CC | 8 | 10,461 | 7,009 | 8,238 | 4.25 | 5.05 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 8 | 4,838 | 3,533 | 3,529 | 3.00 | 2.64 | 2.50 |
| Major or Extreme CC | 4 | 12,262 | 6,914 | 6,286 | 4.50 | 3.74 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 7 | 5,918 | 4,892 | 8,265 | 2.00 | 2.31 | 3.16 |
| Major or Extreme CC | . | . | 6,989 | 14,900 | . | 3.75 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 18 | 7,353 | 5,060 | 5,447 | 3.72 | 3.35 | 3.76 |
| Major or Extreme CC | 4 | 12,154 | 7,021 | 8,551 | 3.50 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 18 | 5,538 | 3,961 | 3,763 | 1.53 | 1.97 | 2.15 |
| Major or Extreme CC | 2 | 10,713 | 5,193 | 7,864 | 2.50 | 2.46 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 7,334 | 9,661 | 13,947 | 2.00 | 7.57 | 7.27 |
| Major or Extreme CC | 1 | 14,416 | 18,621 | 24,531 | 3.00 | 13.86 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 24 | 8,175 | 4,626 | 5,434 | 2.32 | 2.16 | 2.29 |
| Major or Extreme CC | . | . | 4,180 | 15,125 | . | 2.00 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 2 | 14,134 | 4,320 | 4,865 | 4.00 | 2.42 | 2.67 |
| Major or Extreme CC | . | . | 10,411 | 9,498 | . | 5.33 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 17 | 3,573 | 2,477 | 2,853 | 2.20 | 1.91 | 2.09 |
| Major or Extreme CC | . | . | 3,565 | 5,389 | . | 2.67 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 7 | 6,465 | 3,124 | 4,524 | 1.57 | 2.18 | 2.34 |
| Major or Extreme CC | 1 | 9,363 | 4,956 | 8,410 | 3.00 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 57 | 17,559 | 15,980 | 17,541 | 3.68 | 3.64 | 4.02 |
| Major or Extreme CC | 5 | 24,479 | 21,027 | 22,091 | 5.80 | 5.13 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 15 | 8,662 | 5,982 | 7,330 | 2.07 | 2.35 | 2.50 |
| Major or Extreme CC | 1 | 36,374 | 9,533 | 15,281 | 7.00 | 3.11 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

TIMPANOGOS REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, low CMI (n=5)
 Columbia Healthcare, Inc.

COUNTY: Utah
 OWNERSHIP: Investor-owned

BED SIZE: 47
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 6 | 3,854 | 2,868 | 3,015 | 2.17 | 2.26 | 2.37 |
| Major or Extreme CC | . | . | 4,619 | 6,574 | . | 4.50 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 65 | 7,061 | 5,094 | 5,752 | 2.42 | 2.46 | 2.61 |
| Major or Extreme CC | . | . | 10,560 | 11,953 | . | 4.86 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 88 | 5,456 | 4,649 | 5,070 | 3.25 | 3.03 | 3.17 |
| Major or Extreme CC | 4 | 11,830 | 6,349 | 7,853 | 6.50 | 3.91 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 607 | 3,090 | 2,432 | 2,661 | 1.78 | 1.66 | 1.70 |
| Major or Extreme CC | 7 | 5,598 | 3,080 | 4,044 | 2.43 | 2.06 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 30 | 4,351 | 3,204 | 3,602 | 1.93 | 1.76 | 1.85 |
| Major or Extreme CC | . | . | 3,117 | 6,076 | . | 2.75 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 2 | 7,939 | 7,939 | 6,168 | 3.50 | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 699 | 1,046 | 855 | 883 | 1.68 | 1.73 | 1.75 |
| Major or Extreme CC | 2 | 3,735 | 2,340 | 3,209 | 2.50 | 3.00 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 1 | 4,374 | 2,970 | 3,131 | 1.00 | 1.88 | 2.91 |
| Major or Extreme CC | . | . | 3,811 | 5,920 | . | 5.00 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 66 | 7,748 | 7,263 | 7,725 | 1.39 | 1.53 | 2.31 |
| Major or Extreme CC | 1 | 36,400 | 36,400 | 21,115 | 7.00 | 7.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 14 | 11,041 | 6,222 | 7,153 | 2.62 | 2.50 | 2.33 |
| Major or Extreme CC | 4 | 19,074 | 17,704 | 13,515 | 5.00 | 6.90 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 5,965 | 3,673 | 4,605 | 1.67 | 2.21 | 2.47 |
| Major or Extreme CC | . | . | 8,284 | 9,068 | . | 3.29 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,778 | 4,873 | . | 1.67 | 2.50 |
| Major or Extreme CC | . | . | 5,010 | 11,427 | . | 2.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 10 | 6,963 | 4,483 | 4,601 | 3.10 | 3.00 | 3.08 |
| Major or Extreme CC | . | . | 4,440 | 6,914 | . | 3.75 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 12 | 6,239 | 3,302 | 4,256 | 3.10 | 2.36 | 2.65 |
| Major or Extreme CC | 2 | 10,113 | 6,882 | 8,831 | 4.50 | 3.86 | 5.27 |
| All other APDRGs | 748 | 9,432 | 5,302 | 11,555 | 3.50 | 3.16 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Box Elder
 OWNERSHIP: Investor-owned

BED SIZE: 49
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 6 | 5,465 | 6,422 | 6,818 | 3.50 | 3.89 | 3.88 |
| Major or Extreme CC | 10 | 4,385 | 7,395 | 10,227 | 3.00 | 4.33 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 30 | 3,516 | 4,495 | 4,840 | 2.37 | 3.37 | 3.43 |
| Major or Extreme CC | 10 | 6,154 | 7,216 | 8,238 | 3.75 | 5.09 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 9 | 2,554 | 3,020 | 3,529 | 2.00 | 2.17 | 2.50 |
| Major or Extreme CC | . | . | 4,714 | 6,286 | . | 3.38 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 6 | 4,670 | 7,493 | 8,265 | 1.40 | 2.67 | 3.16 |
| Major or Extreme CC | 3 | 7,800 | 10,034 | 14,900 | 4.33 | 4.20 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | 6,867 | 7,941 | . | 2.22 | 2.11 |
| Major or Extreme CC | . | . | 10,048 | 13,057 | . | 3.80 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 15 | 4,742 | 4,928 | 5,447 | 3.27 | 3.54 | 3.76 |
| Major or Extreme CC | 3 | 3,480 | 7,589 | 8,551 | 2.00 | 5.22 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 11 | 3,326 | 3,468 | 3,763 | 1.80 | 2.13 | 2.15 |
| Major or Extreme CC | . | . | 5,610 | 7,864 | . | 3.20 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 5 | 11,050 | 14,439 | 13,947 | 4.20 | 6.39 | 7.27 |
| Major or Extreme CC | 3 | 14,251 | 22,127 | 24,531 | 5.00 | 10.50 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 25 | 5,426 | 5,453 | 5,434 | 1.54 | 2.31 | 2.29 |
| Major or Extreme CC | . | . | 14,517 | 15,125 | . | 5.88 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 5 | 2,576 | 3,995 | 4,865 | 1.60 | 2.84 | 2.67 |
| Major or Extreme CC | 1 | 8,295 | 6,307 | 9,498 | 3.00 | 3.80 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 7 | 2,595 | 2,815 | 2,853 | 1.33 | 2.10 | 2.09 |
| Major or Extreme CC | 2 | 3,467 | 4,386 | 5,389 | 1.50 | 3.33 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 8 | 4,985 | 4,548 | 4,524 | 1.75 | 2.54 | 2.34 |
| Major or Extreme CC | 2 | 9,780 | 10,256 | 8,410 | 4.50 | 6.33 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 42 | 17,488 | 17,067 | 17,541 | 4.07 | 3.85 | 4.02 |
| Major or Extreme CC | 3 | 23,209 | 19,932 | 22,091 | 7.33 | 5.10 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 4 | 5,458 | 6,309 | 7,330 | 1.50 | 2.33 | 2.50 |
| Major or Extreme CC | . | . | 14,181 | 15,281 | . | 4.91 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Box Elder
 OWNERSHIP: Investor-owned

BED SIZE: 49
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 11 | 2,266 | 2,686 | 3,015 | 2.00 | 2.37 | 2.37 |
| Major or Extreme CC | . | . | 6,067 | 6,574 | . | 3.91 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 48 | 8,149 | 5,431 | 5,752 | 2.15 | 2.56 | 2.61 |
| Major or Extreme CC | . | . | 10,813 | 11,953 | . | 5.73 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 71 | 5,304 | 4,198 | 5,070 | 2.77 | 2.75 | 3.17 |
| Major or Extreme CC | 9 | 7,001 | 5,775 | 7,853 | 4.56 | 3.79 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 381 | 2,521 | 2,147 | 2,661 | 1.42 | 1.47 | 1.70 |
| Major or Extreme CC | 11 | 3,213 | 2,930 | 4,044 | 1.90 | 1.90 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 27 | 4,568 | 3,094 | 3,602 | 1.74 | 1.64 | 1.85 |
| Major or Extreme CC | . | . | 3,761 | 6,076 | . | 2.18 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,520 | 6,168 | . | 4.69 | 6.08 |
| Major or Extreme CC | . | . | 8,765 | 11,462 | . | 7.81 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 485 | 729 | 790 | 883 | 1.64 | 1.56 | 1.75 |
| Major or Extreme CC | 3 | 1,225 | 2,974 | 3,209 | 3.00 | 2.94 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,320 | 3,131 | . | 3.23 | 2.91 |
| Major or Extreme CC | . | . | 4,688 | 5,920 | . | 3.57 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 8 | 6,304 | 7,470 | 7,725 | 2.50 | 2.78 | 2.31 |
| Major or Extreme CC | . | . | 13,932 | 21,115 | . | 5.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 26 | 7,585 | 6,986 | 7,153 | 1.54 | 2.23 | 2.33 |
| Major or Extreme CC | 4 | 11,125 | 10,520 | 13,515 | 3.50 | 4.44 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 3,369 | 3,959 | 4,605 | 1.00 | 2.31 | 2.47 |
| Major or Extreme CC | 3 | 5,560 | 6,294 | 9,068 | 2.00 | 3.35 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,229 | 3,733 | 4,873 | 1.00 | 2.00 | 2.50 |
| Major or Extreme CC | 2 | 3,909 | 20,035 | 11,427 | 2.00 | 8.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 5 | 4,021 | 4,058 | 4,601 | 2.80 | 2.79 | 3.08 |
| Major or Extreme CC | 4 | 5,991 | 5,972 | 6,914 | 3.25 | 3.93 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 7 | 2,745 | 3,540 | 4,256 | 1.71 | 2.63 | 2.65 |
| Major or Extreme CC | 1 | 6,785 | 7,293 | 8,831 | 4.00 | 5.05 | 5.27 |
| All other APDRGs | 569 | 5,607 | 6,628 | 11,555 | 2.99 | 3.84 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Cache
 OWNERSHIP: Not for profit

BED SIZE: 148
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 29 | 5,054 | 6,422 | 6,818 | 3.38 | 3.89 | 3.88 |
| Major or Extreme CC | 9 | 5,609 | 7,395 | 10,227 | 3.44 | 4.33 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 125 | 3,951 | 4,495 | 4,840 | 3.19 | 3.37 | 3.43 |
| Major or Extreme CC | 48 | 7,077 | 7,216 | 8,238 | 5.49 | 5.09 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 69 | 2,500 | 3,020 | 3,529 | 2.01 | 2.17 | 2.50 |
| Major or Extreme CC | 6 | 6,733 | 4,714 | 6,286 | 4.67 | 3.38 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 65 | 8,788 | 7,493 | 8,265 | 2.82 | 2.67 | 3.16 |
| Major or Extreme CC | 17 | 11,907 | 10,034 | 14,900 | 4.94 | 4.20 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 92 | 7,295 | 6,867 | 7,941 | 2.01 | 2.22 | 2.11 |
| Major or Extreme CC | 9 | 9,674 | 10,048 | 13,057 | 3.44 | 3.80 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 60 | 4,883 | 4,928 | 5,447 | 3.55 | 3.54 | 3.76 |
| Major or Extreme CC | 20 | 6,483 | 7,589 | 8,551 | 4.10 | 5.22 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 64 | 3,644 | 3,468 | 3,763 | 1.87 | 2.13 | 2.15 |
| Major or Extreme CC | 17 | 5,326 | 5,610 | 7,864 | 2.94 | 3.20 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 8 | 16,519 | 14,439 | 13,947 | 7.86 | 6.39 | 7.27 |
| Major or Extreme CC | 9 | 18,812 | 22,127 | 24,531 | 11.75 | 10.50 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 121 | 3,989 | 5,453 | 5,434 | 2.27 | 2.31 | 2.29 |
| Major or Extreme CC | 4 | 5,878 | 14,517 | 15,125 | 3.75 | 5.88 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 10 | 4,590 | 3,995 | 4,865 | 3.00 | 2.84 | 2.67 |
| Major or Extreme CC | 9 | 6,721 | 6,307 | 9,498 | 3.67 | 3.80 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 54 | 2,558 | 2,815 | 2,853 | 1.96 | 2.10 | 2.09 |
| Major or Extreme CC | 6 | 4,430 | 4,386 | 5,389 | 3.17 | 3.33 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 69 | 3,670 | 4,548 | 4,524 | 2.37 | 2.54 | 2.34 |
| Major or Extreme CC | 13 | 9,518 | 10,256 | 8,410 | 6.00 | 6.33 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 98 | 17,064 | 17,067 | 17,541 | 4.01 | 3.85 | 4.02 |
| Major or Extreme CC | 11 | 16,602 | 19,932 | 22,091 | 4.18 | 5.10 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 71 | 5,190 | 6,309 | 7,330 | 2.25 | 2.33 | 2.50 |
| Major or Extreme CC | 3 | 19,459 | 14,181 | 15,281 | 3.50 | 4.91 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

LOGAN REGIONAL HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Cache
 OWNERSHIP: Not for profit

BED SIZE: 148
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 37 | 2,286 | 2,686 | 3,015 | 2.29 | 2.37 | 2.37 |
| Major or Extreme CC | 5 | 4,468 | 6,067 | 6,574 | 3.50 | 3.91 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 239 | 4,353 | 5,431 | 5,752 | 2.51 | 2.56 | 2.61 |
| Major or Extreme CC | 4 | 9,070 | 10,813 | 11,953 | 4.75 | 5.73 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 225 | 4,008 | 4,198 | 5,070 | 2.53 | 2.75 | 3.17 |
| Major or Extreme CC | 25 | 5,866 | 5,775 | 7,853 | 3.32 | 3.79 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,691 | 2,353 | 2,147 | 2,661 | 1.57 | 1.47 | 1.70 |
| Major or Extreme CC | 111 | 3,930 | 2,930 | 4,044 | 2.15 | 1.90 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 87 | 3,101 | 3,094 | 3,602 | 1.65 | 1.64 | 1.85 |
| Major or Extreme CC | 6 | 3,862 | 3,761 | 6,076 | 1.83 | 2.18 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 132 | 5,901 | 5,520 | 6,168 | 3.98 | 4.69 | 6.08 |
| Major or Extreme CC | 3 | 12,532 | 8,765 | 11,462 | 8.00 | 7.81 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 2,078 | 728 | 790 | 883 | 1.67 | 1.56 | 1.75 |
| Major or Extreme CC | 17 | 3,282 | 2,974 | 3,209 | 3.24 | 2.94 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 21 | 3,179 | 3,320 | 3,131 | 2.75 | 3.23 | 2.91 |
| Major or Extreme CC | 3 | 3,841 | 4,688 | 5,920 | 3.33 | 3.57 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 13 | 5,837 | 7,470 | 7,725 | 2.46 | 2.78 | 2.31 |
| Major or Extreme CC | . | . | 13,932 | 21,115 | . | 5.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 101 | 5,617 | 6,986 | 7,153 | 2.55 | 2.23 | 2.33 |
| Major or Extreme CC | 16 | 9,191 | 10,520 | 13,515 | 4.93 | 4.44 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 30 | 3,565 | 3,959 | 4,605 | 2.17 | 2.31 | 2.47 |
| Major or Extreme CC | 22 | 6,352 | 6,294 | 9,068 | 3.41 | 3.35 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 5,094 | 3,733 | 4,873 | 2.67 | 2.00 | 2.50 |
| Major or Extreme CC | 1 | 5,354 | 20,035 | 11,427 | 3.00 | 8.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 27 | 3,334 | 4,058 | 4,601 | 2.26 | 2.79 | 3.08 |
| Major or Extreme CC | 2 | 6,710 | 5,972 | 6,914 | 5.00 | 3.93 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 50 | 3,142 | 3,540 | 4,256 | 2.51 | 2.63 | 2.65 |
| Major or Extreme CC | 16 | 7,486 | 7,293 | 8,831 | 5.56 | 5.05 | 5.27 |
| All other APDRGs | 2,750 | 5,573 | 6,628 | 11,555 | 3.60 | 3.84 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Carbon
 OWNERSHIP: Investor-owned

BED SIZE: 74
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 11 | 6,640 | 6,422 | 6,818 | 4.50 | 3.89 | 3.88 |
| Major or Extreme CC | 11 | 7,347 | 7,395 | 10,227 | 4.00 | 4.33 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 77 | 5,550 | 4,495 | 4,840 | 3.30 | 3.37 | 3.43 |
| Major or Extreme CC | 57 | 6,898 | 7,216 | 8,238 | 4.30 | 5.09 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 13 | 3,422 | 3,020 | 3,529 | 1.91 | 2.17 | 2.50 |
| Major or Extreme CC | 7 | 4,256 | 4,714 | 6,286 | 2.86 | 3.38 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 32 | 7,589 | 7,493 | 8,265 | 2.62 | 2.67 | 3.16 |
| Major or Extreme CC | 19 | 9,769 | 10,034 | 14,900 | 4.27 | 4.20 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | 6,867 | 7,941 | . | 2.22 | 2.11 |
| Major or Extreme CC | . | . | 10,048 | 13,057 | . | 3.80 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 49 | 6,508 | 4,928 | 5,447 | 3.65 | 3.54 | 3.76 |
| Major or Extreme CC | 13 | 7,467 | 7,589 | 8,551 | 4.46 | 5.22 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 16 | 4,991 | 3,468 | 3,763 | 2.63 | 2.13 | 2.15 |
| Major or Extreme CC | 3 | 12,331 | 5,610 | 7,864 | 2.33 | 3.20 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 6 | 21,111 | 14,439 | 13,947 | 7.67 | 6.39 | 7.27 |
| Major or Extreme CC | 4 | 19,637 | 22,127 | 24,531 | 6.25 | 10.50 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 20 | 11,498 | 5,453 | 5,434 | 2.61 | 2.31 | 2.29 |
| Major or Extreme CC | 1 | 15,627 | 14,517 | 15,125 | 4.00 | 5.88 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 10 | 6,166 | 3,995 | 4,865 | 4.67 | 2.84 | 2.67 |
| Major or Extreme CC | . | . | 6,307 | 9,498 | . | 3.80 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 35 | 2,893 | 2,815 | 2,853 | 2.12 | 2.10 | 2.09 |
| Major or Extreme CC | 3 | 4,301 | 4,386 | 5,389 | 3.33 | 3.33 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 15 | 7,500 | 4,548 | 4,524 | 3.13 | 2.54 | 2.34 |
| Major or Extreme CC | 2 | 29,553 | 10,256 | 8,410 | 12.50 | 6.33 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 51 | 21,479 | 17,067 | 17,541 | 3.74 | 3.85 | 4.02 |
| Major or Extreme CC | 6 | 22,513 | 19,932 | 22,091 | 3.83 | 5.10 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 36 | 11,871 | 6,309 | 7,330 | 2.59 | 2.33 | 2.50 |
| Major or Extreme CC | . | . | 14,181 | 15,281 | . | 4.91 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CASTLEVIEW HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Carbon
 OWNERSHIP: Investor-owned

BED SIZE: 74
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 11 | 4,793 | 2,686 | 3,015 | 2.82 | 2.37 | 2.37 |
| Major or Extreme CC | 9 | 8,259 | 6,067 | 6,574 | 4.38 | 3.91 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 72 | 8,467 | 5,431 | 5,752 | 2.83 | 2.56 | 2.61 |
| Major or Extreme CC | 3 | 14,442 | 10,813 | 11,953 | 6.33 | 5.73 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 62 | 8,053 | 4,198 | 5,070 | 3.21 | 2.75 | 3.17 |
| Major or Extreme CC | 11 | 10,627 | 5,775 | 7,853 | 4.73 | 3.79 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 329 | 2,725 | 2,147 | 2,661 | 1.51 | 1.47 | 1.70 |
| Major or Extreme CC | 8 | 4,099 | 2,930 | 4,044 | 2.00 | 1.90 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 4 | 6,580 | 3,094 | 3,602 | 1.75 | 1.64 | 1.85 |
| Major or Extreme CC | 1 | 6,199 | 3,761 | 6,076 | 3.00 | 2.18 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,520 | 6,168 | . | 4.69 | 6.08 |
| Major or Extreme CC | . | . | 8,765 | 11,462 | . | 7.81 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 293 | 1,147 | 790 | 883 | 1.54 | 1.56 | 1.75 |
| Major or Extreme CC | 12 | 2,430 | 2,974 | 3,209 | 2.42 | 2.94 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,630 | 3,320 | 3,131 | 3.67 | 3.23 | 2.91 |
| Major or Extreme CC | 1 | 5,942 | 4,688 | 5,920 | 2.00 | 3.57 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 11 | 11,844 | 7,470 | 7,725 | 2.18 | 2.78 | 2.31 |
| Major or Extreme CC | . | . | 13,932 | 21,115 | . | 5.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 37 | 11,828 | 6,986 | 7,153 | 2.39 | 2.23 | 2.33 |
| Major or Extreme CC | 4 | 15,787 | 10,520 | 13,515 | 4.00 | 4.44 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 14 | 6,021 | 3,959 | 4,605 | 2.46 | 2.31 | 2.47 |
| Major or Extreme CC | 1 | 5,965 | 6,294 | 9,068 | 2.00 | 3.35 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,747 | 3,733 | 4,873 | 1.50 | 2.00 | 2.50 |
| Major or Extreme CC | . | . | 20,035 | 11,427 | . | 8.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 21 | 4,968 | 4,058 | 4,601 | 2.81 | 2.79 | 3.08 |
| Major or Extreme CC | . | . | 5,972 | 6,914 | . | 3.93 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 27 | 5,337 | 3,540 | 4,256 | 3.19 | 2.63 | 2.65 |
| Major or Extreme CC | 11 | 10,237 | 7,293 | 8,831 | 6.33 | 5.05 | 5.27 |
| All other APDRGs | 1,182 | 7,447 | 6,628 | 11,555 | 3.80 | 3.84 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Iron
 OWNERSHIP: Not for profit

BED SIZE: 48
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 4,973 | 6,422 | 6,818 | 3.00 | 3.89 | 3.88 |
| Major or Extreme CC | . | . | 7,395 | 10,227 | . | 4.33 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 30 | 5,011 | 4,495 | 4,840 | 3.13 | 3.37 | 3.43 |
| Major or Extreme CC | 16 | 8,530 | 7,216 | 8,238 | 5.19 | 5.09 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 3 | 4,191 | 3,020 | 3,529 | 2.00 | 2.17 | 2.50 |
| Major or Extreme CC | 1 | 7,433 | 4,714 | 6,286 | 4.00 | 3.38 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 24 | 5,961 | 7,493 | 8,265 | 2.86 | 2.67 | 3.16 |
| Major or Extreme CC | 7 | 8,214 | 10,034 | 14,900 | 4.29 | 4.20 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | 6,867 | 7,941 | . | 2.22 | 2.11 |
| Major or Extreme CC | . | . | 10,048 | 13,057 | . | 3.80 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 12 | 3,918 | 4,928 | 5,447 | 2.50 | 3.54 | 3.76 |
| Major or Extreme CC | 3 | 5,846 | 7,589 | 8,551 | 4.00 | 5.22 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 6 | 2,854 | 3,468 | 3,763 | 1.50 | 2.13 | 2.15 |
| Major or Extreme CC | . | . | 5,610 | 7,864 | . | 3.20 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 6 | 13,258 | 14,439 | 13,947 | 4.67 | 6.39 | 7.27 |
| Major or Extreme CC | 3 | 32,275 | 22,127 | 24,531 | 14.33 | 10.50 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 11 | 7,250 | 5,453 | 5,434 | 2.30 | 2.31 | 2.29 |
| Major or Extreme CC | . | . | 14,517 | 15,125 | . | 5.88 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 8 | 4,433 | 3,995 | 4,865 | 3.57 | 2.84 | 2.67 |
| Major or Extreme CC | 2 | 7,067 | 6,307 | 9,498 | 4.00 | 3.80 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 9 | 2,497 | 2,815 | 2,853 | 1.89 | 2.10 | 2.09 |
| Major or Extreme CC | 2 | 3,378 | 4,386 | 5,389 | 1.50 | 3.33 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 11 | 5,030 | 4,548 | 4,524 | 2.36 | 2.54 | 2.34 |
| Major or Extreme CC | 1 | 6,062 | 10,256 | 8,410 | 2.00 | 6.33 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 54 | 15,521 | 17,067 | 17,541 | 3.52 | 3.85 | 4.02 |
| Major or Extreme CC | 3 | 19,625 | 19,932 | 22,091 | 3.67 | 5.10 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 35 | 5,039 | 6,309 | 7,330 | 1.88 | 2.33 | 2.50 |
| Major or Extreme CC | . | . | 14,181 | 15,281 | . | 4.91 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APRDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

VALLEY VIEW MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Iron
 OWNERSHIP: Not for profit

BED SIZE: 48
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|--|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 2,348 | 2,686 | 3,015 | 2.75 | 2.37 | 2.37 |
| Major or Extreme CC | . | . | 6,067 | 6,574 | . | 3.91 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 57 | 4,751 | 5,431 | 5,752 | 2.20 | 2.56 | 2.61 |
| Major or Extreme CC | . | . | 10,813 | 11,953 | . | 5.73 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 87 | 4,085 | 4,198 | 5,070 | 2.45 | 2.75 | 3.17 |
| Major or Extreme CC | 15 | 4,837 | 5,775 | 7,853 | 2.93 | 3.79 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 551 | 1,832 | 2,147 | 2,661 | 1.38 | 1.47 | 1.70 |
| Major or Extreme CC | 16 | 2,572 | 2,930 | 4,044 | 2.00 | 1.90 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 19 | 3,128 | 3,094 | 3,602 | 1.32 | 1.64 | 1.85 |
| Major or Extreme CC | . | . | 3,761 | 6,076 | . | 2.18 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,520 | 6,168 | . | 4.69 | 6.08 |
| Major or Extreme CC | . | . | 8,765 | 11,462 | . | 7.81 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 614 | 625 | 790 | 883 | 1.33 | 1.56 | 1.75 |
| Major or Extreme CC | 2 | 2,975 | 2,974 | 3,209 | 3.00 | 2.94 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,443 | 3,320 | 3,131 | 1.50 | 3.23 | 2.91 |
| Major or Extreme CC | 2 | 3,739 | 4,688 | 5,920 | 2.50 | 3.57 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 25 | 7,431 | 7,470 | 7,725 | 3.60 | 2.78 | 2.31 |
| Major or Extreme CC | 1 | 9,515 | 13,932 | 21,115 | 3.00 | 5.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 22 | 7,782 | 6,986 | 7,153 | 2.36 | 2.23 | 2.33 |
| Major or Extreme CC | 4 | 12,014 | 10,520 | 13,515 | 4.50 | 4.44 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 5 | 3,896 | 3,959 | 4,605 | 2.00 | 2.31 | 2.47 |
| Major or Extreme CC | . | . | 6,294 | 9,068 | . | 3.35 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 4,293 | 3,733 | 4,873 | 2.50 | 2.00 | 2.50 |
| Major or Extreme CC | . | . | 20,035 | 11,427 | . | 8.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 13 | 3,580 | 4,058 | 4,601 | 2.38 | 2.79 | 3.08 |
| Major or Extreme CC | . | . | 5,972 | 6,914 | . | 3.93 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 18 | 4,416 | 3,540 | 4,256 | 2.89 | 2.63 | 2.65 |
| Major or Extreme CC | 6 | 4,391 | 7,293 | 8,831 | 2.60 | 5.05 | 5.27 |
| All other APRDRGs | 695 | 6,293 | 6,628 | 11,555 | 3.37 | 3.84 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ASHLEY VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Uintah
 OWNERSHIP: Investor-owned

BED SIZE: 39
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 4 | 5,762 | 6,422 | 6,818 | 4.00 | 3.89 | 3.88 |
| Major or Extreme CC | 1 | 7,574 | 7,395 | 10,227 | 4.00 | 4.33 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 75 | 4,171 | 4,495 | 4,840 | 3.27 | 3.37 | 3.43 |
| Major or Extreme CC | 36 | 5,804 | 7,216 | 8,238 | 4.11 | 5.09 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 27 | 2,971 | 3,020 | 3,529 | 2.27 | 2.17 | 2.50 |
| Major or Extreme CC | . | . | 4,714 | 6,286 | . | 3.38 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 31 | 5,736 | 7,493 | 8,265 | 2.13 | 2.67 | 3.16 |
| Major or Extreme CC | 7 | 5,115 | 10,034 | 14,900 | 2.17 | 4.20 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | 6,867 | 7,941 | . | 2.22 | 2.11 |
| Major or Extreme CC | . | . | 10,048 | 13,057 | . | 3.80 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 39 | 4,095 | 4,928 | 5,447 | 3.74 | 3.54 | 3.76 |
| Major or Extreme CC | 11 | 7,105 | 7,589 | 8,551 | 4.36 | 5.22 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 15 | 3,940 | 3,468 | 3,763 | 2.21 | 2.13 | 2.15 |
| Major or Extreme CC | 8 | 5,969 | 5,610 | 7,864 | 4.63 | 3.20 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 4 | 12,393 | 14,439 | 13,947 | 5.00 | 6.39 | 7.27 |
| Major or Extreme CC | 2 | 34,710 | 22,127 | 24,531 | 6.00 | 10.50 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 30 | 6,602 | 5,453 | 5,434 | 2.25 | 2.31 | 2.29 |
| Major or Extreme CC | . | . | 14,517 | 15,125 | . | 5.88 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,593 | 3,995 | 4,865 | 2.00 | 2.84 | 2.67 |
| Major or Extreme CC | 1 | 8,337 | 6,307 | 9,498 | 6.00 | 3.80 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 12 | 2,875 | 2,815 | 2,853 | 1.91 | 2.10 | 2.09 |
| Major or Extreme CC | 2 | 3,842 | 4,386 | 5,389 | 4.00 | 3.33 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 11 | 4,396 | 4,548 | 4,524 | 3.27 | 2.54 | 2.34 |
| Major or Extreme CC | 2 | 7,369 | 10,256 | 8,410 | 10.00 | 6.33 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 6 | 16,641 | 17,067 | 17,541 | 3.17 | 3.85 | 4.02 |
| Major or Extreme CC | 1 | 19,210 | 19,932 | 22,091 | 3.00 | 5.10 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 11 | 9,152 | 6,309 | 7,330 | 2.45 | 2.33 | 2.50 |
| Major or Extreme CC | 2 | 10,911 | 14,181 | 15,281 | 3.00 | 4.91 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APRDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ASHLEY VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 Columbia Healthcare, Inc.

COUNTY: Uintah
 OWNERSHIP: Investor-owned

BED SIZE: 39
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|--|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 2,956 | 2,686 | 3,015 | 3.00 | 2.37 | 2.37 |
| Major or Extreme CC | . | . | 6,067 | 6,574 | . | 3.91 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 40 | 6,763 | 5,431 | 5,752 | 2.35 | 2.56 | 2.61 |
| Major or Extreme CC | 1 | 7,786 | 10,813 | 11,953 | 4.00 | 5.73 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 32 | 5,363 | 4,198 | 5,070 | 3.00 | 2.75 | 3.17 |
| Major or Extreme CC | 4 | 7,224 | 5,775 | 7,853 | 3.75 | 3.79 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 220 | 2,081 | 2,147 | 2,661 | 1.58 | 1.47 | 1.70 |
| Major or Extreme CC | 4 | 3,166 | 2,930 | 4,044 | 2.25 | 1.90 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 15 | 4,031 | 3,094 | 3,602 | 1.93 | 1.64 | 1.85 |
| Major or Extreme CC | . | . | 3,761 | 6,076 | . | 2.18 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,520 | 6,168 | . | 4.69 | 6.08 |
| Major or Extreme CC | . | . | 8,765 | 11,462 | . | 7.81 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 272 | 607 | 790 | 883 | 1.56 | 1.56 | 1.75 |
| Major or Extreme CC | 2 | 3,613 | 2,974 | 3,209 | 3.50 | 2.94 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,578 | 3,320 | 3,131 | 4.00 | 3.23 | 2.91 |
| Major or Extreme CC | . | . | 4,688 | 5,920 | . | 3.57 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,470 | 7,725 | . | 2.78 | 2.31 |
| Major or Extreme CC | . | . | 13,932 | 21,115 | . | 5.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 10 | 9,092 | 6,986 | 7,153 | 2.50 | 2.23 | 2.33 |
| Major or Extreme CC | 2 | 16,419 | 10,520 | 13,515 | 6.00 | 4.44 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 12 | 3,889 | 3,959 | 4,605 | 3.00 | 2.31 | 2.47 |
| Major or Extreme CC | . | . | 6,294 | 9,068 | . | 3.35 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,733 | 4,873 | . | 2.00 | 2.50 |
| Major or Extreme CC | 1 | 4,182 | 20,035 | 11,427 | . | 8.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 6,169 | 4,058 | 4,601 | 4.50 | 2.79 | 3.08 |
| Major or Extreme CC | 2 | 5,925 | 5,972 | 6,914 | 5.00 | 3.93 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 23 | 3,059 | 3,540 | 4,256 | 2.22 | 2.63 | 2.65 |
| Major or Extreme CC | 6 | 5,013 | 7,293 | 8,831 | 5.17 | 5.05 | 5.27 |
| All other APRDRGs | 719 | 5,704 | 6,628 | 11,555 | 3.44 | 3.84 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DIXIE MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Washington
 OWNERSHIP: Not for profit

BED SIZE: 137
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 91 | 6,947 | 6,422 | 6,818 | 4.01 | 3.89 | 3.88 |
| Major or Extreme CC | 31 | 8,896 | 7,395 | 10,227 | 5.10 | 4.33 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 187 | 4,643 | 4,495 | 4,840 | 3.76 | 3.37 | 3.43 |
| Major or Extreme CC | 125 | 7,762 | 7,216 | 8,238 | 5.67 | 5.09 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 44 | 3,780 | 3,020 | 3,529 | 2.48 | 2.17 | 2.50 |
| Major or Extreme CC | 12 | 3,745 | 4,714 | 6,286 | 3.00 | 3.38 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 135 | 7,648 | 7,493 | 8,265 | 2.76 | 2.67 | 3.16 |
| Major or Extreme CC | 67 | 10,443 | 10,034 | 14,900 | 4.18 | 4.20 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 155 | 6,611 | 6,867 | 7,941 | 2.34 | 2.22 | 2.11 |
| Major or Extreme CC | 18 | 10,234 | 10,048 | 13,057 | 4.00 | 3.80 | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 91 | 4,630 | 4,928 | 5,447 | 3.58 | 3.54 | 3.76 |
| Major or Extreme CC | 56 | 8,443 | 7,589 | 8,551 | 6.20 | 5.22 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 94 | 3,071 | 3,468 | 3,763 | 2.28 | 2.13 | 2.15 |
| Major or Extreme CC | 13 | 4,210 | 5,610 | 7,864 | 2.85 | 3.20 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 14 | 12,692 | 14,439 | 13,947 | 7.08 | 6.39 | 7.27 |
| Major or Extreme CC | 6 | 22,876 | 22,127 | 24,531 | 14.00 | 10.50 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 100 | 5,612 | 5,453 | 5,434 | 2.52 | 2.31 | 2.29 |
| Major or Extreme CC | 3 | 25,667 | 14,517 | 15,125 | 9.33 | 5.88 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 33 | 3,315 | 3,995 | 4,865 | 2.41 | 2.84 | 2.67 |
| Major or Extreme CC | 13 | 5,594 | 6,307 | 9,498 | 3.75 | 3.80 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 91 | 2,975 | 2,815 | 2,853 | 2.28 | 2.10 | 2.09 |
| Major or Extreme CC | 9 | 4,934 | 4,386 | 5,389 | 4.11 | 3.33 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 47 | 4,804 | 4,548 | 4,524 | 2.60 | 2.54 | 2.34 |
| Major or Extreme CC | 8 | 7,997 | 10,256 | 8,410 | 5.38 | 6.33 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 216 | 16,366 | 17,067 | 17,541 | 3.86 | 3.85 | 4.02 |
| Major or Extreme CC | 18 | 20,694 | 19,932 | 22,091 | 6.06 | 5.10 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 133 | 5,935 | 6,309 | 7,330 | 2.44 | 2.33 | 2.50 |
| Major or Extreme CC | 7 | 12,854 | 14,181 | 15,281 | 5.86 | 4.91 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DIXIE MEDICAL CENTER
 PEER GROUP: Acute, rural, high CMI (n=6)
 IHC, Inc.

COUNTY: Washington
 OWNERSHIP: Not for profit

BED SIZE: 137
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$) ** | | | Length of Stay (Day) ** | | |
|---|------------|----------------------------------|--------|--------|-------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 28 | 2,544 | 2,686 | 3,015 | 2.32 | 2.37 | 2.37 |
| Major or Extreme CC | 10 | 4,733 | 6,067 | 6,574 | 3.70 | 3.91 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 316 | 5,213 | 5,431 | 5,752 | 2.69 | 2.56 | 2.61 |
| Major or Extreme CC | 3 | 10,518 | 10,813 | 11,953 | 7.00 | 5.73 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 336 | 3,321 | 4,198 | 5,070 | 2.87 | 2.75 | 3.17 |
| Major or Extreme CC | 51 | 4,629 | 5,775 | 7,853 | 3.94 | 3.79 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 1,246 | 1,752 | 2,147 | 2,661 | 1.34 | 1.47 | 1.70 |
| Major or Extreme CC | 146 | 2,131 | 2,930 | 4,044 | 1.68 | 1.90 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 79 | 2,218 | 3,094 | 3,602 | 1.60 | 1.64 | 1.85 |
| Major or Extreme CC | 4 | 3,001 | 3,761 | 6,076 | 2.50 | 2.18 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 140 | 5,158 | 5,520 | 6,168 | 5.35 | 4.69 | 6.08 |
| Major or Extreme CC | 24 | 8,294 | 8,765 | 11,462 | 7.79 | 7.81 | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 1,694 | 919 | 790 | 883 | 1.47 | 1.56 | 1.75 |
| Major or Extreme CC | 17 | 3,282 | 2,974 | 3,209 | 2.94 | 2.94 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 22 | 3,472 | 3,320 | 3,131 | 3.73 | 3.23 | 2.91 |
| Major or Extreme CC | 1 | 7,878 | 4,688 | 5,920 | 8.00 | 3.57 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 30 | 6,918 | 7,470 | 7,725 | 2.53 | 2.78 | 2.31 |
| Major or Extreme CC | 1 | 18,348 | 13,932 | 21,115 | 7.00 | 5.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 195 | 6,539 | 6,986 | 7,153 | 2.10 | 2.23 | 2.33 |
| Major or Extreme CC | 33 | 9,853 | 10,520 | 13,515 | 4.28 | 4.44 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 48 | 3,652 | 3,959 | 4,605 | 2.26 | 2.31 | 2.47 |
| Major or Extreme CC | 26 | 6,342 | 6,294 | 9,068 | 3.52 | 3.35 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,005 | 3,733 | 4,873 | 1.00 | 2.00 | 2.50 |
| Major or Extreme CC | 2 | 82,820 | 20,035 | 11,427 | 18.50 | 8.80 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 31 | 4,008 | 4,058 | 4,601 | 3.19 | 2.79 | 3.08 |
| Major or Extreme CC | 8 | 5,765 | 5,972 | 6,914 | 3.71 | 3.93 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 61 | 3,086 | 3,540 | 4,256 | 2.66 | 2.63 | 2.65 |
| Major or Extreme CC | 27 | 7,144 | 7,293 | 8,831 | 4.77 | 5.05 | 5.27 |
| All other APRDRGs | 4,546 | 7,386 | 6,628 | 11,555 | 4.22 | 3.84 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 36
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,888 | 6,818 | . | 3.41 | 3.88 |
| Major or Extreme CC | . | . | 6,998 | 10,227 | . | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 38 | 2,101 | 3,724 | 4,840 | 3.63 | 3.11 | 3.43 |
| Major or Extreme CC | 10 | 3,166 | 5,895 | 8,238 | 5.00 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 8 | 2,353 | 3,031 | 3,529 | 3.14 | 2.46 | 2.50 |
| Major or Extreme CC | 1 | 3,368 | 4,932 | 6,286 | 4.00 | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 7 | 2,772 | 5,208 | 8,265 | 4.00 | 2.67 | 3.16 |
| Major or Extreme CC | 2 | 1,081 | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 35 | 1,970 | 3,832 | 5,447 | 3.00 | 3.49 | 3.76 |
| Major or Extreme CC | 9 | 2,848 | 5,417 | 8,551 | 3.50 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 9 | 1,292 | 3,022 | 3,763 | 2.00 | 2.03 | 2.15 |
| Major or Extreme CC | 4 | 1,153 | 4,785 | 7,864 | 3.00 | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,296 | 4,911 | 5,434 | . | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,192 | 3,824 | 4,865 | 2.00 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 14 | 1,427 | 2,137 | 2,853 | 2.25 | 1.98 | 2.09 |
| Major or Extreme CC | 1 | 1,837 | 4,051 | 5,389 | . | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 5 | 2,070 | 3,691 | 4,524 | 2.40 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BEAVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 36
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 4 | . | 2,562 | 3,015 | 2.75 | 2.36 | 2.37 |
| Major or Extreme CC | 1 | 2,998 | 4,562 | 6,574 | . | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 11 | 3,044 | 5,596 | 5,752 | 3.00 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 17 | 3,357 | 4,600 | 5,070 | 3.50 | 3.07 | 3.17 |
| Major or Extreme CC | 1 | 3,607 | 5,411 | 7,853 | 4.00 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 54 | 1,591 | 2,150 | 2,661 | 1.60 | 1.59 | 1.70 |
| Major or Extreme CC | 4 | 4,438 | 3,601 | 4,044 | 4.00 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,971 | 3,602 | . | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 63 | 591 | 750 | 883 | 1.50 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,153 | 3,131 | . | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,173 | 7,153 | . | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 5 | 1,511 | 3,019 | 4,605 | . | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 5,038 | 3,651 | 4,601 | . | 3.24 | 3.08 |
| Major or Extreme CC | 1 | 2,812 | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 11 | 2,097 | 3,062 | 4,256 | . | 2.38 | 2.65 |
| Major or Extreme CC | . | . | 5,838 | 8,831 | . | 4.11 | 5.27 |
| All other APRDRGs | 277 | 1,982 | 3,791 | 11,555 | 2.39 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MILFORD VALLEY MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 34
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 4,380 | 3,888 | 6,818 | 2.00 | 3.41 | 3.88 |
| Major or Extreme CC | . | . | 6,998 | 10,227 | . | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 46 | 3,970 | 3,724 | 4,840 | 3.38 | 3.11 | 3.43 |
| Major or Extreme CC | 1 | 6,678 | 5,895 | 8,238 | 6.00 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 27 | 2,716 | 3,031 | 3,529 | 2.41 | 2.46 | 2.50 |
| Major or Extreme CC | 1 | 2,963 | 4,932 | 6,286 | 3.00 | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,208 | 8,265 | . | 2.67 | 3.16 |
| Major or Extreme CC | . | . | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 31 | 3,405 | 3,832 | 5,447 | 4.04 | 3.49 | 3.76 |
| Major or Extreme CC | 1 | 1,481 | 5,417 | 8,551 | . | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 2,992 | 3,022 | 3,763 | 1.75 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,911 | 5,434 | . | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 3 | 5,801 | 3,824 | 4,865 | 6.00 | 3.08 | 2.67 |
| Major or Extreme CC | 1 | 3,470 | 5,456 | 9,498 | 1.00 | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 27 | 1,695 | 2,137 | 2,853 | 1.81 | 1.98 | 2.09 |
| Major or Extreme CC | 2 | 6,135 | 4,051 | 5,389 | 5.00 | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 6 | 3,696 | 3,691 | 4,524 | 2.33 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

MILFORD VALLEY MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Beaver
 OWNERSHIP: Government

BED SIZE: 34
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 7,185 | 2,562 | 3,015 | 4.00 | 2.36 | 2.37 |
| Major or Extreme CC | . | . | 4,562 | 6,574 | . | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 1 | 7,902 | 5,596 | 5,752 | . | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 5 | 4,181 | 4,600 | 5,070 | 3.00 | 3.07 | 3.17 |
| Major or Extreme CC | . | . | 5,411 | 7,853 | . | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 15 | 2,684 | 2,150 | 2,661 | 2.07 | 1.59 | 1.70 |
| Major or Extreme CC | . | . | 3,601 | 4,044 | . | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,971 | 3,602 | . | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 21 | 1,169 | 750 | 883 | 2.10 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 2 | 4,406 | 2,153 | 3,131 | 3.50 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,173 | 7,153 | . | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 11 | 2,025 | 3,019 | 4,605 | 2.00 | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,715 | 3,651 | 4,601 | 3.50 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 4 | 2,422 | 3,062 | 4,256 | 2.00 | 2.38 | 2.65 |
| Major or Extreme CC | . | . | 5,838 | 8,831 | . | 4.11 | 5.27 |
| All other APRDRGs | 246 | 3,267 | 3,791 | 11,555 | 2.77 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Box Elder
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,881 | 3,888 | 6,818 | 5.00 | 3.41 | 3.88 |
| Major or Extreme CC | 1 | 2,946 | 6,998 | 10,227 | 3.00 | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 60 | 2,954 | 3,724 | 4,840 | 2.71 | 3.11 | 3.43 |
| Major or Extreme CC | 4 | 4,176 | 5,895 | 8,238 | 4.25 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 8 | 2,349 | 3,031 | 3,529 | 2.00 | 2.46 | 2.50 |
| Major or Extreme CC | . | . | 4,932 | 6,286 | . | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 8 | 3,350 | 5,208 | 8,265 | 1.88 | 2.67 | 3.16 |
| Major or Extreme CC | 1 | 2,626 | 8,950 | 14,900 | 2.00 | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 16 | 3,236 | 3,832 | 5,447 | 2.75 | 3.49 | 3.76 |
| Major or Extreme CC | . | . | 5,417 | 8,551 | . | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,172 | 3,022 | 3,763 | 1.00 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 9,789 | 14,335 | 13,947 | 7.00 | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 27 | 2,969 | 4,911 | 5,434 | 1.81 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,483 | 3,824 | 4,865 | 4.00 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 27 | 2,182 | 2,137 | 2,853 | 1.81 | 1.98 | 2.09 |
| Major or Extreme CC | 1 | 2,556 | 4,051 | 5,389 | 2.00 | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 8 | 3,867 | 3,691 | 4,524 | 2.63 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 4 | 10,633 | 15,464 | 17,541 | 3.00 | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 2 | 7,027 | 5,421 | 7,330 | 3.00 | 2.13 | 2.50 |
| Major or Extreme CC | 1 | 12,542 | 9,805 | 15,281 | 5.00 | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APRDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Box Elder
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|--|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 2,466 | 2,562 | 3,015 | 2.00 | 2.36 | 2.37 |
| Major or Extreme CC | . | . | 4,562 | 6,574 | . | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 15 | 4,939 | 5,596 | 5,752 | 2.20 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 11 | 3,446 | 4,600 | 5,070 | 3.09 | 3.07 | 3.17 |
| Major or Extreme CC | . | . | 5,411 | 7,853 | . | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 60 | 2,029 | 2,150 | 2,661 | 1.68 | 1.59 | 1.70 |
| Major or Extreme CC | 4 | 2,688 | 3,601 | 4,044 | 2.25 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 6 | 3,128 | 3,971 | 3,602 | 2.17 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 77 | 644 | 750 | 883 | 1.75 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,153 | 3,131 | . | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 8 | 8,354 | 7,173 | 7,153 | 3.88 | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,019 | 4,605 | . | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,581 | 3,651 | 4,601 | 3.75 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,062 | 4,256 | . | 2.38 | 2.65 |
| Major or Extreme CC | 1 | 2,346 | 5,838 | 8,831 | 3.00 | 4.11 | 5.27 |
| All other APRDRGs | 161 | 3,103 | 3,791 | 11,555 | 2.34 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Duchesne
 OWNERSHIP: Government

BED SIZE: 42
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 5 | 3,850 | 3,888 | 6,818 | 4.40 | 3.41 | 3.88 |
| Major or Extreme CC | 1 | 12,433 | 6,998 | 10,227 | 9.00 | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 96 | 3,912 | 3,724 | 4,840 | 3.12 | 3.11 | 3.43 |
| Major or Extreme CC | 11 | 5,944 | 5,895 | 8,238 | 5.18 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 22 | 2,965 | 3,031 | 3,529 | 2.38 | 2.46 | 2.50 |
| Major or Extreme CC | 1 | 4,547 | 4,932 | 6,286 | 5.00 | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 34 | 7,471 | 5,208 | 8,265 | 3.56 | 2.67 | 3.16 |
| Major or Extreme CC | 9 | 8,752 | 8,950 | 14,900 | 8.00 | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 20 | 4,887 | 3,832 | 5,447 | 3.74 | 3.49 | 3.76 |
| Major or Extreme CC | 3 | 8,657 | 5,417 | 8,551 | 7.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 30 | 3,538 | 3,022 | 3,763 | 2.52 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 4 | 15,146 | 14,335 | 13,947 | 7.00 | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 26 | 4,549 | 4,911 | 5,434 | 2.62 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 8 | 3,341 | 3,824 | 4,865 | 3.63 | 3.08 | 2.67 |
| Major or Extreme CC | 2 | 7,472 | 5,456 | 9,498 | 4.50 | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 10 | 2,664 | 2,137 | 2,853 | 2.60 | 1.98 | 2.09 |
| Major or Extreme CC | 1 | 3,277 | 4,051 | 5,389 | 2.00 | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 21 | 3,610 | 3,691 | 4,524 | 2.60 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 4 | 15,665 | 15,464 | 17,541 | 7.00 | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UINTAH BASIN MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Duchesne
 OWNERSHIP: Government

BED SIZE: 42
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 15 | 2,005 | 2,562 | 3,015 | 2.60 | 2.36 | 2.37 |
| Major or Extreme CC | 1 | 5,170 | 4,562 | 6,574 | 5.00 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 68 | 5,241 | 5,596 | 5,752 | 3.23 | 2.79 | 2.61 |
| Major or Extreme CC | 1 | 3,688 | 3,688 | 11,953 | 3.00 | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 82 | 4,029 | 4,600 | 5,070 | 3.45 | 3.07 | 3.17 |
| Major or Extreme CC | 2 | 4,653 | 5,411 | 7,853 | 4.00 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 269 | 2,207 | 2,150 | 2,661 | 2.02 | 1.59 | 1.70 |
| Major or Extreme CC | 13 | 4,092 | 3,601 | 4,044 | 3.50 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 19 | 3,569 | 3,971 | 3,602 | 2.53 | 1.95 | 1.85 |
| Major or Extreme CC | 1 | 5,011 | 4,478 | 6,076 | 4.00 | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 336 | 692 | 750 | 883 | 1.89 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 12 | 1,433 | 2,153 | 3,131 | 1.92 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 57 | 5,225 | 7,173 | 7,153 | 1.83 | 2.28 | 2.33 |
| Major or Extreme CC | 2 | 11,317 | 10,610 | 13,515 | 1.00 | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 25 | 3,082 | 3,019 | 4,605 | 2.83 | 2.40 | 2.47 |
| Major or Extreme CC | 2 | 5,828 | 7,774 | 9,068 | 3.00 | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 2,112 | 2,112 | 4,873 | 1.00 | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 6 | 4,857 | 3,651 | 4,601 | 4.00 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 20 | 2,523 | 3,062 | 4,256 | 2.32 | 2.38 | 2.65 |
| Major or Extreme CC | 1 | 2,657 | 5,838 | 8,831 | 2.00 | 4.11 | 5.27 |
| All other APRDRGs | 810 | 3,517 | 3,791 | 11,555 | 3.16 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Garfield
 OWNERSHIP: Not for profit

BED SIZE: 44
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,480 | 3,888 | 6,818 | 2.00 | 3.41 | 3.88 |
| Major or Extreme CC | . | . | 6,998 | 10,227 | . | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 14 | 3,192 | 3,724 | 4,840 | 2.86 | 3.11 | 3.43 |
| Major or Extreme CC | 7 | 5,124 | 5,895 | 8,238 | 4.00 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 13 | 3,547 | 3,031 | 3,529 | 2.83 | 2.46 | 2.50 |
| Major or Extreme CC | . | . | 4,932 | 6,286 | . | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 8 | 3,460 | 5,208 | 8,265 | 1.67 | 2.67 | 3.16 |
| Major or Extreme CC | . | . | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 6 | 4,200 | 3,832 | 5,447 | 3.17 | 3.49 | 3.76 |
| Major or Extreme CC | . | . | 5,417 | 8,551 | . | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 5 | 3,398 | 3,022 | 3,763 | 2.00 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 3 | 4,219 | 4,911 | 5,434 | 2.00 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 3 | 2,374 | 3,824 | 4,865 | 3.00 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 16 | 1,414 | 2,137 | 2,853 | 1.31 | 1.98 | 2.09 |
| Major or Extreme CC | . | . | 4,051 | 5,389 | . | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 7 | 3,751 | 3,691 | 4,524 | 2.80 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

GARFIELD MEMORIAL HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Garfield
 OWNERSHIP: Not for profit

BED SIZE: 44
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 10 | 2,042 | 2,562 | 3,015 | 1.80 | 2.36 | 2.37 |
| Major or Extreme CC | 1 | 3,643 | 4,562 | 6,574 | 2.00 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 4 | 5,727 | 5,596 | 5,752 | 2.50 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 7 | 5,484 | 4,600 | 5,070 | 2.57 | 3.07 | 3.17 |
| Major or Extreme CC | 1 | 6,380 | 5,411 | 7,853 | 4.00 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 23 | 1,995 | 2,150 | 2,661 | 1.70 | 1.59 | 1.70 |
| Major or Extreme CC | 5 | 2,508 | 3,601 | 4,044 | 1.60 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,971 | 3,602 | . | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 772 | 4,344 | 6,168 | 1.00 | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 35 | 788 | 750 | 883 | 1.59 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 3 | 2,164 | 2,153 | 3,131 | 2.33 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,173 | 7,153 | . | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,179 | 3,019 | 4,605 | 1.00 | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,667 | 3,651 | 4,601 | 2.50 | 3.24 | 3.08 |
| Major or Extreme CC | 5 | 3,248 | 4,073 | 6,914 | 2.60 | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 6 | 2,570 | 3,062 | 4,256 | 2.33 | 2.38 | 2.65 |
| Major or Extreme CC | . | . | 5,838 | 8,831 | . | 4.11 | 5.27 |
| All other APRDRGs | 158 | 2,762 | 3,791 | 11,555 | 2.35 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ALLEN MEMORIAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: Grand
 OWNERSHIP: Government

BED SIZE: 38
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,888 | 6,818 | . | 3.41 | 3.88 |
| Major or Extreme CC | 2 | 15,861 | 6,998 | 10,227 | 7.00 | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 26 | 3,100 | 3,724 | 4,840 | 3.00 | 3.11 | 3.43 |
| Major or Extreme CC | 9 | 5,592 | 5,895 | 8,238 | 4.00 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 14 | 2,683 | 3,031 | 3,529 | 2.00 | 2.46 | 2.50 |
| Major or Extreme CC | . | . | 4,932 | 6,286 | . | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 4 | 4,493 | 5,208 | 8,265 | 2.25 | 2.67 | 3.16 |
| Major or Extreme CC | . | . | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 8 | 2,508 | 3,832 | 5,447 | 1.75 | 3.49 | 3.76 |
| Major or Extreme CC | 1 | 5,333 | 5,417 | 8,551 | 3.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 14 | 2,978 | 3,022 | 3,763 | 1.67 | 2.03 | 2.15 |
| Major or Extreme CC | 3 | 6,791 | 4,785 | 7,864 | 4.67 | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 8 | 5,933 | 4,911 | 5,434 | 2.38 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 1 | 6,148 | 3,824 | 4,865 | 4.00 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 33 | 2,345 | 2,137 | 2,853 | 2.00 | 1.98 | 2.09 |
| Major or Extreme CC | 1 | 4,993 | 4,051 | 5,389 | 3.00 | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 6 | 5,274 | 3,691 | 4,524 | 2.50 | 2.20 | 2.34 |
| Major or Extreme CC | 1 | 1,494 | 6,330 | 8,410 | 1.00 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ALLEN MEMORIAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: Grand
 OWNERSHIP: Government

BED SIZE: 38
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 1,745 | 2,562 | 3,015 | 1.33 | 2.36 | 2.37 |
| Major or Extreme CC | 2 | 4,006 | 4,562 | 6,574 | 2.00 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 13 | 5,624 | 5,596 | 5,752 | 2.89 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 1 | 6,655 | 4,600 | 5,070 | 3.00 | 3.07 | 3.17 |
| Major or Extreme CC | . | . | 5,411 | 7,853 | . | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 7 | 2,233 | 2,150 | 2,661 | 2.00 | 1.59 | 1.70 |
| Major or Extreme CC | . | . | 3,601 | 4,044 | . | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,124 | 3,971 | 3,602 | 2.00 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 2 | 4,505 | 4,344 | 6,168 | 1.00 | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 74 | 485 | 750 | 883 | 1.32 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 5 | 2,278 | 2,153 | 3,131 | 2.33 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 7 | 8,816 | 7,173 | 7,153 | 1.71 | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 4,421 | 3,019 | 4,605 | 1.75 | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,913 | 3,651 | 4,601 | 2.00 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 18 | 3,508 | 3,062 | 4,256 | 2.36 | 2.38 | 2.65 |
| Major or Extreme CC | 4 | 5,340 | 5,838 | 8,831 | 3.00 | 4.11 | 5.27 |
| All other APDRGs | 425 | 3,751 | 3,791 | 11,555 | 2.65 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CENTRAL VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Juab
 OWNERSHIP: Not for profit

BED SIZE: 31
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,094 | 3,888 | 6,818 | 2.00 | 3.41 | 3.88 |
| Major or Extreme CC | . | . | 6,998 | 10,227 | . | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 67 | 3,946 | 3,724 | 4,840 | 2.98 | 3.11 | 3.43 |
| Major or Extreme CC | 15 | 5,880 | 5,895 | 8,238 | 4.07 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 6 | 3,079 | 3,031 | 3,529 | 2.33 | 2.46 | 2.50 |
| Major or Extreme CC | 2 | 3,979 | 4,932 | 6,286 | 3.00 | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 9 | 2,944 | 5,208 | 8,265 | 1.63 | 2.67 | 3.16 |
| Major or Extreme CC | 4 | 7,383 | 8,950 | 14,900 | 5.50 | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 14 | 4,481 | 3,832 | 5,447 | 3.50 | 3.49 | 3.76 |
| Major or Extreme CC | 1 | 7,345 | 5,417 | 8,551 | 4.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 7 | 4,433 | 3,022 | 3,763 | 2.71 | 2.03 | 2.15 |
| Major or Extreme CC | 1 | 2,633 | 4,785 | 7,864 | 1.00 | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 7 | 6,479 | 4,911 | 5,434 | 4.17 | 2.46 | 2.29 |
| Major or Extreme CC | 1 | 7,694 | 12,451 | 15,125 | 3.00 | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,873 | 3,824 | 4,865 | 2.00 | 3.08 | 2.67 |
| Major or Extreme CC | 1 | 5,129 | 5,456 | 9,498 | 3.00 | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 17 | 2,274 | 2,137 | 2,853 | 2.53 | 1.98 | 2.09 |
| Major or Extreme CC | 1 | 2,821 | 4,051 | 5,389 | 2.00 | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 15 | 3,076 | 3,691 | 4,524 | 1.93 | 2.20 | 2.34 |
| Major or Extreme CC | 2 | 3,844 | 6,330 | 8,410 | 3.00 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

CENTRAL VALLEY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Juab
 OWNERSHIP: Not for profit

BED SIZE: 31
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 1,280 | 2,562 | 3,015 | 2.00 | 2.36 | 2.37 |
| Major or Extreme CC | 1 | 3,142 | 4,562 | 6,574 | 4.00 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 13 | 6,491 | 5,596 | 5,752 | 2.67 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 24 | 4,848 | 4,600 | 5,070 | 3.33 | 3.07 | 3.17 |
| Major or Extreme CC | 1 | 4,226 | 5,411 | 7,853 | 4.00 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 73 | 2,095 | 2,150 | 2,661 | 1.56 | 1.59 | 1.70 |
| Major or Extreme CC | 2 | 4,768 | 3,601 | 4,044 | 2.00 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 5 | 4,094 | 3,971 | 3,602 | 1.60 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 10,538 | 4,344 | 6,168 | 13.00 | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 96 | 714 | 750 | 883 | 1.62 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,153 | 3,131 | . | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 6 | 7,972 | 7,173 | 7,153 | 2.67 | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,019 | 4,605 | . | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 2,487 | 3,651 | 4,601 | 2.00 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 9 | 2,400 | 3,062 | 4,256 | 2.33 | 2.38 | 2.65 |
| Major or Extreme CC | . | . | 5,838 | 8,831 | . | 4.11 | 5.27 |
| All other APRDRGs | 312 | 3,715 | 3,791 | 11,555 | 2.99 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: Kane
 OWNERSHIP: Government

BED SIZE: 33
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,888 | 6,818 | . | 3.41 | 3.88 |
| Major or Extreme CC | . | . | 6,998 | 10,227 | . | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 19 | 4,859 | 3,724 | 4,840 | 3.06 | 3.11 | 3.43 |
| Major or Extreme CC | 3 | 6,937 | 5,895 | 8,238 | 4.00 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,556 | 3,031 | 3,529 | 2.33 | 2.46 | 2.50 |
| Major or Extreme CC | . | . | 4,932 | 6,286 | . | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,326 | 5,208 | 8,265 | 1.33 | 2.67 | 3.16 |
| Major or Extreme CC | . | . | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 14 | 3,349 | 3,832 | 5,447 | 7.29 | 3.49 | 3.76 |
| Major or Extreme CC | 2 | 553 | 5,417 | 8,551 | 5.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 5 | 2,930 | 3,022 | 3,763 | 1.33 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,911 | 5,434 | . | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,824 | 4,865 | . | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 6 | 1,560 | 2,137 | 2,853 | 1.40 | 1.98 | 2.09 |
| Major or Extreme CC | . | . | 4,051 | 5,389 | . | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 3 | 4,141 | 3,691 | 4,524 | 2.00 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

KANE COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: Kane
 OWNERSHIP: Government

BED SIZE: 33
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 5 | 1,767 | 2,562 | 3,015 | 2.60 | 2.36 | 2.37 |
| Major or Extreme CC | 3 | 2,449 | 4,562 | 6,574 | 20.67 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 13 | 6,870 | 5,596 | 5,752 | 3.15 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 2 | 5,441 | 4,600 | 5,070 | 3.00 | 3.07 | 3.17 |
| Major or Extreme CC | . | . | 5,411 | 7,853 | . | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 22 | 2,677 | 2,150 | 2,661 | 1.38 | 1.59 | 1.70 |
| Major or Extreme CC | 4 | 3,589 | 3,601 | 4,044 | 2.00 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 2 | 5,035 | 3,971 | 3,602 | 1.50 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 33 | 610 | 750 | 883 | 1.29 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,153 | 3,131 | . | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,173 | 7,153 | . | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,019 | 4,605 | . | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,651 | 4,601 | . | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 3 | 1,398 | 3,062 | 4,256 | 1.00 | 2.38 | 2.65 |
| Major or Extreme CC | 1 | . | 5,838 | 8,831 | . | 4.11 | 5.27 |
| All other APDRGs | 197 | 3,245 | 3,791 | 11,555 | 2.66 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

FILLMORE COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,075 | 3,888 | 6,818 | 3.00 | 3.41 | 3.88 |
| Major or Extreme CC | 2 | 3,101 | 6,998 | 10,227 | 2.50 | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 11 | 3,248 | 3,724 | 4,840 | 2.80 | 3.11 | 3.43 |
| Major or Extreme CC | 6 | 3,942 | 5,895 | 8,238 | 2.67 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 5 | 2,329 | 3,031 | 3,529 | 2.00 | 2.46 | 2.50 |
| Major or Extreme CC | . | . | 4,932 | 6,286 | . | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,350 | 5,208 | 8,265 | 2.33 | 2.67 | 3.16 |
| Major or Extreme CC | . | . | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 6 | 3,012 | 3,832 | 5,447 | 3.00 | 3.49 | 3.76 |
| Major or Extreme CC | 1 | 2,069 | 5,417 | 8,551 | 1.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,375 | 3,022 | 3,763 | 2.25 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 4 | 5,082 | 4,911 | 5,434 | 3.00 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,503 | 3,824 | 4,865 | 2.25 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 3 | 1,274 | 2,137 | 2,853 | 1.33 | 1.98 | 2.09 |
| Major or Extreme CC | . | . | 4,051 | 5,389 | . | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,197 | 3,691 | 4,524 | 1.00 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

FILLMORE COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 5 | 1,763 | 2,562 | 3,015 | 1.60 | 2.36 | 2.37 |
| Major or Extreme CC | . | . | 4,562 | 6,574 | . | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 1 | 4,658 | 5,596 | 5,752 | 3.00 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 5 | 4,186 | 4,600 | 5,070 | 3.00 | 3.07 | 3.17 |
| Major or Extreme CC | . | . | 5,411 | 7,853 | . | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 34 | 1,928 | 2,150 | 2,661 | 1.44 | 1.59 | 1.70 |
| Major or Extreme CC | . | . | 3,601 | 4,044 | . | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,940 | 3,971 | 3,602 | 2.00 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 41 | 791 | 750 | 883 | 1.64 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,153 | 3,131 | . | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 1 | 4,058 | 7,173 | 7,153 | 1.00 | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,019 | 4,605 | . | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,651 | 4,601 | . | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,888 | 3,062 | 4,256 | 2.00 | 2.38 | 2.65 |
| Major or Extreme CC | . | . | 5,838 | 8,831 | . | 4.11 | 5.27 |
| All other APRDRGs | 91 | 3,267 | 3,791 | 11,555 | 2.68 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DELTA COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 5,298 | 3,888 | 6,818 | 5.00 | 3.41 | 3.88 |
| Major or Extreme CC | . | . | 6,998 | 10,227 | . | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 10 | 4,375 | 3,724 | 4,840 | 4.00 | 3.11 | 3.43 |
| Major or Extreme CC | 6 | 4,713 | 5,895 | 8,238 | 4.20 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,031 | 3,529 | . | 2.46 | 2.50 |
| Major or Extreme CC | . | . | 4,932 | 6,286 | . | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 4 | 5,487 | 5,208 | 8,265 | 4.00 | 2.67 | 3.16 |
| Major or Extreme CC | 1 | 9,948 | 8,950 | 14,900 | 6.00 | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 6 | 4,436 | 3,832 | 5,447 | 4.17 | 3.49 | 3.76 |
| Major or Extreme CC | 2 | 4,973 | 5,417 | 8,551 | 4.50 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 2,309 | 3,022 | 3,763 | 1.00 | 2.03 | 2.15 |
| Major or Extreme CC | 2 | 5,041 | 4,785 | 7,864 | 3.50 | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 11 | 3,838 | 4,911 | 5,434 | 2.00 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,019 | 3,824 | 4,865 | 1.00 | 3.08 | 2.67 |
| Major or Extreme CC | 1 | 4,634 | 5,456 | 9,498 | 5.00 | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 3 | 1,070 | 2,137 | 2,853 | 1.50 | 1.98 | 2.09 |
| Major or Extreme CC | 1 | 4,832 | 4,051 | 5,389 | 3.00 | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,542 | 3,691 | 4,524 | 2.00 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APRDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

DELTA COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Millard
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APRDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|--|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 1,368 | 2,562 | 3,015 | 1.00 | 2.36 | 2.37 |
| Major or Extreme CC | 2 | 6,833 | 4,562 | 6,574 | 5.50 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,866 | 5,596 | 5,752 | 2.00 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 18 | 4,021 | 4,600 | 5,070 | 2.83 | 3.07 | 3.17 |
| Major or Extreme CC | 4 | 4,518 | 5,411 | 7,853 | 2.50 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 77 | 2,366 | 2,150 | 2,661 | 1.51 | 1.59 | 1.70 |
| Major or Extreme CC | 4 | 3,277 | 3,601 | 4,044 | 2.50 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 5 | 3,708 | 3,971 | 3,602 | 1.80 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 94 | 899 | 750 | 883 | 1.80 | 1.65 | 1.75 |
| Major or Extreme CC | 5 | 1,734 | 1,614 | 3,209 | 2.40 | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,269 | 2,153 | 3,131 | 1.00 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,173 | 7,153 | . | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,019 | 4,605 | . | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 4,986 | 3,651 | 4,601 | 5.00 | 3.24 | 3.08 |
| Major or Extreme CC | 1 | 8,161 | 4,073 | 6,914 | 7.00 | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 4 | 1,462 | 3,062 | 4,256 | 1.50 | 2.38 | 2.65 |
| Major or Extreme CC | 1 | 9,754 | 5,838 | 8,831 | 10.00 | 4.11 | 5.27 |
| All other APRDRGs | 137 | 3,020 | 3,791 | 11,555 | 3.08 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SAN JUAN HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: San Juan
 OWNERSHIP: Government

BED SIZE: 36
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 3 | 2,810 | 3,888 | 6,818 | 2.00 | 3.41 | 3.88 |
| Major or Extreme CC | . | . | 6,998 | 10,227 | . | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 56 | 2,529 | 3,724 | 4,840 | 2.43 | 3.11 | 3.43 |
| Major or Extreme CC | 9 | 4,408 | 5,895 | 8,238 | 3.33 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 9 | 2,920 | 3,031 | 3,529 | 2.78 | 2.46 | 2.50 |
| Major or Extreme CC | . | . | 4,932 | 6,286 | . | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 3 | 5,128 | 5,208 | 8,265 | 3.00 | 2.67 | 3.16 |
| Major or Extreme CC | . | . | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,463 | 3,832 | 5,447 | 3.25 | 3.49 | 3.76 |
| Major or Extreme CC | 2 | 9,206 | 5,417 | 8,551 | 10.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 6 | 1,225 | 3,022 | 3,763 | 1.20 | 2.03 | 2.15 |
| Major or Extreme CC | 1 | 2,025 | 4,785 | 7,864 | 2.00 | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 2 | 3,876 | 4,911 | 5,434 | 1.00 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,753 | 3,824 | 4,865 | 1.00 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 7 | 1,219 | 2,137 | 2,853 | 1.00 | 1.98 | 2.09 |
| Major or Extreme CC | . | . | 4,051 | 5,389 | . | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 2 | 1,554 | 3,691 | 4,524 | 2.00 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 2 | 4,395 | 5,421 | 7,330 | 2.00 | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SAN JUAN HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Management

COUNTY: San Juan
 OWNERSHIP: Government

BED SIZE: 36
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,562 | 3,015 | . | 2.36 | 2.37 |
| Major or Extreme CC | 1 | 3,346 | 4,562 | 6,574 | 3.00 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 4 | 5,991 | 5,596 | 5,752 | 3.25 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 20 | 6,112 | 4,600 | 5,070 | 2.75 | 3.07 | 3.17 |
| Major or Extreme CC | 2 | 6,890 | 5,411 | 7,853 | 3.00 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 130 | 2,135 | 2,150 | 2,661 | 1.50 | 1.59 | 1.70 |
| Major or Extreme CC | 7 | 3,165 | 3,601 | 4,044 | 2.14 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 7 | 4,140 | 3,971 | 3,602 | 1.57 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 167 | 597 | 750 | 883 | 1.41 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,552 | 2,153 | 3,131 | 1.00 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 8 | 6,236 | 7,173 | 7,153 | 1.00 | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,024 | 3,019 | 4,605 | 2.00 | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,078 | 3,651 | 4,601 | 3.00 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 5 | 1,879 | 3,062 | 4,256 | 2.20 | 2.38 | 2.65 |
| Major or Extreme CC | 2 | 2,486 | 5,838 | 8,831 | 2.00 | 4.11 | 5.27 |
| All other APDRGs | 296 | 2,528 | 3,791 | 11,555 | 2.56 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

GUNNISON VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Sanpete
 OWNERSHIP: Government

BED SIZE: 21
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 2 | 5,399 | 3,888 | 6,818 | 6.00 | 3.41 | 3.88 |
| Major or Extreme CC | . | . | 6,998 | 10,227 | . | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 68 | 3,802 | 3,724 | 4,840 | 3.38 | 3.11 | 3.43 |
| Major or Extreme CC | 5 | 6,547 | 5,895 | 8,238 | 6.20 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 16 | 3,434 | 3,031 | 3,529 | 2.86 | 2.46 | 2.50 |
| Major or Extreme CC | 1 | 2,518 | 4,932 | 6,286 | 2.00 | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,829 | 5,208 | 8,265 | 1.00 | 2.67 | 3.16 |
| Major or Extreme CC | . | . | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 14 | 6,183 | 3,832 | 5,447 | 4.17 | 3.49 | 3.76 |
| Major or Extreme CC | 1 | 3,319 | 5,417 | 8,551 | 3.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 12 | 2,085 | 3,022 | 3,763 | 1.83 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 11 | 6,731 | 4,911 | 5,434 | 3.64 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 4 | 5,907 | 3,824 | 4,865 | 3.67 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 35 | 2,577 | 2,137 | 2,853 | 2.44 | 1.98 | 2.09 |
| Major or Extreme CC | 2 | 8,053 | 4,051 | 5,389 | 6.50 | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 6 | 2,442 | 3,691 | 4,524 | 2.00 | 2.20 | 2.34 |
| Major or Extreme CC | 1 | 702 | 6,330 | 8,410 | 12.00 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

GUNNISON VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Sanpete
 OWNERSHIP: Government

BED SIZE: 21
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 7 | 4,205 | 2,562 | 3,015 | 2.50 | 2.36 | 2.37 |
| Major or Extreme CC | 1 | 6,002 | 4,562 | 6,574 | 7.00 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 7 | 5,426 | 5,596 | 5,752 | 2.71 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 74 | 4,718 | 4,600 | 5,070 | 3.20 | 3.07 | 3.17 |
| Major or Extreme CC | . | . | 5,411 | 7,853 | . | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 176 | 2,345 | 2,150 | 2,661 | 1.73 | 1.59 | 1.70 |
| Major or Extreme CC | 3 | 2,467 | 3,601 | 4,044 | 2.00 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 12 | 3,889 | 3,971 | 3,602 | 2.18 | 1.95 | 1.85 |
| Major or Extreme CC | 2 | 4,211 | 4,478 | 6,076 | 3.00 | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 241 | 1,114 | 750 | 883 | 1.81 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 1 | 2,118 | 2,153 | 3,131 | 3.00 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 16 | 9,124 | 7,173 | 7,153 | 2.92 | 2.28 | 2.33 |
| Major or Extreme CC | 1 | 8,757 | 10,610 | 13,515 | 2.00 | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,006 | 3,019 | 4,605 | 2.50 | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 8 | 3,191 | 3,651 | 4,601 | 3.13 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 13 | 3,098 | 3,062 | 4,256 | 2.77 | 2.38 | 2.65 |
| Major or Extreme CC | 1 | 11,288 | 5,838 | 8,831 | 9.00 | 4.11 | 5.27 |
| All other APRDRGs | 468 | 3,226 | 3,791 | 11,555 | 3.28 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SANPETE VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Sanpete
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 6,641 | 3,888 | 6,818 | 5.00 | 3.41 | 3.88 |
| Major or Extreme CC | 3 | 4,655 | 6,998 | 10,227 | 3.67 | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 40 | 4,569 | 3,724 | 4,840 | 2.95 | 3.11 | 3.43 |
| Major or Extreme CC | 6 | 5,582 | 5,895 | 8,238 | 3.67 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 9 | 3,583 | 3,031 | 3,529 | 2.57 | 2.46 | 2.50 |
| Major or Extreme CC | 1 | 19,082 | 4,932 | 6,286 | . | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 1 | 4,096 | 5,208 | 8,265 | 2.00 | 2.67 | 3.16 |
| Major or Extreme CC | . | . | 8,950 | 14,900 | . | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 8 | 3,753 | 3,832 | 5,447 | 2.88 | 3.49 | 3.76 |
| Major or Extreme CC | 3 | 4,420 | 5,417 | 8,551 | 3.67 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,955 | 3,022 | 3,763 | 1.50 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 4 | 10,192 | 4,911 | 5,434 | 4.50 | 2.46 | 2.29 |
| Major or Extreme CC | 1 | 9,413 | 12,451 | 15,125 | 4.00 | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,824 | 4,865 | . | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 6 | 2,633 | 2,137 | 2,853 | 1.67 | 1.98 | 2.09 |
| Major or Extreme CC | . | . | 4,051 | 5,389 | . | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 3 | 6,251 | 3,691 | 4,524 | 4.00 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,421 | 7,330 | . | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SANPETE VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Sanpete
 OWNERSHIP: Not for profit

BED SIZE: 20
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 8,377 | 2,562 | 3,015 | 7.00 | 2.36 | 2.37 |
| Major or Extreme CC | 1 | 3,170 | 4,562 | 6,574 | 2.00 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 5 | 6,260 | 5,596 | 5,752 | 2.20 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 23 | 5,540 | 4,600 | 5,070 | 2.50 | 3.07 | 3.17 |
| Major or Extreme CC | 1 | 5,837 | 5,411 | 7,853 | 3.00 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 77 | 2,540 | 2,150 | 2,661 | 1.14 | 1.59 | 1.70 |
| Major or Extreme CC | 2 | 4,376 | 3,601 | 4,044 | 1.00 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 5 | 5,002 | 3,971 | 3,602 | 1.60 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 97 | 917 | 750 | 883 | 1.47 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,153 | 3,131 | . | 2.24 | 2.91 |
| Major or Extreme CC | 1 | 2,361 | 3,492 | 5,920 | 2.00 | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 4 | 7,354 | 7,173 | 7,153 | 2.00 | 2.28 | 2.33 |
| Major or Extreme CC | 2 | 8,545 | 10,610 | 13,515 | 3.00 | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,588 | 3,019 | 4,605 | 2.33 | 2.40 | 2.47 |
| Major or Extreme CC | 1 | 13,700 | 7,774 | 9,068 | 8.00 | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 2,113 | 3,651 | 4,601 | 1.00 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 5 | 3,834 | 3,062 | 4,256 | 2.40 | 2.38 | 2.65 |
| Major or Extreme CC | 2 | 3,634 | 5,838 | 8,831 | 2.50 | 4.11 | 5.27 |
| All other APDRGs | 169 | 4,283 | 3,791 | 11,555 | 3.03 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SEVIER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Sevier
 OWNERSHIP: Not for profit

BED SIZE: 42
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,314 | 3,888 | 6,818 | 2.00 | 3.41 | 3.88 |
| Major or Extreme CC | 7 | 7,768 | 6,998 | 10,227 | 5.86 | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 60 | 4,402 | 3,724 | 4,840 | 3.57 | 3.11 | 3.43 |
| Major or Extreme CC | 25 | 6,888 | 5,895 | 8,238 | 4.48 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 21 | 3,091 | 3,031 | 3,529 | 2.50 | 2.46 | 2.50 |
| Major or Extreme CC | 4 | 2,810 | 4,932 | 6,286 | 2.00 | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,156 | 5,208 | 8,265 | 2.00 | 2.67 | 3.16 |
| Major or Extreme CC | 5 | 10,180 | 8,950 | 14,900 | 7.40 | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 38 | 4,837 | 3,832 | 5,447 | 3.63 | 3.49 | 3.76 |
| Major or Extreme CC | 17 | 6,274 | 5,417 | 8,551 | 4.35 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 8 | 3,539 | 3,022 | 3,763 | 2.25 | 2.03 | 2.15 |
| Major or Extreme CC | 4 | 6,421 | 4,785 | 7,864 | 4.50 | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 14,070 | 14,335 | 13,947 | 7.00 | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 12 | 3,925 | 4,911 | 5,434 | 2.00 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 3 | 3,957 | 3,824 | 4,865 | 3.00 | 3.08 | 2.67 |
| Major or Extreme CC | 6 | 5,307 | 5,456 | 9,498 | 3.33 | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 19 | 2,132 | 2,137 | 2,853 | 1.84 | 1.98 | 2.09 |
| Major or Extreme CC | 4 | 3,008 | 4,051 | 5,389 | 2.25 | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 13 | 3,198 | 3,691 | 4,524 | 1.77 | 2.20 | 2.34 |
| Major or Extreme CC | 3 | 11,792 | 6,330 | 8,410 | 8.33 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 9 | 17,522 | 15,464 | 17,541 | 5.13 | 5.06 | 4.02 |
| Major or Extreme CC | 2 | 24,220 | 24,220 | 22,091 | 12.00 | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 16 | 5,124 | 5,421 | 7,330 | 2.00 | 2.13 | 2.50 |
| Major or Extreme CC | 1 | 12,330 | 9,805 | 15,281 | 1.00 | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SEVIER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Sevier
 OWNERSHIP: Not for profit

BED SIZE: 42
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,950 | 2,562 | 3,015 | 4.00 | 2.36 | 2.37 |
| Major or Extreme CC | 3 | 3,754 | 4,562 | 6,574 | 3.33 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 1 | 8,719 | 5,596 | 5,752 | . | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 31 | 4,733 | 4,600 | 5,070 | 3.00 | 3.07 | 3.17 |
| Major or Extreme CC | 6 | 5,118 | 5,411 | 7,853 | 3.00 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 168 | 1,802 | 2,150 | 2,661 | 1.33 | 1.59 | 1.70 |
| Major or Extreme CC | 7 | 4,959 | 3,601 | 4,044 | 3.14 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 4 | 4,273 | 3,971 | 3,602 | 2.00 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,798 | 4,344 | 6,168 | 1.00 | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 213 | 681 | 750 | 883 | 1.54 | 1.65 | 1.75 |
| Major or Extreme CC | 1 | 1,011 | 1,614 | 3,209 | 1.00 | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,457 | 2,153 | 3,131 | 1.00 | 2.24 | 2.91 |
| Major or Extreme CC | 2 | 4,057 | 3,492 | 5,920 | 3.00 | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 7 | 7,687 | 7,173 | 7,153 | 2.14 | 2.28 | 2.33 |
| Major or Extreme CC | 2 | 14,011 | 10,610 | 13,515 | 4.00 | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 7 | 3,443 | 3,019 | 4,605 | 2.00 | 2.40 | 2.47 |
| Major or Extreme CC | 5 | 5,823 | 7,774 | 9,068 | 3.40 | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | 1 | 3,548 | 3,548 | 11,427 | 3.00 | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 2,942 | 3,651 | 4,601 | 2.00 | 3.24 | 3.08 |
| Major or Extreme CC | 2 | 4,721 | 4,073 | 6,914 | 3.50 | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 14 | 3,096 | 3,062 | 4,256 | 1.93 | 2.38 | 2.65 |
| Major or Extreme CC | 4 | 6,809 | 5,838 | 8,831 | 4.75 | 4.11 | 5.27 |
| All other APDRGs | 638 | 4,572 | 3,791 | 11,555 | 3.09 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

TOOELE VALLEY HEALTHCARE
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Tooele
 OWNERSHIP: Government

BED SIZE: 38
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 3 | 5,833 | 3,888 | 6,818 | 3.33 | 3.41 | 3.88 |
| Major or Extreme CC | 5 | 3,978 | 6,998 | 10,227 | 6.20 | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 42 | 4,923 | 3,724 | 4,840 | 3.33 | 3.11 | 3.43 |
| Major or Extreme CC | 18 | 8,081 | 5,895 | 8,238 | 4.17 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 12 | 3,974 | 3,031 | 3,529 | 2.33 | 2.46 | 2.50 |
| Major or Extreme CC | 3 | 5,818 | 4,932 | 6,286 | 3.67 | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 14 | 6,034 | 5,208 | 8,265 | 2.36 | 2.67 | 3.16 |
| Major or Extreme CC | 6 | 12,738 | 8,950 | 14,900 | 6.00 | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 26 | 3,806 | 3,832 | 5,447 | 2.77 | 3.49 | 3.76 |
| Major or Extreme CC | 8 | 6,686 | 5,417 | 8,551 | 4.25 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 17 | 3,333 | 3,022 | 3,763 | 1.81 | 2.03 | 2.15 |
| Major or Extreme CC | 2 | 7,965 | 4,785 | 7,864 | 7.00 | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 5 | 14,650 | 14,335 | 13,947 | 13.00 | 10.00 | 7.27 |
| Major or Extreme CC | 6 | 17,408 | 17,408 | 24,531 | 6.00 | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 14 | 7,354 | 4,911 | 5,434 | 1.79 | 2.46 | 2.29 |
| Major or Extreme CC | 1 | 20,248 | 12,451 | 15,125 | 9.00 | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 6 | 4,326 | 3,824 | 4,865 | 2.50 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 17 | 2,924 | 2,137 | 2,853 | 1.81 | 1.98 | 2.09 |
| Major or Extreme CC | . | . | 4,051 | 5,389 | . | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 12 | 3,911 | 3,691 | 4,524 | 1.20 | 2.20 | 2.34 |
| Major or Extreme CC | . | . | 6,330 | 8,410 | . | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 3 | 5,606 | 5,421 | 7,330 | 3.00 | 2.13 | 2.50 |
| Major or Extreme CC | . | . | 9,805 | 15,281 | . | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

TOOELE VALLEY HEALTHCARE
 PEER GROUP: Acute, rural, low CMI (n=17)
 Freestanding

COUNTY: Tooele
 OWNERSHIP: Government

BED SIZE: 38
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 12 | 2,590 | 2,562 | 3,015 | 2.50 | 2.36 | 2.37 |
| Major or Extreme CC | 3 | 7,122 | 4,562 | 6,574 | 3.33 | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 30 | 6,009 | 5,596 | 5,752 | 2.00 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 16 | 5,959 | 4,600 | 5,070 | 2.44 | 3.07 | 3.17 |
| Major or Extreme CC | 1 | 11,544 | 5,411 | 7,853 | 6.00 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 103 | 2,151 | 2,150 | 2,661 | 1.53 | 1.59 | 1.70 |
| Major or Extreme CC | 3 | 2,155 | 3,601 | 4,044 | 3.00 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 14 | 4,580 | 3,971 | 3,602 | 1.79 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,947 | 4,344 | 6,168 | 4.00 | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 146 | 872 | 750 | 883 | 1.52 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 3 | 2,949 | 2,153 | 3,131 | 3.00 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | 1 | 4,638 | 4,638 | 21,115 | 3.00 | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 24 | 9,754 | 7,173 | 7,153 | 2.57 | 2.28 | 2.33 |
| Major or Extreme CC | 6 | 10,238 | 10,610 | 13,515 | 2.17 | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 9 | 3,904 | 3,019 | 4,605 | 2.67 | 2.40 | 2.47 |
| Major or Extreme CC | 9 | 8,632 | 7,774 | 9,068 | 3.67 | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 3 | 4,626 | 3,651 | 4,601 | 3.00 | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 16 | 5,215 | 3,062 | 4,256 | 3.21 | 2.38 | 2.65 |
| Major or Extreme CC | 4 | 7,471 | 5,838 | 8,831 | 4.00 | 4.11 | 5.27 |
| All other APRDRGs | 542 | 6,204 | 3,791 | 11,555 | 3.38 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APRDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

WASATCH COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Wasatch
 OWNERSHIP: Not for profit

BED SIZE: 40
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|-------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 4 | 3,726 | 3,888 | 6,818 | 3.25 | 3.41 | 3.88 |
| Major or Extreme CC | 1 | 3,362 | 6,998 | 10,227 | 21.00 | 6.14 | 5.78 |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 9 | 3,058 | 3,724 | 4,840 | 2.56 | 3.11 | 3.43 |
| Major or Extreme CC | 11 | 5,333 | 5,895 | 8,238 | 4.09 | 4.24 | 5.12 |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 6 | 2,466 | 3,031 | 3,529 | 2.17 | 2.46 | 2.50 |
| Major or Extreme CC | 1 | 4,840 | 4,932 | 6,286 | 4.00 | 3.07 | 3.69 |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 16,368 | . | . | 1.82 |
| Major or Extreme CC | . | . | . | 22,725 | . | . | 3.72 |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 1 | 5,639 | 5,208 | 8,265 | 5.00 | 2.67 | 3.16 |
| Major or Extreme CC | 1 | 9,196 | 8,950 | 14,900 | 6.00 | 6.65 | 5.68 |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,941 | . | . | 2.11 |
| Major or Extreme CC | . | . | . | 13,057 | . | . | 4.70 |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 9 | 3,716 | 3,832 | 5,447 | 2.89 | 3.49 | 3.76 |
| Major or Extreme CC | 2 | 2,830 | 5,417 | 8,551 | 2.00 | 4.45 | 5.30 |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 2 | 3,680 | 3,022 | 3,763 | 3.00 | 2.03 | 2.15 |
| Major or Extreme CC | . | . | 4,785 | 7,864 | . | 4.13 | 3.76 |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 14,335 | 13,947 | . | 10.00 | 7.27 |
| Major or Extreme CC | . | . | 17,408 | 24,531 | . | 6.00 | 10.92 |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 14 | 4,970 | 4,911 | 5,434 | 2.69 | 2.46 | 2.29 |
| Major or Extreme CC | . | . | 12,451 | 15,125 | . | 5.33 | 6.32 |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 1 | 2,199 | 3,824 | 4,865 | 1.00 | 3.08 | 2.67 |
| Major or Extreme CC | . | . | 5,456 | 9,498 | . | 3.45 | 4.73 |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 1 | 2,867 | 2,137 | 2,853 | 3.00 | 1.98 | 2.09 |
| Major or Extreme CC | . | . | 4,051 | 5,389 | . | 3.25 | 3.64 |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 4 | 4,907 | 3,691 | 4,524 | 2.75 | 2.20 | 2.34 |
| Major or Extreme CC | 1 | 5,381 | 6,330 | 8,410 | 4.00 | 6.00 | 5.45 |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | 15,464 | 17,541 | . | 5.06 | 4.02 |
| Major or Extreme CC | . | . | 24,220 | 22,091 | . | 12.00 | 5.55 |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 3 | 6,432 | 5,421 | 7,330 | 2.00 | 2.13 | 2.50 |
| Major or Extreme CC | 1 | 4,544 | 9,805 | 15,281 | 2.00 | 2.67 | 5.22 |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

WASATCH COUNTY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17)
 IHC, Inc.

COUNTY: Wasatch
 OWNERSHIP: Not for profit

BED SIZE: 40
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,562 | 3,015 | . | 2.36 | 2.37 |
| Major or Extreme CC | . | . | 4,562 | 6,574 | . | 6.32 | 4.77 |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 10 | 6,140 | 5,596 | 5,752 | 3.20 | 2.79 | 2.61 |
| Major or Extreme CC | . | . | 3,688 | 11,953 | . | 3.00 | 5.23 |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | 33 | 4,387 | 4,600 | 5,070 | 2.82 | 3.07 | 3.17 |
| Major or Extreme CC | 5 | 5,222 | 5,411 | 7,853 | 3.80 | 3.43 | 4.53 |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | 121 | 2,105 | 2,150 | 2,661 | 1.26 | 1.59 | 1.70 |
| Major or Extreme CC | 5 | 3,170 | 3,601 | 4,044 | 1.80 | 2.50 | 2.33 |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | 6 | 3,535 | 3,971 | 3,602 | 1.33 | 1.95 | 1.85 |
| Major or Extreme CC | . | . | 4,478 | 6,076 | . | 3.33 | 3.08 |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 4,344 | 6,168 | . | 3.50 | 6.08 |
| Major or Extreme CC | . | . | . | 11,462 | . | . | 9.94 |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | 163 | 532 | 750 | 883 | 1.58 | 1.65 | 1.75 |
| Major or Extreme CC | . | . | 1,614 | 3,209 | . | 2.17 | 3.17 |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 2 | 3,804 | 2,153 | 3,131 | 3.00 | 2.24 | 2.91 |
| Major or Extreme CC | . | . | 3,492 | 5,920 | . | 2.67 | 4.04 |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | 7,725 | . | . | 2.31 |
| Major or Extreme CC | . | . | 4,638 | 21,115 | . | 3.00 | 6.85 |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 9 | 7,350 | 7,173 | 7,153 | 3.33 | 2.28 | 2.33 |
| Major or Extreme CC | . | . | 10,610 | 13,515 | . | 2.50 | 5.44 |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,569 | 3,019 | 4,605 | 3.00 | 2.40 | 2.47 |
| Major or Extreme CC | . | . | 7,774 | 9,068 | . | 3.76 | 4.05 |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 2,112 | 4,873 | . | 1.00 | 2.50 |
| Major or Extreme CC | . | . | 3,548 | 11,427 | . | 3.00 | 5.00 |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | 3,651 | 4,601 | . | 3.24 | 3.08 |
| Major or Extreme CC | . | . | 4,073 | 6,914 | . | 3.38 | 4.20 |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 7 | 3,189 | 3,062 | 4,256 | 2.20 | 2.38 | 2.65 |
| Major or Extreme CC | . | . | 5,838 | 8,831 | . | 4.11 | 5.27 |
| All other APDRGs | 142 | 3,630 | 3,791 | 11,555 | 2.91 | 2.98 | 4.99 |

* Including all general acute care hospitals only.

** Excluding outliers and missing values.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK REGIONAL HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Ramsay Hlth Care

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 68
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK REGIONAL HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Ramsay Hlth Care

COUNTY: Davis
 OWNERSHIP: Investor-owned

BED SIZE: 68
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 3 | . | 7,642 | . | 8.24 | . | . |
| Major or Extreme CC | . | . | 10,236 | . | 9.74 | . | . |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | 5,548 | . | 5.04 | . | . |
| Major or Extreme CC | . | . | 7,818 | . | 6.75 | . | . |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 39 | 138,308 | 9,080 | 390.91 | 13.47 | . | . |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OLYMPUS VIEW HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Comm. Psych. Services

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 102
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

OLYMPUS VIEW HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Comm. Psych. Services

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 102
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 254 | 8,233 | 7,642 | 7.53 | 8.24 | | |
| Major or Extreme CC | . | . | 10,236 | . | 9.74 | | |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 49 | 5,632 | 5,548 | 4.72 | 5.04 | | |
| Major or Extreme CC | . | . | 7,818 | . | 6.75 | | |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 599 | 5,342 | 9,080 | 6.21 | 13.47 | | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

COPPER HILLS YOUTH CENTER
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Children's Comprehensive Services, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 80
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

COPPER HILLS YOUTH CENTER
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Children's Comprehensive Services, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 80
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 40 | 4,438 | 7,642 | 29.10 | 8.24 | | |
| Major or Extreme CC | . | . | 10,236 | . | 9.74 | | |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 3 | 6,583 | 5,548 | . | 5.04 | | |
| Major or Extreme CC | . | . | 7,818 | . | 6.75 | | |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 115 | 3,500 | 9,080 | 47.22 | 13.47 | | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Psych.Inst.Amer.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 90
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Psych.Inst.Amer.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 90
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 871 | 8,782 | 7,642 | 9.06 | 8.24 | | |
| Major or Extreme CC | 27 | 11,613 | 10,236 | 9.65 | 9.74 | | |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 124 | 5,463 | 5,548 | 4.92 | 5.04 | | |
| Major or Extreme CC | 4 | 7,818 | 7,818 | 6.75 | 6.75 | | |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 1,036 | 9,204 | 9,080 | 8.57 | 13.47 | | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK SOUTH
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Ramsay Hlth Care

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 80
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BENCHMARK SOUTH
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Ramsay Hlth Care

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 80
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 479 | 5,639 | 7,642 | 6.20 | 8.24 | | |
| Major or Extreme CC | 8 | 5,934 | 10,236 | 10.00 | 9.74 | | |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 110 | 4,884 | 5,548 | 3.65 | 5.04 | | |
| Major or Extreme CC | . | . | 7,818 | . | 6.75 | | |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 252 | 5,409 | 9,080 | 5.32 | 13.47 | | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Am. Intl. Hlth. Sys.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 34
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HIGHLAND RIDGE HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7)
 Am. Intl. Hlth. Sys.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 34
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|--------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | 7,642 | . | 8.24 | . | . |
| Major or Extreme CC | . | . | 10,236 | . | 9.74 | . | . |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 34 | 7,996 | 5,548 | 11.37 | 5.04 | . | . |
| Major or Extreme CC | . | . | 7,818 | . | 6.75 | . | . |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 303 | 10,435 | 9,080 | 14.67 | 13.47 | . | . |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 232
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 8,725 | | | 5.00 | | |
| Major or Extreme CC | 2 | 14,177 | | | 7.50 | | |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 233 | 3,996 | | | 3.03 | | |
| Major or Extreme CC | 54 | 8,036 | | | 4.45 | | |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 304 | 3,371 | | | 2.48 | | |
| Major or Extreme CC | 19 | 7,126 | | | 4.16 | | |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 15 | 11,768 | | | 1.57 | | |
| Major or Extreme CC | 6 | 13,416 | | | 3.33 | | |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | 1 | 39,540 | | | 15.00 | | |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 7 | 9,488 | | | 2.00 | | |
| Major or Extreme CC | 5 | 10,684 | | | 3.40 | | |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 6 | 4,795 | | | 3.17 | | |
| Major or Extreme CC | 12 | 10,867 | | | 6.58 | | |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 29 | 5,710 | | | 3.17 | | |
| Major or Extreme CC | 14 | 9,218 | | | 5.00 | | |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 10 | 9,407 | | | 6.44 | | |
| Major or Extreme CC | 4 | 26,086 | | | 8.75 | | |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 96 | 7,171 | | | 4.44 | | |
| Major or Extreme CC | 6 | 55,983 | | | 13.60 | | |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 3 | 2,777 | | | 1.67 | | |
| Major or Extreme CC | 1 | 13,654 | | | 10.00 | | |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 94 | 2,891 | | | 2.22 | | |
| Major or Extreme CC | 16 | 6,852 | | | 4.69 | | |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 61 | 4,632 | | | 3.10 | | |
| Major or Extreme CC | 14 | 9,819 | | | 4.42 | | |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 5 | 22,807 | | | 4.80 | | |
| Major or Extreme CC | 1 | 11,336 | | | 3.00 | | |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 63 | 5,692 | | | 2.26 | | |
| Major or Extreme CC | 1 | 4,706 | | | 2.00 | | |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

PRIMARY CHILDREN'S MEDICAL CENTER
 PEER GROUP: None
 IHC, Inc.

COUNTY: Salt Lake
 OWNERSHIP: Not for profit

BED SIZE: 232
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 77 | 3,338 | | | 2.57 | | |
| Major or Extreme CC | 24 | 10,199 | | | 6.88 | | |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 10 | 6,365 | | | 2.80 | | |
| Major or Extreme CC | . | . | | | . | | |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 86 | 7,082 | | | 7.38 | | |
| Major or Extreme CC | 5 | 10,029 | | | 9.80 | | |
| 678 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 1 | 864 | | | 1.00 | | |
| Major or Extreme CC | . | . | | | . | | |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 9 | 11,839 | | | 4.43 | | |
| Major or Extreme CC | 5 | 22,000 | | | 8.75 | | |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 6 | 5,065 | | | 2.33 | | |
| Major or Extreme CC | . | . | | | . | | |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 4 | 2,676 | | | 3.00 | | |
| Major or Extreme CC | 2 | 2,896 | | | 1.00 | | |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | 2 | 15,465 | | | 5.00 | | |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 55 | 4,148 | | | 2.88 | | |
| Major or Extreme CC | 33 | 8,755 | | | 4.27 | | |
| All other APDRGs | 7,174 | 14,421 | | | 6.16 | | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SOUTH DAVIS COMMUNITY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Davis
 OWNERSHIP: Government

BED SIZE: 39
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 2 | 1,759 | | 3.00 | | | |
| Major or Extreme CC | 5 | 2,721 | | 4.00 | | | |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 1 | 1,093 | | 2.00 | | | |
| Major or Extreme CC | . | . | | . | | | |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | | . | | | |
| Major or Extreme CC | . | . | | . | | | |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

SOUTH DAVIS COMMUNITY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Davis
 OWNERSHIP: Government

BED SIZE: 39
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | 3,032 | | | 6.00 | | |
| Major or Extreme CC | . | . | | | . | | |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| All other APDRGs | 26 | 3,855 | | | 5.04 | | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BONNEVILLE HEALTH SYSTEMS
 PEER GROUP: None
 Bonneville Health

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 12
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. _____ Average Facility Charges (\$) ** _____ | | | _____ Length of Stay (Day) ** _____ | | |
|---|---|------|--------|-------------------------------------|------|--------|
| | _____ Hospital _____ | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 096 BRONCHITIS & ASTHMA | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 127 HEART FAILURE & SHOCK | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 164 APPENDICTOMY | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

BONNEVILLE HEALTH SYSTEMS
 PEER GROUP: None
 Bonneville Health

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 12
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 4 | 1,649 | | | 2.25 | | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HEALTHSOUTH
 PEER GROUP: None
 Rehab. Svcs. Corp.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 50
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 8 | 9,419 | | | 9.83 | | |
| Major or Extreme CC | 11 | . | | | 17.67 | | |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 1 | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 2 | 9,812 | | | 9.00 | | |
| Major or Extreme CC | . | . | | | . | | |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | 2 | 10,455 | | | 10.50 | | |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 14 | 9,050 | | | 5.50 | | |
| Major or Extreme CC | 3 | 9,342 | | | 10.00 | | |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | . | . | | | . | | |
| Major or Extreme CC | . | . | | | . | | |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

HEALTHSOUTH
 PEER GROUP: None
 Rehab. Svcs. Corp.

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 50
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 1 | 12,681 | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 304 | 14,829 | | | 14.31 | | |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 14
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 307 | 13,630 | | 3.52 | | | |
| Major or Extreme CC | 13 | 16,407 | | 4.31 | | | |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 213 | 6,306 | | 1.65 | | | |
| Major or Extreme CC | 1 | 15,057 | | 5.00 | | | |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

ORTHOPEDIC SPECIALTY HOSPITAL
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Investor-owned

BED SIZE: 14
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 678 NEONATE, BWT>2499g, NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 8 | 7,145 | . | 3.13 | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| All other APDRGs | 241 | 6,572 | . | 2.14 | . | . | . |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 138
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 014 SPEC CEREBROVASCULAR DISORD EXC TIA | | | | | | | |
| No, Minor, or Moderate CC | 36 | . | | | 4.54 | | |
| Major or Extreme CC | 10 | . | | | 7.29 | | |
| 089 SIMPLE PNEUMONIA & PLEURISY | | | | | | | |
| No, Minor, or Moderate CC | 99 | . | | | 4.73 | | |
| Major or Extreme CC | 36 | . | | | 7.82 | | |
| 096 BRONCHITIS & ASTHMA | | | | | | | |
| No, Minor, or Moderate CC | 20 | . | | | 2.76 | | |
| Major or Extreme CC | 2 | . | | | 8.00 | | |
| 112 PERCUTANEOUS CARDIOVASCULAR PROC | | | | | | | |
| No, Minor, or Moderate CC | 132 | . | | | 3.21 | | |
| Major or Extreme CC | 11 | . | | | 5.14 | | |
| 121 CIRCULATORY DISORDERS W AMI | | | | | | | |
| No, Minor, or Moderate CC | 73 | . | | | 5.59 | | |
| Major or Extreme CC | 21 | . | | | 7.71 | | |
| 124 CIRCULATORY DIS EXC AMI W CARD CATH | | | | | | | |
| No, Minor, or Moderate CC | 103 | . | | | 4.28 | | |
| Major or Extreme CC | 13 | . | | | 8.67 | | |
| 127 HEART FAILURE & SHOCK | | | | | | | |
| No, Minor, or Moderate CC | 108 | . | | | 4.38 | | |
| Major or Extreme CC | 24 | . | | | 7.30 | | |
| 138 CARDIAC ARRHYTH & CONDUCT DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 154 | . | | | 3.06 | | |
| Major or Extreme CC | 14 | . | | | 5.57 | | |
| 148 MAJOR SMALL & LARGE BOWEL PROCEDURES | | | | | | | |
| No, Minor, or Moderate CC | 5 | . | | | 9.50 | | |
| Major or Extreme CC | 1 | . | | | 7.00 | | |
| 164 APPENDICTOMY | | | | | | | |
| No, Minor, or Moderate CC | 5 | . | | | 4.40 | | |
| Major or Extreme CC | . | . | | | . | | |
| 174 G.I. HEMORRHAGE & PERFORATION | | | | | | | |
| No, Minor, or Moderate CC | 17 | . | | | 4.25 | | |
| Major or Extreme CC | 5 | . | | | 5.50 | | |
| 182 ESOPHAGITIS, GASTROENT & ABDOM PAIN | | | | | | | |
| No, Minor, or Moderate CC | 28 | . | | | 2.32 | | |
| Major or Extreme CC | 4 | . | | | 5.67 | | |
| 188 OTH DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 21 | . | | | 3.00 | | |
| Major or Extreme CC | 3 | . | | | 11.00 | | |
| 212 MAJ JOINT & LIMB REATTAC LOWER EXT | | | | | | | |
| No, Minor, or Moderate CC | 103 | . | | | 6.03 | | |
| Major or Extreme CC | 10 | . | | | 8.17 | | |
| 218 LOWER EXTREM & HUMER PROC EXC HIP/FOOT | | | | | | | |
| No, Minor, or Moderate CC | 22 | . | | | 3.83 | | |
| Major or Extreme CC | 1 | . | | | 10.00 | | |

ST 1-3
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (APDRG BY NUMBER OF DISCHARGES, AVERAGE FACILITY CHARGE AND LENGTH OF STAY)

VETERANS ADMINISTRATION MEDICAL CENTER
 PEER GROUP: None
 Freestanding

COUNTY: Salt Lake
 OWNERSHIP: Government

BED SIZE: 138
 AFFILIATION:

| SELECTED 24 ALL PATIENT REFINED DIAGNOSIS RELATED GROUPS (APDRG) | # of Disc. | Average Facility Charges (\$)** | | | Length of Stay (Day)** | | |
|---|------------|---------------------------------|------|--------|------------------------|------|--------|
| | | Hospital | Peer | State* | Hospital | Peer | State* |
| 296 NUTRITIONAL & MISC METABOLIC DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 18 | . | . | . | 3.69 | . | . |
| Major or Extreme CC | 7 | . | . | . | 8.14 | . | . |
| 358 UTERINE & ADNEXA PROC FOR CA IN NON-MAL | | | | | | | |
| No, Minor, or Moderate CC | 5 | . | . | . | 2.75 | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 370 CESAREAN SECTION | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 372 VAGINAL DELIVERY | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 374 VAGINAL DELIV W STERILIAZATION &/OR D&C | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 430 PSYCHOSES | | | | | | | |
| No, Minor, or Moderate CC | 226 | . | . | . | 10.31 | . | . |
| Major or Extreme CC | 15 | . | . | . | 23.15 | . | . |
| 678 NEONATE,BWT>2499g,NORMAL NB & W. OTH PROBS | | | | | | | |
| No, Minor, or Moderate CC | . | . | . | . | . | . | . |
| Major or Extreme CC | . | . | . | . | . | . | . |
| 750 ALCOHOL ABUSE OR DEPENDENCE | | | | | | | |
| No, Minor, or Moderate CC | 138 | . | . | . | 5.76 | . | . |
| Major or Extreme CC | 10 | . | . | . | 8.89 | . | . |
| 757 BACK & NECK PRCD EXC SPINAL FUSION | | | | | | | |
| No, Minor, or Moderate CC | 50 | . | . | . | 2.57 | . | . |
| Major or Extreme CC | 4 | . | . | . | 13.00 | . | . |
| 787 LAPAROSCOPIC CHOLECYSTECTOMY | | | | | | | |
| No, Minor, or Moderate CC | 14 | . | . | . | 5.00 | . | . |
| Major or Extreme CC | 1 | . | . | . | 7.00 | . | . |
| 241 PEPTIC ULCER & GASTRITIS | | | | | | | |
| No, Minor, or Moderate CC | 24 | . | . | . | 3.44 | . | . |
| Major or Extreme CC | 18 | . | . | . | 4.59 | . | . |
| 242 MAJOR ESOPHAGEAL DISORDERS | | | | | | | |
| No, Minor, or Moderate CC | 1 | . | . | . | 2.00 | . | . |
| Major or Extreme CC | 5 | . | . | . | 4.25 | . | . |
| 244 DIVERTICULITIS & DIVERTICULOSIS | | | | | | | |
| No, Minor, or Moderate CC | 7 | . | . | . | 3.57 | . | . |
| Major or Extreme CC | 1 | . | . | . | 5.00 | . | . |
| 250 OTHER DIGESTIVE SYSTEM DIAGNOSES | | | | | | | |
| No, Minor, or Moderate CC | 57 | . | . | . | 3.83 | . | . |
| Major or Extreme CC | 12 | . | . | . | 7.73 | . | . |
| All other APDRGs | 4,349 | . | . | . | 5.61 | . | . |

* Not comparable with non-psychiatric/substance abuse hospitals.** Excluding outliers and missing values.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee/Office of Health Care Statistics.
 In the second quarter of 1998, APDRG 174 and 188 have been replaced by 241 242 244 250.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

LDS HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2) COUNTY: Salt Lake
 AFFILIATION: IHC, Inc. BED SIZE: 520

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 14,887 | 60.3 | 59.2 | 63.4 |
| Male | 9,811 | 39.7 | 40.8 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 4,487 | 18.2 | 16.8 | 21.3 |
| 29-365 days | 98 | 0.4 | 0.6 | 1.2 |
| 1-4 years | 1 | 0.0 | 0.1 | 1.0 |
| 5-9 | 4 | 0.0 | 0.1 | 0.6 |
| 10-14 | 41 | 0.2 | 0.4 | 0.8 |
| 15-17 | 290 | 1.2 | 1.9 | 1.8 |
| 18-19 | 498 | 2.0 | 2.7 | 2.4 |
| 20-24 | 1,897 | 7.7 | 8.5 | 9.2 |
| 25-29 | 2,306 | 9.3 | 8.9 | 9.1 |
| 30-34 | 1,709 | 6.9 | 6.9 | 6.3 |
| 35-39 | 1,501 | 6.1 | 6.2 | 5.0 |
| 40-44 | 1,275 | 5.2 | 5.6 | 4.0 |
| 45-49 | 1,178 | 4.8 | 5.2 | 3.7 |
| 50-54 | 1,170 | 4.7 | 5.0 | 3.6 |
| 55-59 | 1,205 | 4.9 | 4.8 | 3.5 |
| 60-64 | 1,156 | 4.7 | 4.8 | 3.8 |
| 65-69 | 1,241 | 5.0 | 5.1 | 4.5 |
| 70-74 | 1,479 | 6.0 | 5.5 | 5.3 |
| 75-79 | 1,337 | 5.4 | 4.9 | 5.2 |
| 80-84 | 1,031 | 4.2 | 3.4 | 4.1 |
| 85-89 | 545 | 2.2 | 1.9 | 2.6 |
| 90 + | 249 | 1.0 | 0.8 | 1.2 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 4,341 | 17.6 | 20.3 | 12.5 |
| Urgent | 10,488 | 42.5 | 35.9 | 43.6 |
| Elective | 5,314 | 21.5 | 26.6 | 22.9 |
| Newborn | 4,552 | 18.4 | 17.2 | 20.9 |
| Unknown | 3 | 0.0 | 0.1 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 12,431 | 50.3 | 54.8 | 54.5 |
| Clinic referral | 26 | 0.1 | 0.1 | 0.2 |
| HMO Referral | 5 | 0.0 | 0.1 | 0.0 |
| Other hospital | 1,677 | 6.8 | 4.3 | 2.5 |
| Skilled nursing facility | 81 | 0.3 | 0.2 | 0.1 |
| Other health care facility | 587 | 2.4 | 2.3 | 0.7 |
| Emergency room | 5,328 | 21.6 | 21.0 | 20.9 |
| Court/law enforcement | 7 | 0.0 | 0.0 | 0.0 |
| Normal delivery | 4,039 | 16.4 | 15.3 | 19.6 |
| Premature delivery | 381 | 1.5 | 1.4 | 0.7 |
| Sick baby | 128 | 0.5 | 0.4 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

LDS HOSPITAL
 PEER GROUP: Acute, urban, high CMI (n=2) COUNTY: Salt Lake
 AFFILIATION: IHC, Inc. BED SIZE: 520

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 4 | 0.0 | 0.1 | 0.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | 3 | 0.0 | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 21,326 | 86.3 | 84.9 | 86.3 |
| Another hospital | 175 | 0.7 | 1.1 | 1.6 |
| Skilled nursing facility | 1,293 | 5.2 | 4.2 | 5.1 |
| Intermediate care | 37 | 0.1 | 0.1 | 0.3 |
| Another type of institution | 378 | 1.5 | 3.0 | 1.8 |
| Under care of home service | 905 | 3.7 | 4.3 | 3.1 |
| Left against medical advice | 66 | 0.3 | 0.3 | 0.1 |
| Under care of a home iv provider | 67 | 0.3 | 0.2 | 0.1 |
| Expired | 451 | 1.8 | 1.9 | 1.4 |
| Not reported | . | . | 0.0 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 5,561 | 22.5 | 22.1 | 21.9 |
| Medicaid | 1,138 | 4.6 | 12.8 | 9.5 |
| Other government | 1,002 | 4.1 | 4.1 | 3.5 |
| Blue Cross/Blue Shield | 1,745 | 7.1 | 7.4 | 7.5 |
| Other commercial | 4,672 | 18.9 | 16.9 | 15.3 |
| Managed care | 9,458 | 38.3 | 29.3 | 34.7 |
| Self pay | 348 | 1.4 | 5.0 | 3.2 |
| Industrial/Worker's Comp | 292 | 1.2 | 1.1 | 0.7 |
| Charity & unclassified | 24 | 0.1 | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 458 | 1.9 | 1.1 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 487 | 2.0 | 1.9 | 5.9 |
| Central Utah | 245 | 1.0 | 1.0 | 3.5 |
| Davis County | 2,855 | 11.6 | 9.2 | 9.2 |
| Salt Lake County | 15,818 | 64.0 | 60.8 | 35.6 |
| Southeastern Utah | 192 | 0.8 | 0.9 | 2.5 |
| Southwest Utah | 569 | 2.3 | 2.1 | 6.6 |
| Summit County | 324 | 1.3 | 1.9 | 0.8 |
| Tooele County | 823 | 3.3 | 2.7 | 1.6 |
| Uintah Basin | 150 | 0.6 | 0.9 | 2.2 |
| Utah County | 678 | 2.7 | 2.9 | 16.4 |
| Wasatch County | 102 | 0.4 | 0.5 | 0.5 |
| Weber/Morgan | 286 | 1.2 | 1.8 | 9.5 |
| Unknown Utah | 5 | 0.0 | 0.1 | 0.1 |
| Outside Utah | 2,149 | 8.7 | 12.4 | 5.5 |
| Unknown | 15 | 0.1 | 1.1 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

UNIVERSITY OF UTAH HOSPITAL

PEER GROUP: Acute, urban, high CMI (n=2)

AFFILIATION: Freestanding

COUNTY: Salt Lake

BED SIZE: 425

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 11,168 | 57.7 | 59.2 | 63.4 |
| Male | 8,180 | 42.3 | 40.8 | 36.6 |
| Unknown | 3 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,923 | 15.1 | 16.8 | 21.3 |
| 29-365 days | 176 | 0.9 | 0.6 | 1.2 |
| 1-4 years | 49 | 0.3 | 0.1 | 1.0 |
| 5-9 | 43 | 0.2 | 0.1 | 0.6 |
| 10-14 | 121 | 0.6 | 0.4 | 0.8 |
| 15-17 | 542 | 2.8 | 1.9 | 1.8 |
| 18-19 | 695 | 3.6 | 2.7 | 2.4 |
| 20-24 | 1,845 | 9.5 | 8.5 | 9.2 |
| 25-29 | 1,596 | 8.2 | 8.9 | 9.1 |
| 30-34 | 1,339 | 6.9 | 6.9 | 6.3 |
| 35-39 | 1,213 | 6.3 | 6.2 | 5.0 |
| 40-44 | 1,172 | 6.1 | 5.6 | 4.0 |
| 45-49 | 1,114 | 5.8 | 5.2 | 3.7 |
| 50-54 | 1,041 | 5.4 | 5.0 | 3.6 |
| 55-59 | 902 | 4.7 | 4.8 | 3.5 |
| 60-64 | 943 | 4.9 | 4.8 | 3.8 |
| 65-69 | 1,004 | 5.2 | 5.1 | 4.5 |
| 70-74 | 960 | 5.0 | 5.5 | 5.3 |
| 75-79 | 833 | 4.3 | 4.9 | 5.2 |
| 80-84 | 464 | 2.4 | 3.4 | 4.1 |
| 85-89 | 277 | 1.4 | 1.9 | 2.6 |
| 90 + | 99 | 0.5 | 0.8 | 1.2 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 4,601 | 23.8 | 20.3 | 12.5 |
| Urgent | 5,322 | 27.5 | 35.9 | 43.6 |
| Elective | 6,399 | 33.1 | 26.6 | 22.9 |
| Newborn | 3,009 | 15.5 | 17.2 | 20.9 |
| Unknown | 20 | 0.1 | 0.1 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 11,717 | 60.5 | 54.8 | 54.5 |
| Clinic referral | 31 | 0.2 | 0.1 | 0.2 |
| HMO Referral | 28 | 0.1 | 0.1 | 0.0 |
| Other hospital | 199 | 1.0 | 4.3 | 2.5 |
| Skilled nursing facility | 4 | 0.0 | 0.2 | 0.1 |
| Other health care facility | 422 | 2.2 | 2.3 | 0.7 |
| Emergency room | 3,920 | 20.3 | 21.0 | 20.9 |
| Court/law enforcement | 1 | 0.0 | 0.0 | 0.0 |
| Normal delivery | 2,692 | 13.9 | 15.3 | 19.6 |
| Premature delivery | 218 | 1.1 | 1.4 | 0.7 |
| Sick baby | 50 | 0.3 | 0.4 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

UNIVERSITY OF UTAH HOSPITAL

PEER GROUP: Acute, urban, high CMI (n=2)

AFFILIATION: Freestanding

COUNTY: Salt Lake

BED SIZE: 425

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 49 | 0.3 | 0.1 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 20 | 0.1 | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 16,089 | 83.1 | 84.9 | 86.3 |
| Another hospital | 288 | 1.5 | 1.1 | 1.6 |
| Skilled nursing facility | 552 | 2.9 | 4.2 | 5.1 |
| Intermediate care | 19 | 0.1 | 0.1 | 0.3 |
| Another type of institution | 955 | 4.9 | 3.0 | 1.8 |
| Under care of home service | 988 | 5.1 | 4.3 | 3.1 |
| Left against medical advice | 54 | 0.3 | 0.3 | 0.1 |
| Under care of a home iv provider | 8 | 0.0 | 0.2 | 0.1 |
| Expired | 397 | 2.1 | 1.9 | 1.4 |
| Not reported | 1 | 0.0 | 0.0 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 4,193 | 21.7 | 22.1 | 21.9 |
| Medicaid | 4,519 | 23.4 | 12.8 | 9.5 |
| Other government | 821 | 4.2 | 4.1 | 3.5 |
| Blue Cross/Blue Shield | 1,523 | 7.9 | 7.4 | 7.5 |
| Other commercial | 2,768 | 14.3 | 16.9 | 15.3 |
| Managed care | 3,433 | 17.7 | 29.3 | 34.7 |
| Self pay | 1,861 | 9.6 | 5.0 | 3.2 |
| Industrial/Worker's Comp | 186 | 1.0 | 1.1 | 0.7 |
| Charity & unclassified | 10 | 0.1 | 0.1 | 0.1 |
| Children's Health Insurance Plan | 2 | 0.0 | 0.0 | 0.0 |
| Not reported | 35 | 0.2 | 1.1 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 363 | 1.9 | 1.9 | 5.9 |
| Central Utah | 194 | 1.0 | 1.0 | 3.5 |
| Davis County | 1,195 | 6.2 | 9.2 | 9.2 |
| Salt Lake County | 10,953 | 56.6 | 60.8 | 35.6 |
| Southeastern Utah | 196 | 1.0 | 0.9 | 2.5 |
| Southwest Utah | 344 | 1.8 | 2.1 | 6.6 |
| Summit County | 521 | 2.7 | 1.9 | 0.8 |
| Tooele County | 378 | 2.0 | 2.7 | 1.6 |
| Uintah Basin | 236 | 1.2 | 0.9 | 2.2 |
| Utah County | 595 | 3.1 | 2.9 | 16.4 |
| Wasatch County | 110 | 0.6 | 0.5 | 0.5 |
| Weber/Morgan | 496 | 2.6 | 1.8 | 9.5 |
| Unknown Utah | 30 | 0.2 | 0.1 | 0.1 |
| Outside Utah | 3,292 | 17.0 | 12.4 | 5.5 |
| Unknown | 448 | 2.3 | 1.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Salt Lake
 AFFILIATION: Paracelsus Health Care BED SIZE: 200

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 3,934 | 66.2 | 62.2 | 63.4 |
| Male | 2,011 | 33.8 | 37.8 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,334 | 22.4 | 19.2 | 21.3 |
| 29-365 days | 14 | 0.2 | 1.5 | 1.2 |
| 1-4 years | . | . | 1.1 | 1.0 |
| 5-9 | . | . | 0.6 | 0.6 |
| 10-14 | 7 | 0.1 | 0.9 | 0.8 |
| 15-17 | 38 | 0.6 | 1.8 | 1.8 |
| 18-19 | 94 | 1.6 | 2.1 | 2.4 |
| 20-24 | 461 | 7.8 | 8.5 | 9.2 |
| 25-29 | 544 | 9.2 | 8.2 | 9.1 |
| 30-34 | 391 | 6.6 | 5.7 | 6.3 |
| 35-39 | 298 | 5.0 | 4.8 | 5.0 |
| 40-44 | 204 | 3.4 | 3.9 | 4.0 |
| 45-49 | 224 | 3.8 | 3.7 | 3.7 |
| 50-54 | 177 | 3.0 | 3.8 | 3.6 |
| 55-59 | 215 | 3.6 | 3.8 | 3.5 |
| 60-64 | 249 | 4.2 | 4.3 | 3.8 |
| 65-69 | 297 | 5.0 | 5.2 | 4.5 |
| 70-74 | 356 | 6.0 | 6.0 | 5.3 |
| 75-79 | 350 | 5.9 | 5.9 | 5.2 |
| 80-84 | 352 | 5.9 | 4.6 | 4.1 |
| 85-89 | 210 | 3.5 | 2.9 | 2.6 |
| 90 + | 130 | 2.2 | 1.3 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,232 | 20.7 | 7.7 | 12.5 |
| Urgent | 1,388 | 23.3 | 45.1 | 43.6 |
| Elective | 2,097 | 35.3 | 28.2 | 22.9 |
| Newborn | 1,227 | 20.6 | 18.9 | 20.9 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 3,280 | 55.2 | 56.5 | 54.5 |
| Clinic referral | 17 | 0.3 | 0.2 | 0.2 |
| HMO Referral | 7 | 0.1 | 0.0 | 0.0 |
| Other hospital | 140 | 2.4 | 4.3 | 2.5 |
| Skilled nursing facility | 7 | 0.1 | 0.2 | 0.1 |
| Other health care facility | 8 | 0.1 | 0.5 | 0.7 |
| Emergency room | 1,257 | 21.1 | 19.3 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 1,220 | 20.5 | 17.4 | 19.6 |
| Premature delivery | 4 | 0.1 | 0.8 | 0.7 |
| Sick baby | . | . | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SALT LAKE REGIONAL MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Salt Lake
 AFFILIATION: Paracelsus Health Care BED SIZE: 200

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.5 | 0.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | 4 | 0.1 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 5,275 | 88.7 | 85.8 | 86.3 |
| Another hospital | 30 | 0.5 | 0.6 | 1.6 |
| Skilled nursing facility | 232 | 3.9 | 6.1 | 5.1 |
| Intermediate care | 69 | 1.2 | 0.4 | 0.3 |
| Another type of institution | 57 | 1.0 | 1.4 | 1.8 |
| Under care of home service | 191 | 3.2 | 3.7 | 3.1 |
| Left against medical advice | 5 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | . | . | 0.2 | 0.1 |
| Expired | 86 | 1.4 | 1.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 1,749 | 29.4 | 23.2 | 21.9 |
| Medicaid | 315 | 5.3 | 6.3 | 9.5 |
| Other government | 176 | 3.0 | 3.0 | 3.5 |
| Blue Cross/Blue Shield | 257 | 4.3 | 5.7 | 7.5 |
| Other commercial | 629 | 10.6 | 12.9 | 15.3 |
| Managed care | 2,779 | 46.7 | 37.4 | 34.7 |
| Self pay | . | . | 1.8 | 3.2 |
| Industrial/Worker's Comp | 33 | 0.6 | 0.7 | 0.7 |
| Charity & unclassified | 3 | 0.1 | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 4 | 0.1 | 8.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 13 | 0.2 | 1.7 | 5.9 |
| Central Utah | 8 | 0.1 | 2.8 | 3.5 |
| Davis County | 441 | 7.4 | 6.4 | 9.2 |
| Salt Lake County | 4,753 | 79.9 | 35.0 | 35.6 |
| Southeastern Utah | 28 | 0.5 | 1.2 | 2.5 |
| Southwest Utah | 19 | 0.3 | 0.6 | 6.6 |
| Summit County | 124 | 2.1 | 0.8 | 0.8 |
| Tooele County | 217 | 3.7 | 1.1 | 1.6 |
| Uintah Basin | 75 | 1.3 | 0.8 | 2.2 |
| Utah County | 51 | 0.9 | 27.2 | 16.4 |
| Wasatch County | 20 | 0.3 | 0.6 | 0.5 |
| Weber/Morgan | 18 | 0.3 | 18.9 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 178 | 3.0 | 2.9 | 5.5 |
| Unknown | . | . | 0.1 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ST. MARK'S HOSPITAL

PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Salt Lake

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 276

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 12,078 | 64.0 | 62.2 | 63.4 |
| Male | 6,798 | 36.0 | 37.8 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 3,191 | 16.9 | 19.2 | 21.3 |
| 29-365 days | 47 | 0.2 | 1.5 | 1.2 |
| 1-4 years | 26 | 0.1 | 1.1 | 1.0 |
| 5-9 | 22 | 0.1 | 0.6 | 0.6 |
| 10-14 | 65 | 0.3 | 0.9 | 0.8 |
| 15-17 | 243 | 1.3 | 1.8 | 1.8 |
| 18-19 | 332 | 1.8 | 2.1 | 2.4 |
| 20-24 | 1,279 | 6.8 | 8.5 | 9.2 |
| 25-29 | 1,443 | 7.6 | 8.2 | 9.1 |
| 30-34 | 1,117 | 5.9 | 5.7 | 6.3 |
| 35-39 | 980 | 5.2 | 4.8 | 5.0 |
| 40-44 | 863 | 4.6 | 3.9 | 4.0 |
| 45-49 | 830 | 4.4 | 3.7 | 3.7 |
| 50-54 | 808 | 4.3 | 3.8 | 3.6 |
| 55-59 | 815 | 4.3 | 3.8 | 3.5 |
| 60-64 | 909 | 4.8 | 4.3 | 3.8 |
| 65-69 | 1,129 | 6.0 | 5.2 | 4.5 |
| 70-74 | 1,411 | 7.5 | 6.0 | 5.3 |
| 75-79 | 1,349 | 7.1 | 5.9 | 5.2 |
| 80-84 | 1,071 | 5.7 | 4.6 | 4.1 |
| 85-89 | 641 | 3.4 | 2.9 | 2.6 |
| 90 + | 299 | 1.6 | 1.3 | 1.2 |
| Unknown | 6 | 0.0 | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,449 | 7.7 | 7.7 | 12.5 |
| Urgent | 1,951 | 10.3 | 45.1 | 43.6 |
| Elective | 12,266 | 65.0 | 28.2 | 22.9 |
| Newborn | 3,210 | 17.0 | 18.9 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 12,486 | 66.1 | 56.5 | 54.5 |
| Clinic referral | 90 | 0.5 | 0.2 | 0.2 |
| HMO Referral | 16 | 0.1 | 0.0 | 0.0 |
| Other hospital | 410 | 2.2 | 4.3 | 2.5 |
| Skilled nursing facility | 28 | 0.1 | 0.2 | 0.1 |
| Other health care facility | 271 | 1.4 | 0.5 | 0.7 |
| Emergency room | 2,365 | 12.5 | 19.3 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 2,899 | 15.4 | 17.4 | 19.6 |
| Premature delivery | 41 | 0.2 | 0.8 | 0.7 |
| Sick baby | 18 | 0.1 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ST. MARK'S HOSPITAL

PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Salt Lake

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 276

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 252 | 1.3 | 0.5 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 15,461 | 81.9 | 85.8 | 86.3 |
| Another hospital | 90 | 0.5 | 0.6 | 1.6 |
| Skilled nursing facility | 1,535 | 8.1 | 6.1 | 5.1 |
| Intermediate care | 80 | 0.4 | 0.4 | 0.3 |
| Another type of institution | 196 | 1.0 | 1.4 | 1.8 |
| Under care of home service | 1,092 | 5.8 | 3.7 | 3.1 |
| Left against medical advice | 23 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 84 | 0.4 | 0.2 | 0.1 |
| Expired | 315 | 1.7 | 1.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 4,281 | 22.7 | 23.2 | 21.9 |
| Medicaid | 1,149 | 6.1 | 6.3 | 9.5 |
| Other government | 50 | 0.3 | 3.0 | 3.5 |
| Blue Cross/Blue Shield | 897 | 4.8 | 5.7 | 7.5 |
| Other commercial | 1,820 | 9.6 | 12.9 | 15.3 |
| Managed care | 5,032 | 26.7 | 37.4 | 34.7 |
| Self pay | 441 | 2.3 | 1.8 | 3.2 |
| Industrial/Worker's Comp | 115 | 0.6 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 5,091 | 27.0 | 8.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 54 | 0.3 | 1.7 | 5.9 |
| Central Utah | 47 | 0.2 | 2.8 | 3.5 |
| Davis County | 385 | 2.0 | 6.4 | 9.2 |
| Salt Lake County | 16,313 | 86.4 | 35.0 | 35.6 |
| Southeastern Utah | 79 | 0.4 | 1.2 | 2.5 |
| Southwest Utah | 82 | 0.4 | 0.6 | 6.6 |
| Summit County | 242 | 1.3 | 0.8 | 0.8 |
| Tooele County | 404 | 2.1 | 1.1 | 1.6 |
| Uintah Basin | 112 | 0.6 | 0.8 | 2.2 |
| Utah County | 255 | 1.4 | 27.2 | 16.4 |
| Wasatch County | 63 | 0.3 | 0.6 | 0.5 |
| Weber/Morgan | 134 | 0.7 | 18.9 | 9.5 |
| Unknown Utah | 7 | 0.0 | 0.0 | 0.1 |
| Outside Utah | 680 | 3.6 | 2.9 | 5.5 |
| Unknown | 19 | 0.1 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

UTAH VALLEY MEDICAL CENTER

PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Utah

AFFILIATION: IHC, Inc.

BED SIZE: 395

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 12,025 | 59.7 | 62.2 | 63.4 |
| Male | 8,113 | 40.3 | 37.8 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 3,910 | 19.4 | 19.2 | 21.3 |
| 29-365 days | 515 | 2.6 | 1.5 | 1.2 |
| 1-4 years | 378 | 1.9 | 1.1 | 1.0 |
| 5-9 | 190 | 0.9 | 0.6 | 0.6 |
| 10-14 | 271 | 1.3 | 0.9 | 0.8 |
| 15-17 | 436 | 2.2 | 1.8 | 1.8 |
| 18-19 | 479 | 2.4 | 2.1 | 2.4 |
| 20-24 | 2,025 | 10.1 | 8.5 | 9.2 |
| 25-29 | 1,702 | 8.5 | 8.2 | 9.1 |
| 30-34 | 1,078 | 5.4 | 5.7 | 6.3 |
| 35-39 | 896 | 4.4 | 4.8 | 5.0 |
| 40-44 | 745 | 3.7 | 3.9 | 4.0 |
| 45-49 | 643 | 3.2 | 3.7 | 3.7 |
| 50-54 | 774 | 3.8 | 3.8 | 3.6 |
| 55-59 | 754 | 3.7 | 3.8 | 3.5 |
| 60-64 | 847 | 4.2 | 4.3 | 3.8 |
| 65-69 | 951 | 4.7 | 5.2 | 4.5 |
| 70-74 | 1,042 | 5.2 | 6.0 | 5.3 |
| 75-79 | 1,079 | 5.4 | 5.9 | 5.2 |
| 80-84 | 763 | 3.8 | 4.6 | 4.1 |
| 85-89 | 480 | 2.4 | 2.9 | 2.6 |
| 90 + | 180 | 0.9 | 1.3 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 112 | 0.6 | 7.7 | 12.5 |
| Urgent | 15,140 | 75.2 | 45.1 | 43.6 |
| Elective | 1,032 | 5.1 | 28.2 | 22.9 |
| Newborn | 3,854 | 19.1 | 18.9 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 10,613 | 52.7 | 56.5 | 54.5 |
| Clinic referral | 9 | 0.0 | 0.2 | 0.2 |
| HMO Referral | 1 | 0.0 | 0.0 | 0.0 |
| Other hospital | 1,566 | 7.8 | 4.3 | 2.5 |
| Skilled nursing facility | 49 | 0.2 | 0.2 | 0.1 |
| Other health care facility | 27 | 0.1 | 0.5 | 0.7 |
| Emergency room | 4,003 | 19.9 | 19.3 | 20.9 |
| Court/law enforcement | 16 | 0.1 | 0.0 | 0.0 |
| Normal delivery | 3,570 | 17.7 | 17.4 | 19.6 |
| Premature delivery | 245 | 1.2 | 0.8 | 0.7 |
| Sick baby | 24 | 0.1 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

UTAH VALLEY MEDICAL CENTER
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Utah
 AFFILIATION: IHC, Inc. BED SIZE: 395

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 9 | 0.0 | 0.5 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 6 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 17,806 | 88.4 | 85.8 | 86.3 |
| Another hospital | 131 | 0.7 | 0.6 | 1.6 |
| Skilled nursing facility | 877 | 4.4 | 6.1 | 5.1 |
| Intermediate care | 57 | 0.3 | 0.4 | 0.3 |
| Another type of institution | 353 | 1.8 | 1.4 | 1.8 |
| Under care of home service | 520 | 2.6 | 3.7 | 3.1 |
| Left against medical advice | 14 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 28 | 0.1 | 0.2 | 0.1 |
| Expired | 352 | 1.7 | 1.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 4,583 | 22.8 | 23.2 | 21.9 |
| Medicaid | 1,532 | 7.6 | 6.3 | 9.5 |
| Other government | 749 | 3.7 | 3.0 | 3.5 |
| Blue Cross/Blue Shield | 1,347 | 6.7 | 5.7 | 7.5 |
| Other commercial | 2,265 | 11.2 | 12.9 | 15.3 |
| Managed care | 8,994 | 44.7 | 37.4 | 34.7 |
| Self pay | 255 | 1.3 | 1.8 | 3.2 |
| Industrial/Worker's Comp | 198 | 1.0 | 0.7 | 0.7 |
| Charity & unclassified | 47 | 0.2 | 0.1 | 0.1 |
| Children's Health Insurance Plan | 8 | 0.0 | 0.0 | 0.0 |
| Not reported | 160 | 0.8 | 8.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 14 | 0.1 | 1.7 | 5.9 |
| Central Utah | 1,665 | 8.3 | 2.8 | 3.5 |
| Davis County | 34 | 0.2 | 6.4 | 9.2 |
| Salt Lake County | 256 | 1.3 | 35.0 | 35.6 |
| Southeastern Utah | 600 | 3.0 | 1.2 | 2.5 |
| Southwest Utah | 229 | 1.1 | 0.6 | 6.6 |
| Summit County | 19 | 0.1 | 0.8 | 0.8 |
| Tooele County | 22 | 0.1 | 1.1 | 1.6 |
| Uintah Basin | 255 | 1.3 | 0.8 | 2.2 |
| Utah County | 16,332 | 81.1 | 27.2 | 16.4 |
| Wasatch County | 296 | 1.5 | 0.6 | 0.5 |
| Weber/Morgan | 18 | 0.1 | 18.9 | 9.5 |
| Unknown Utah | 18 | 0.1 | 0.0 | 0.1 |
| Outside Utah | 369 | 1.8 | 2.9 | 5.5 |
| Unknown | 11 | 0.1 | 0.1 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

MCKAY DEE HOSPITAL

PEER GROUP: Acute, urban, upper medium CMI (n=4)

COUNTY: Weber

AFFILIATION: IHC, Inc.

BED SIZE: 428

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 10,044 | 61.9 | 62.2 | 63.4 |
| Male | 6,175 | 38.1 | 37.8 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 3,310 | 20.4 | 19.2 | 21.3 |
| 29-365 days | 371 | 2.3 | 1.5 | 1.2 |
| 1-4 years | 281 | 1.7 | 1.1 | 1.0 |
| 5-9 | 155 | 1.0 | 0.6 | 0.6 |
| 10-14 | 202 | 1.2 | 0.9 | 0.8 |
| 15-17 | 398 | 2.5 | 1.8 | 1.8 |
| 18-19 | 409 | 2.5 | 2.1 | 2.4 |
| 20-24 | 1,416 | 8.7 | 8.5 | 9.2 |
| 25-29 | 1,310 | 8.1 | 8.2 | 9.1 |
| 30-34 | 910 | 5.6 | 5.7 | 6.3 |
| 35-39 | 779 | 4.8 | 4.8 | 5.0 |
| 40-44 | 593 | 3.7 | 3.9 | 4.0 |
| 45-49 | 543 | 3.3 | 3.7 | 3.7 |
| 50-54 | 588 | 3.6 | 3.8 | 3.6 |
| 55-59 | 515 | 3.2 | 3.8 | 3.5 |
| 60-64 | 621 | 3.8 | 4.3 | 3.8 |
| 65-69 | 817 | 5.0 | 5.2 | 4.5 |
| 70-74 | 865 | 5.3 | 6.0 | 5.3 |
| 75-79 | 847 | 5.2 | 5.9 | 5.2 |
| 80-84 | 634 | 3.9 | 4.6 | 4.1 |
| 85-89 | 446 | 2.7 | 2.9 | 2.6 |
| 90 + | 209 | 1.3 | 1.3 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,936 | 11.9 | 7.7 | 12.5 |
| Urgent | 9,133 | 56.3 | 45.1 | 43.6 |
| Elective | 1,859 | 11.5 | 28.2 | 22.9 |
| Newborn | 3,291 | 20.3 | 18.9 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 8,160 | 50.3 | 56.5 | 54.5 |
| Clinic referral | 10 | 0.1 | 0.2 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | 519 | 3.2 | 4.3 | 2.5 |
| Skilled nursing facility | 39 | 0.2 | 0.2 | 0.1 |
| Other health care facility | 19 | 0.1 | 0.5 | 0.7 |
| Emergency room | 4,168 | 25.7 | 19.3 | 20.9 |
| Court/law enforcement | 12 | 0.1 | 0.0 | 0.0 |
| Normal delivery | 2,935 | 18.1 | 17.4 | 19.6 |
| Premature delivery | 211 | 1.3 | 0.8 | 0.7 |
| Sick baby | 124 | 0.8 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

MCKAY DEE HOSPITAL
 PEER GROUP: Acute, urban, upper medium CMI (n=4) COUNTY: Weber
 AFFILIATION: IHC, Inc. BED SIZE: 428

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 21 | 0.1 | 0.5 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 1 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 13,962 | 86.1 | 85.8 | 86.3 |
| Another hospital | 135 | 0.8 | 0.6 | 1.6 |
| Skilled nursing facility | 1,058 | 6.5 | 6.1 | 5.1 |
| Intermediate care | 19 | 0.1 | 0.4 | 0.3 |
| Another type of institution | 264 | 1.6 | 1.4 | 1.8 |
| Under care of home service | 479 | 3.0 | 3.7 | 3.1 |
| Left against medical advice | 18 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 25 | 0.2 | 0.2 | 0.1 |
| Expired | 259 | 1.6 | 1.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 3,601 | 22.2 | 23.2 | 21.9 |
| Medicaid | 872 | 5.4 | 6.3 | 9.5 |
| Other government | 830 | 5.1 | 3.0 | 3.5 |
| Blue Cross/Blue Shield | 1,002 | 6.2 | 5.7 | 7.5 |
| Other commercial | 3,185 | 19.6 | 12.9 | 15.3 |
| Managed care | 6,103 | 37.6 | 37.4 | 34.7 |
| Self pay | 375 | 2.3 | 1.8 | 3.2 |
| Industrial/Worker's Comp | 100 | 0.6 | 0.7 | 0.7 |
| Charity & unclassified | 2 | 0.0 | 0.1 | 0.1 |
| Children's Health Insurance Plan | 4 | 0.0 | 0.0 | 0.0 |
| Not reported | 145 | 0.9 | 8.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 956 | 5.9 | 1.7 | 5.9 |
| Central Utah | 7 | 0.0 | 2.8 | 3.5 |
| Davis County | 3,028 | 18.7 | 6.4 | 9.2 |
| Salt Lake County | 102 | 0.6 | 35.0 | 35.6 |
| Southeastern Utah | 8 | 0.0 | 1.2 | 2.5 |
| Southwest Utah | 24 | 0.1 | 0.6 | 6.6 |
| Summit County | 77 | 0.5 | 0.8 | 0.8 |
| Tooele County | 11 | 0.1 | 1.1 | 1.6 |
| Uintah Basin | 20 | 0.1 | 0.8 | 2.2 |
| Utah County | 26 | 0.2 | 27.2 | 16.4 |
| Wasatch County | 3 | 0.0 | 0.6 | 0.5 |
| Weber/Morgan | 11,401 | 70.3 | 18.9 | 9.5 |
| Unknown Utah | 5 | 0.0 | 0.0 | 0.1 |
| Outside Utah | 550 | 3.4 | 2.9 | 5.5 |
| Unknown | 1 | 0.0 | 0.1 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

LAKEVIEW HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6) COUNTY: Davis
 AFFILIATION: Columbia Healthcare, Inc. BED SIZE: 128

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 2,637 | 64.1 | 65.1 | 63.4 |
| Male | 1,477 | 35.9 | 34.9 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 697 | 16.9 | 22.6 | 21.3 |
| 29-365 days | 5 | 0.1 | 1.1 | 1.2 |
| 1-4 years | 4 | 0.1 | 1.0 | 1.0 |
| 5-9 | 24 | 0.6 | 0.5 | 0.6 |
| 10-14 | 48 | 1.2 | 0.7 | 0.8 |
| 15-17 | 64 | 1.6 | 1.5 | 1.8 |
| 18-19 | 78 | 1.9 | 2.0 | 2.4 |
| 20-24 | 250 | 6.1 | 8.7 | 9.2 |
| 25-29 | 327 | 7.9 | 9.6 | 9.1 |
| 30-34 | 267 | 6.5 | 6.5 | 6.3 |
| 35-39 | 202 | 4.9 | 5.1 | 5.0 |
| 40-44 | 149 | 3.6 | 3.9 | 4.0 |
| 45-49 | 161 | 3.9 | 3.7 | 3.7 |
| 50-54 | 123 | 3.0 | 3.2 | 3.6 |
| 55-59 | 168 | 4.1 | 3.3 | 3.5 |
| 60-64 | 182 | 4.4 | 3.3 | 3.8 |
| 65-69 | 192 | 4.7 | 4.1 | 4.5 |
| 70-74 | 301 | 7.3 | 5.3 | 5.3 |
| 75-79 | 301 | 7.3 | 5.4 | 5.2 |
| 80-84 | 266 | 6.5 | 4.2 | 4.1 |
| 85-89 | 201 | 4.9 | 2.8 | 2.6 |
| 90 + | 104 | 2.5 | 1.4 | 1.2 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,126 | 27.4 | 13.5 | 12.5 |
| Urgent | 2,284 | 55.5 | 41.8 | 43.6 |
| Elective | 8 | 0.2 | 22.2 | 22.9 |
| Newborn | 694 | 16.9 | 22.4 | 20.9 |
| Unknown | 2 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | 0.1 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 2,038 | 49.5 | 55.5 | 54.5 |
| Clinic referral | 2 | 0.0 | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | 13 | 0.3 | 1.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | 7 | 0.2 | 0.1 | 0.7 |
| Emergency room | 1,353 | 32.9 | 20.2 | 20.9 |
| Court/law enforcement | 3 | 0.1 | 0.0 | 0.0 |
| Normal delivery | 647 | 15.7 | 21.4 | 19.6 |
| Premature delivery | 19 | 0.5 | 0.6 | 0.7 |
| Sick baby | 19 | 0.5 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

LAKEVIEW HOSPITAL

PEER GROUP: Acute, urban, lower medium CMI (n=6)

COUNTY: Davis

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 128

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 9 | 0.2 | 0.1 | 0.2 |
| Unknown | 2 | 0.0 | 0.1 | 0.0 |
| Not reported | 2 | 0.0 | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 3,384 | 82.3 | 86.3 | 86.3 |
| Another hospital | 66 | 1.6 | 1.6 | 1.6 |
| Skilled nursing facility | 279 | 6.8 | 5.1 | 5.1 |
| Intermediate care | 8 | 0.2 | 0.2 | 0.3 |
| Another type of institution | 143 | 3.5 | 2.4 | 1.8 |
| Under care of home service | 149 | 3.6 | 2.6 | 3.1 |
| Left against medical advice | 4 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 4 | 0.1 | 0.1 | 0.1 |
| Expired | 77 | 1.9 | 1.3 | 1.4 |
| Not reported | . | . | 0.1 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 1,366 | 33.2 | 21.8 | 21.9 |
| Medicaid | 65 | 1.6 | 4.3 | 9.5 |
| Other government | 254 | 6.2 | 3.9 | 3.5 |
| Blue Cross/Blue Shield | 152 | 3.7 | 5.8 | 7.5 |
| Other commercial | 338 | 8.2 | 18.3 | 15.3 |
| Managed care | 1,809 | 44.0 | 39.9 | 34.7 |
| Self pay | 95 | 2.3 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 22 | 0.5 | 0.7 | 0.7 |
| Charity & unclassified | 8 | 0.2 | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 5 | 0.1 | 2.7 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 22 | 0.5 | 1.2 | 5.9 |
| Central Utah | 4 | 0.1 | 1.7 | 3.5 |
| Davis County | 3,529 | 85.8 | 26.3 | 9.2 |
| Salt Lake County | 301 | 7.3 | 38.8 | 35.6 |
| Southeastern Utah | 3 | 0.1 | 0.5 | 2.5 |
| Southwest Utah | 14 | 0.3 | 0.4 | 6.6 |
| Summit County | 6 | 0.1 | 0.3 | 0.8 |
| Tooele County | 32 | 0.8 | 0.8 | 1.6 |
| Uintah Basin | . | . | 0.1 | 2.2 |
| Utah County | 14 | 0.3 | 10.4 | 16.4 |
| Wasatch County | 3 | 0.1 | 0.1 | 0.5 |
| Weber/Morgan | 100 | 2.4 | 17.6 | 9.5 |
| Unknown Utah | 4 | 0.1 | 0.1 | 0.1 |
| Outside Utah | 72 | 1.8 | 1.7 | 5.5 |
| Unknown | 10 | 0.2 | 0.0 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6) COUNTY: Davis
 AFFILIATION: Paracelsus Health Care BED SIZE: 126

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 5,202 | 67.0 | 65.1 | 63.4 |
| Male | 2,567 | 33.0 | 34.9 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,971 | 25.4 | 22.6 | 21.3 |
| 29-365 days | 133 | 1.7 | 1.1 | 1.2 |
| 1-4 years | 104 | 1.3 | 1.0 | 1.0 |
| 5-9 | 53 | 0.7 | 0.5 | 0.6 |
| 10-14 | 60 | 0.8 | 0.7 | 0.8 |
| 15-17 | 116 | 1.5 | 1.5 | 1.8 |
| 18-19 | 174 | 2.2 | 2.0 | 2.4 |
| 20-24 | 738 | 9.5 | 8.7 | 9.2 |
| 25-29 | 734 | 9.4 | 9.6 | 9.1 |
| 30-34 | 536 | 6.9 | 6.5 | 6.3 |
| 35-39 | 378 | 4.9 | 5.1 | 5.0 |
| 40-44 | 270 | 3.5 | 3.9 | 4.0 |
| 45-49 | 236 | 3.0 | 3.7 | 3.7 |
| 50-54 | 228 | 2.9 | 3.2 | 3.6 |
| 55-59 | 201 | 2.6 | 3.3 | 3.5 |
| 60-64 | 209 | 2.7 | 3.3 | 3.8 |
| 65-69 | 291 | 3.7 | 4.1 | 4.5 |
| 70-74 | 357 | 4.6 | 5.3 | 5.3 |
| 75-79 | 380 | 4.9 | 5.4 | 5.2 |
| 80-84 | 237 | 3.1 | 4.2 | 4.1 |
| 85-89 | 236 | 3.0 | 2.8 | 2.6 |
| 90 + | 127 | 1.6 | 1.4 | 1.2 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 913 | 11.8 | 13.5 | 12.5 |
| Urgent | 2,476 | 31.9 | 41.8 | 43.6 |
| Elective | 2,391 | 30.8 | 22.2 | 22.9 |
| Newborn | 1,933 | 24.9 | 22.4 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 56 | 0.7 | 0.1 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 4,104 | 52.8 | 55.5 | 54.5 |
| Clinic referral | 11 | 0.1 | 0.1 | 0.2 |
| HMO Referral | 11 | 0.1 | 0.0 | 0.0 |
| Other hospital | 192 | 2.5 | 1.2 | 2.5 |
| Skilled nursing facility | 16 | 0.2 | 0.1 | 0.1 |
| Other health care facility | 11 | 0.1 | 0.1 | 0.7 |
| Emergency room | 1,435 | 18.5 | 20.2 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 1,862 | 24.0 | 21.4 | 19.6 |
| Premature delivery | 35 | 0.5 | 0.6 | 0.7 |
| Sick baby | 33 | 0.4 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

DAVIS HOSPITAL & MEDICAL CENTER
 PEER GROUP: Acute, urban, lower medium CMI (n=6) COUNTY: Davis
 AFFILIATION: Paracelsus Health Care BED SIZE: 126

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 3 | 0.0 | 0.1 | 0.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | 56 | 0.7 | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 6,886 | 88.6 | 86.3 | 86.3 |
| Another hospital | 115 | 1.5 | 1.6 | 1.6 |
| Skilled nursing facility | 405 | 5.2 | 5.1 | 5.1 |
| Intermediate care | . | . | 0.2 | 0.3 |
| Another type of institution | 205 | 2.6 | 2.4 | 1.8 |
| Under care of home service | 36 | 0.5 | 2.6 | 3.1 |
| Left against medical advice | 2 | 0.0 | 0.1 | 0.1 |
| Under care of a home iv provider | . | . | 0.1 | 0.1 |
| Expired | 64 | 0.8 | 1.3 | 1.4 |
| Not reported | 56 | 0.7 | 0.1 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 1,557 | 20.0 | 21.8 | 21.9 |
| Medicaid | 211 | 2.7 | 4.3 | 9.5 |
| Other government | 463 | 6.0 | 3.9 | 3.5 |
| Blue Cross/Blue Shield | 465 | 6.0 | 5.8 | 7.5 |
| Other commercial | 1,458 | 18.8 | 18.3 | 15.3 |
| Managed care | 2,523 | 32.5 | 39.9 | 34.7 |
| Self pay | 176 | 2.3 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 5 | 0.1 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 911 | 11.7 | 2.7 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 78 | 1.0 | 1.2 | 5.9 |
| Central Utah | 1 | 0.0 | 1.7 | 3.5 |
| Davis County | 6,154 | 79.2 | 26.3 | 9.2 |
| Salt Lake County | 112 | 1.4 | 38.8 | 35.6 |
| Southeastern Utah | 3 | 0.0 | 0.5 | 2.5 |
| Southwest Utah | 3 | 0.0 | 0.4 | 6.6 |
| Summit County | 21 | 0.3 | 0.3 | 0.8 |
| Tooele County | 16 | 0.2 | 0.8 | 1.6 |
| Uintah Basin | 9 | 0.1 | 0.1 | 2.2 |
| Utah County | 26 | 0.3 | 10.4 | 16.4 |
| Wasatch County | . | . | 0.1 | 0.5 |
| Weber/Morgan | 1,234 | 15.9 | 17.6 | 9.5 |
| Unknown Utah | 9 | 0.1 | 0.1 | 0.1 |
| Outside Utah | 103 | 1.3 | 1.7 | 5.5 |
| Unknown | . | . | 0.0 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

COTTONWOOD HOSPITAL

PEER GROUP: Acute, urban, lower medium CMI (n=6)

COUNTY: Salt Lake

AFFILIATION: IHC, Inc.

BED SIZE: 213

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 9,736 | 66.1 | 65.1 | 63.4 |
| Male | 4,999 | 33.9 | 34.9 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 3,553 | 24.1 | 22.6 | 21.3 |
| 29-365 days | 82 | 0.6 | 1.1 | 1.2 |
| 1-4 years | 83 | 0.6 | 1.0 | 1.0 |
| 5-9 | 59 | 0.4 | 0.5 | 0.6 |
| 10-14 | 92 | 0.6 | 0.7 | 0.8 |
| 15-17 | 181 | 1.2 | 1.5 | 1.8 |
| 18-19 | 255 | 1.7 | 2.0 | 2.4 |
| 20-24 | 1,325 | 9.0 | 8.7 | 9.2 |
| 25-29 | 1,628 | 11.0 | 9.6 | 9.1 |
| 30-34 | 1,096 | 7.4 | 6.5 | 6.3 |
| 35-39 | 867 | 5.9 | 5.1 | 5.0 |
| 40-44 | 666 | 4.5 | 3.9 | 4.0 |
| 45-49 | 644 | 4.4 | 3.7 | 3.7 |
| 50-54 | 545 | 3.7 | 3.2 | 3.6 |
| 55-59 | 537 | 3.6 | 3.3 | 3.5 |
| 60-64 | 509 | 3.5 | 3.3 | 3.8 |
| 65-69 | 503 | 3.4 | 4.1 | 4.5 |
| 70-74 | 598 | 4.1 | 5.3 | 5.3 |
| 75-79 | 600 | 4.1 | 5.4 | 5.2 |
| 80-84 | 505 | 3.4 | 4.2 | 4.1 |
| 85-89 | 290 | 2.0 | 2.8 | 2.6 |
| 90 + | 117 | 0.8 | 1.4 | 1.2 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,054 | 7.2 | 13.5 | 12.5 |
| Urgent | 6,835 | 46.4 | 41.8 | 43.6 |
| Elective | 3,310 | 22.5 | 22.2 | 22.9 |
| Newborn | 3,535 | 24.0 | 22.4 | 20.9 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | 0.1 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 7,717 | 52.4 | 55.5 | 54.5 |
| Clinic referral | 36 | 0.2 | 0.1 | 0.2 |
| HMO Referral | 2 | 0.0 | 0.0 | 0.0 |
| Other hospital | 257 | 1.7 | 1.2 | 2.5 |
| Skilled nursing facility | 12 | 0.1 | 0.1 | 0.1 |
| Other health care facility | 39 | 0.3 | 0.1 | 0.7 |
| Emergency room | 3,117 | 21.2 | 20.2 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 3,318 | 22.5 | 21.4 | 19.6 |
| Premature delivery | 153 | 1.0 | 0.6 | 0.7 |
| Sick baby | 34 | 0.2 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

COTTONWOOD HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: IHC, Inc. BED SIZE: 213

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 29 | 0.2 | 0.1 | 0.2 |
| Unknown | 20 | 0.1 | 0.1 | 0.0 |
| Not reported | 1 | 0.0 | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 13,111 | 89.0 | 86.3 | 86.3 |
| Another hospital | 216 | 1.5 | 1.6 | 1.6 |
| Skilled nursing facility | 462 | 3.1 | 5.1 | 5.1 |
| Intermediate care | 16 | 0.1 | 0.2 | 0.3 |
| Another type of institution | 316 | 2.1 | 2.4 | 1.8 |
| Under care of home service | 412 | 2.8 | 2.6 | 3.1 |
| Left against medical advice | 26 | 0.2 | 0.1 | 0.1 |
| Under care of a home iv provider | 1 | 0.0 | 0.1 | 0.1 |
| Expired | 175 | 1.2 | 1.3 | 1.4 |
| Not reported | . | . | 0.1 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 2,261 | 15.3 | 21.8 | 21.9 |
| Medicaid | 369 | 2.5 | 4.3 | 9.5 |
| Other government | 630 | 4.3 | 3.9 | 3.5 |
| Blue Cross/Blue Shield | 984 | 6.7 | 5.8 | 7.5 |
| Other commercial | 2,843 | 19.3 | 18.3 | 15.3 |
| Managed care | 7,040 | 47.8 | 39.9 | 34.7 |
| Self pay | 339 | 2.3 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 186 | 1.3 | 0.7 | 0.7 |
| Charity & unclassified | 25 | 0.2 | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 58 | 0.4 | 2.7 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 53 | 0.4 | 1.2 | 5.9 |
| Central Utah | 74 | 0.5 | 1.7 | 3.5 |
| Davis County | 233 | 1.6 | 26.3 | 9.2 |
| Salt Lake County | 13,354 | 90.6 | 38.8 | 35.6 |
| Southeastern Utah | 25 | 0.2 | 0.5 | 2.5 |
| Southwest Utah | 113 | 0.8 | 0.4 | 6.6 |
| Summit County | 82 | 0.6 | 0.3 | 0.8 |
| Tooele County | 176 | 1.2 | 0.8 | 1.6 |
| Uintah Basin | 8 | 0.1 | 0.1 | 2.2 |
| Utah County | 295 | 2.0 | 10.4 | 16.4 |
| Wasatch County | 25 | 0.2 | 0.1 | 0.5 |
| Weber/Morgan | 34 | 0.2 | 17.6 | 9.5 |
| Unknown Utah | 4 | 0.0 | 0.1 | 0.1 |
| Outside Utah | 255 | 1.7 | 1.7 | 5.5 |
| Unknown | 4 | 0.0 | 0.0 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: Paracelsus Health Care BED SIZE: 139

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,894 | 62.6 | 65.1 | 63.4 |
| Male | 1,133 | 37.4 | 34.9 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 490 | 16.2 | 22.6 | 21.3 |
| 29-365 days | 27 | 0.9 | 1.1 | 1.2 |
| 1-4 years | 36 | 1.2 | 1.0 | 1.0 |
| 5-9 | 15 | 0.5 | 0.5 | 0.6 |
| 10-14 | 25 | 0.8 | 0.7 | 0.8 |
| 15-17 | 56 | 1.9 | 1.5 | 1.8 |
| 18-19 | 69 | 2.3 | 2.0 | 2.4 |
| 20-24 | 231 | 7.6 | 8.7 | 9.2 |
| 25-29 | 185 | 6.1 | 9.6 | 9.1 |
| 30-34 | 151 | 5.0 | 6.5 | 6.3 |
| 35-39 | 140 | 4.6 | 5.1 | 5.0 |
| 40-44 | 128 | 4.2 | 3.9 | 4.0 |
| 45-49 | 141 | 4.7 | 3.7 | 3.7 |
| 50-54 | 149 | 4.9 | 3.2 | 3.6 |
| 55-59 | 154 | 5.1 | 3.3 | 3.5 |
| 60-64 | 144 | 4.8 | 3.3 | 3.8 |
| 65-69 | 198 | 6.5 | 4.1 | 4.5 |
| 70-74 | 213 | 7.0 | 5.3 | 5.3 |
| 75-79 | 186 | 6.1 | 5.4 | 5.2 |
| 80-84 | 160 | 5.3 | 4.2 | 4.1 |
| 85-89 | 94 | 3.1 | 2.8 | 2.6 |
| 90 + | 35 | 1.2 | 1.4 | 1.2 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,312 | 43.3 | 13.5 | 12.5 |
| Urgent | 831 | 27.5 | 41.8 | 43.6 |
| Elective | 400 | 13.2 | 22.2 | 22.9 |
| Newborn | 484 | 16.0 | 22.4 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.1 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,190 | 39.3 | 55.5 | 54.5 |
| Clinic referral | 2 | 0.1 | 0.1 | 0.2 |
| HMO Referral | 1 | 0.0 | 0.0 | 0.0 |
| Other hospital | 7 | 0.2 | 1.2 | 2.5 |
| Skilled nursing facility | 1 | 0.0 | 0.1 | 0.1 |
| Other health care facility | 2 | 0.1 | 0.1 | 0.7 |
| Emergency room | 1,305 | 43.1 | 20.2 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 460 | 15.2 | 21.4 | 19.6 |
| Premature delivery | 3 | 0.1 | 0.6 | 0.7 |
| Sick baby | 16 | 0.5 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

PIONEER VALLEY HOSPITAL
 PEER GROUP: Acute, urban, lower medium CMI (n=6) COUNTY: Salt Lake
 AFFILIATION: Paracelsus Health Care BED SIZE: 139

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | 3 | 0.1 | 0.1 | 0.2 |
| Unknown | 37 | 1.2 | 0.1 | 0.0 |
| Not reported | . | . | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,454 | 81.1 | 86.3 | 86.3 |
| Another hospital | 136 | 4.5 | 1.6 | 1.6 |
| Skilled nursing facility | 265 | 8.8 | 5.1 | 5.1 |
| Intermediate care | 1 | 0.0 | 0.2 | 0.3 |
| Another type of institution | 44 | 1.5 | 2.4 | 1.8 |
| Under care of home service | 73 | 2.4 | 2.6 | 3.1 |
| Left against medical advice | 2 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | . | . | 0.1 | 0.1 |
| Expired | 52 | 1.7 | 1.3 | 1.4 |
| Not reported | . | . | 0.1 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 835 | 27.6 | 21.8 | 21.9 |
| Medicaid | 391 | 12.9 | 4.3 | 9.5 |
| Other government | 92 | 3.0 | 3.9 | 3.5 |
| Blue Cross/Blue Shield | 111 | 3.7 | 5.8 | 7.5 |
| Other commercial | 417 | 13.8 | 18.3 | 15.3 |
| Managed care | 936 | 30.9 | 39.9 | 34.7 |
| Self pay | 66 | 2.2 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 30 | 1.0 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 149 | 4.9 | 2.7 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 2 | 0.1 | 1.2 | 5.9 |
| Central Utah | 5 | 0.2 | 1.7 | 3.5 |
| Davis County | 7 | 0.2 | 26.3 | 9.2 |
| Salt Lake County | 2,825 | 93.3 | 38.8 | 35.6 |
| Southeastern Utah | 4 | 0.1 | 0.5 | 2.5 |
| Southwest Utah | 1 | 0.0 | 0.4 | 6.6 |
| Summit County | 4 | 0.1 | 0.3 | 0.8 |
| Tooele County | 118 | 3.9 | 0.8 | 1.6 |
| Uintah Basin | 2 | 0.1 | 0.1 | 2.2 |
| Utah County | 1 | 0.0 | 10.4 | 16.4 |
| Wasatch County | . | . | 0.1 | 0.5 |
| Weber/Morgan | 5 | 0.2 | 17.6 | 9.5 |
| Unknown Utah | . | . | 0.1 | 0.1 |
| Outside Utah | 52 | 1.7 | 1.7 | 5.5 |
| Unknown | 1 | 0.0 | 0.0 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

MOUNTAIN VIEW HOSPITAL

PEER GROUP: Acute, urban, lower medium CMI (n=6)

COUNTY: Utah

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 126

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 3,317 | 65.0 | 65.1 | 63.4 |
| Male | 1,786 | 35.0 | 34.9 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,173 | 23.0 | 22.6 | 21.3 |
| 29-365 days | 74 | 1.5 | 1.1 | 1.2 |
| 1-4 years | 79 | 1.5 | 1.0 | 1.0 |
| 5-9 | 30 | 0.6 | 0.5 | 0.6 |
| 10-14 | 55 | 1.1 | 0.7 | 0.8 |
| 15-17 | 99 | 1.9 | 1.5 | 1.8 |
| 18-19 | 103 | 2.0 | 2.0 | 2.4 |
| 20-24 | 473 | 9.3 | 8.7 | 9.2 |
| 25-29 | 505 | 9.9 | 9.6 | 9.1 |
| 30-34 | 264 | 5.2 | 6.5 | 6.3 |
| 35-39 | 208 | 4.1 | 5.1 | 5.0 |
| 40-44 | 115 | 2.3 | 3.9 | 4.0 |
| 45-49 | 149 | 2.9 | 3.7 | 3.7 |
| 50-54 | 108 | 2.1 | 3.2 | 3.6 |
| 55-59 | 119 | 2.3 | 3.3 | 3.5 |
| 60-64 | 160 | 3.1 | 3.3 | 3.8 |
| 65-69 | 229 | 4.5 | 4.1 | 4.5 |
| 70-74 | 283 | 5.5 | 5.3 | 5.3 |
| 75-79 | 327 | 6.4 | 5.4 | 5.2 |
| 80-84 | 238 | 4.7 | 4.2 | 4.1 |
| 85-89 | 204 | 4.0 | 2.8 | 2.6 |
| 90 + | 108 | 2.1 | 1.4 | 1.2 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,316 | 25.8 | 13.5 | 12.5 |
| Urgent | 2,634 | 51.6 | 41.8 | 43.6 |
| Elective | 8 | 0.2 | 22.2 | 22.9 |
| Newborn | 1,145 | 22.4 | 22.4 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.1 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 2,762 | 54.1 | 55.5 | 54.5 |
| Clinic referral | 1 | 0.0 | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | . | . | 1.2 | 2.5 |
| Skilled nursing facility | 1 | 0.0 | 0.1 | 0.1 |
| Other health care facility | . | . | 0.1 | 0.7 |
| Emergency room | 1,194 | 23.4 | 20.2 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 1,129 | 22.1 | 21.4 | 19.6 |
| Premature delivery | 3 | 0.1 | 0.6 | 0.7 |
| Sick baby | 12 | 0.2 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

MOUNTAIN VIEW HOSPITAL

PEER GROUP: Acute, urban, lower medium CMI (n=6)

COUNTY: Utah

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 126

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | 1 | 0.0 | 0.1 | 0.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 4,148 | 81.3 | 86.3 | 86.3 |
| Another hospital | 139 | 2.7 | 1.6 | 1.6 |
| Skilled nursing facility | 362 | 7.1 | 5.1 | 5.1 |
| Intermediate care | 32 | 0.6 | 0.2 | 0.3 |
| Another type of institution | 104 | 2.0 | 2.4 | 1.8 |
| Under care of home service | 244 | 4.8 | 2.6 | 3.1 |
| Left against medical advice | 6 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 8 | 0.2 | 0.1 | 0.1 |
| Expired | 60 | 1.2 | 1.3 | 1.4 |
| Not reported | . | . | 0.1 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 1,388 | 27.2 | 21.8 | 21.9 |
| Medicaid | 297 | 5.8 | 4.3 | 9.5 |
| Other government | 201 | 3.9 | 3.9 | 3.5 |
| Blue Cross/Blue Shield | 382 | 7.5 | 5.8 | 7.5 |
| Other commercial | 1,428 | 28.0 | 18.3 | 15.3 |
| Managed care | 1,244 | 24.4 | 39.9 | 34.7 |
| Self pay | 137 | 2.7 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 17 | 0.3 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 9 | 0.2 | 2.7 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1 | 0.0 | 1.2 | 5.9 |
| Central Utah | 627 | 12.3 | 1.7 | 3.5 |
| Davis County | 7 | 0.1 | 26.3 | 9.2 |
| Salt Lake County | 37 | 0.7 | 38.8 | 35.6 |
| Southeastern Utah | 154 | 3.0 | 0.5 | 2.5 |
| Southwest Utah | 19 | 0.4 | 0.4 | 6.6 |
| Summit County | 2 | 0.0 | 0.3 | 0.8 |
| Tooele County | 4 | 0.1 | 0.8 | 1.6 |
| Uintah Basin | 8 | 0.2 | 0.1 | 2.2 |
| Utah County | 4,138 | 81.1 | 10.4 | 16.4 |
| Wasatch County | 24 | 0.5 | 0.1 | 0.5 |
| Weber/Morgan | 2 | 0.0 | 17.6 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.1 | 0.1 |
| Outside Utah | 77 | 1.5 | 1.7 | 5.5 |
| Unknown | 2 | 0.0 | 0.0 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

OGDEN REGIONAL MEDICAL CENTER

PEER GROUP: Acute, urban, lower medium CMI (n=6)

COUNTY: Weber

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 227

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 5,226 | 62.9 | 65.1 | 63.4 |
| Male | 3,086 | 37.1 | 34.9 | 36.6 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,864 | 22.4 | 22.6 | 21.3 |
| 29-365 days | 157 | 1.9 | 1.1 | 1.2 |
| 1-4 years | 118 | 1.4 | 1.0 | 1.0 |
| 5-9 | 40 | 0.5 | 0.5 | 0.6 |
| 10-14 | 39 | 0.5 | 0.7 | 0.8 |
| 15-17 | 125 | 1.5 | 1.5 | 1.8 |
| 18-19 | 188 | 2.3 | 2.0 | 2.4 |
| 20-24 | 750 | 9.0 | 8.7 | 9.2 |
| 25-29 | 749 | 9.0 | 9.6 | 9.1 |
| 30-34 | 493 | 5.9 | 6.5 | 6.3 |
| 35-39 | 395 | 4.8 | 5.1 | 5.0 |
| 40-44 | 334 | 4.0 | 3.9 | 4.0 |
| 45-49 | 252 | 3.0 | 3.7 | 3.7 |
| 50-54 | 244 | 2.9 | 3.2 | 3.6 |
| 55-59 | 221 | 2.7 | 3.3 | 3.5 |
| 60-64 | 233 | 2.8 | 3.3 | 3.8 |
| 65-69 | 367 | 4.4 | 4.1 | 4.5 |
| 70-74 | 516 | 6.2 | 5.3 | 5.3 |
| 75-79 | 521 | 6.3 | 5.4 | 5.2 |
| 80-84 | 402 | 4.8 | 4.2 | 4.1 |
| 85-89 | 202 | 2.4 | 2.8 | 2.6 |
| 90 + | 103 | 1.2 | 1.4 | 1.2 |
| Unknown | . | . | . | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 102 | 1.2 | 13.5 | 12.5 |
| Urgent | 2,931 | 35.3 | 41.8 | 43.6 |
| Elective | 3,433 | 41.3 | 22.2 | 22.9 |
| Newborn | 1,847 | 22.2 | 22.4 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.1 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 6,100 | 73.4 | 55.5 | 54.5 |
| Clinic referral | . | . | 0.1 | 0.2 |
| HMO Referral | 2 | 0.0 | 0.0 | 0.0 |
| Other hospital | 45 | 0.5 | 1.2 | 2.5 |
| Skilled nursing facility | 3 | 0.0 | 0.1 | 0.1 |
| Other health care facility | 1 | 0.0 | 0.1 | 0.7 |
| Emergency room | 315 | 3.8 | 20.2 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 1,780 | 21.4 | 21.4 | 19.6 |
| Premature delivery | 52 | 0.6 | 0.6 | 0.7 |
| Sick baby | 7 | 0.1 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

OGDEN REGIONAL MEDICAL CENTER

PEER GROUP: Acute, urban, lower medium CMI (n=6)

COUNTY: Weber

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 227

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | 8 | 0.1 | 0.1 | 0.2 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 0.1 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 7,183 | 86.4 | 86.3 | 86.3 |
| Another hospital | 36 | 0.4 | 1.6 | 1.6 |
| Skilled nursing facility | 429 | 5.2 | 5.1 | 5.1 |
| Intermediate care | 50 | 0.6 | 0.2 | 0.3 |
| Another type of institution | 221 | 2.7 | 2.4 | 1.8 |
| Under care of home service | 217 | 2.6 | 2.6 | 3.1 |
| Left against medical advice | 19 | 0.2 | 0.1 | 0.1 |
| Under care of a home iv provider | 44 | 0.5 | 0.1 | 0.1 |
| Expired | 114 | 1.4 | 1.3 | 1.4 |
| Not reported | . | . | 0.1 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 1,980 | 23.8 | 21.8 | 21.9 |
| Medicaid | 513 | 6.2 | 4.3 | 9.5 |
| Other government | 41 | 0.5 | 3.9 | 3.5 |
| Blue Cross/Blue Shield | 416 | 5.0 | 5.8 | 7.5 |
| Other commercial | 1,394 | 16.8 | 18.3 | 15.3 |
| Managed care | 3,635 | 43.7 | 39.9 | 34.7 |
| Self pay | 252 | 3.0 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 42 | 0.5 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.1 | 0.1 |
| Children's Health Insurance Plan | 3 | 0.0 | 0.0 | 0.0 |
| Not reported | 37 | 0.4 | 2.7 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 378 | 4.5 | 1.2 | 5.9 |
| Central Utah | 4 | 0.0 | 1.7 | 3.5 |
| Davis County | 1,409 | 16.9 | 26.3 | 9.2 |
| Salt Lake County | 74 | 0.9 | 38.8 | 35.6 |
| Southeastern Utah | 6 | 0.1 | 0.5 | 2.5 |
| Southwest Utah | 7 | 0.1 | 0.4 | 6.6 |
| Summit County | 31 | 0.4 | 0.3 | 0.8 |
| Tooele County | 2 | 0.0 | 0.8 | 1.6 |
| Uintah Basin | 14 | 0.2 | 0.1 | 2.2 |
| Utah County | 10 | 0.1 | 10.4 | 16.4 |
| Wasatch County | 1 | 0.0 | 0.1 | 0.5 |
| Weber/Morgan | 6,185 | 74.4 | 17.6 | 9.5 |
| Unknown Utah | 5 | 0.1 | 0.1 | 0.1 |
| Outside Utah | 184 | 2.2 | 1.7 | 5.5 |
| Unknown | 3 | 0.0 | 0.0 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

JORDAN VALLEY HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: Paracelsus Health Care

COUNTY: Salt Lake

BED SIZE: 50

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 3,118 | 71.3 | 69.9 | 63.4 |
| Male | 1,254 | 28.7 | 30.1 | 36.6 |
| Unknown | 4 | 0.1 | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,472 | 33.6 | 33.1 | 21.3 |
| 29-365 days | 44 | 1.0 | 0.7 | 1.2 |
| 1-4 years | 34 | 0.8 | 0.7 | 1.0 |
| 5-9 | 30 | 0.7 | 0.5 | 0.6 |
| 10-14 | 39 | 0.9 | 0.7 | 0.8 |
| 15-17 | 73 | 1.7 | 1.4 | 1.8 |
| 18-19 | 126 | 2.9 | 2.4 | 2.4 |
| 20-24 | 541 | 12.4 | 12.2 | 9.2 |
| 25-29 | 613 | 14.0 | 12.8 | 9.1 |
| 30-34 | 371 | 8.5 | 7.9 | 6.3 |
| 35-39 | 249 | 5.7 | 5.0 | 5.0 |
| 40-44 | 125 | 2.9 | 2.8 | 4.0 |
| 45-49 | 111 | 2.5 | 2.4 | 3.7 |
| 50-54 | 84 | 1.9 | 1.9 | 3.6 |
| 55-59 | 58 | 1.3 | 1.6 | 3.5 |
| 60-64 | 76 | 1.7 | 1.9 | 3.8 |
| 65-69 | 63 | 1.4 | 2.2 | 4.5 |
| 70-74 | 68 | 1.6 | 2.3 | 5.3 |
| 75-79 | 70 | 1.6 | 2.4 | 5.2 |
| 80-84 | 64 | 1.5 | 2.2 | 4.1 |
| 85-89 | 36 | 0.8 | 1.9 | 2.6 |
| 90 + | 29 | 0.7 | 0.9 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 500 | 11.4 | 4.3 | 12.5 |
| Urgent | 1,910 | 43.6 | 41.3 | 43.6 |
| Elective | 527 | 12.0 | 21.5 | 22.9 |
| Newborn | 1,438 | 32.9 | 32.8 | 20.9 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 2,062 | 47.1 | 49.9 | 54.5 |
| Clinic referral | 9 | 0.2 | 0.1 | 0.2 |
| HMO Referral | 3 | 0.1 | 0.0 | 0.0 |
| Other hospital | 7 | 0.2 | 0.2 | 2.5 |
| Skilled nursing facility | 2 | 0.0 | 0.0 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 851 | 19.4 | 16.9 | 20.9 |
| Court/law enforcement | 1 | 0.0 | 0.0 | 0.0 |
| Normal delivery | 1,424 | 32.5 | 32.2 | 19.6 |
| Premature delivery | 7 | 0.2 | 0.2 | 0.7 |
| Sick baby | 7 | 0.2 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

JORDAN VALLEY HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: Paracelsus Health Care

COUNTY: Salt Lake

BED SIZE: 50

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | 2 | 0.0 | 0.0 | 0.0 |
| Not reported | 1 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 4,111 | 93.9 | 91.7 | 86.3 |
| Another hospital | 110 | 2.5 | 2.2 | 1.6 |
| Skilled nursing facility | 39 | 0.9 | 3.0 | 5.1 |
| Intermediate care | . | . | 0.1 | 0.3 |
| Another type of institution | 62 | 1.4 | 1.2 | 1.8 |
| Under care of home service | 27 | 0.6 | 1.0 | 3.1 |
| Left against medical advice | 1 | 0.0 | 0.1 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 26 | 0.6 | 0.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 342 | 7.8 | 10.4 | 21.9 |
| Medicaid | 244 | 5.6 | 3.8 | 9.5 |
| Other government | 144 | 3.3 | 3.5 | 3.5 |
| Blue Cross/Blue Shield | 532 | 12.2 | 8.1 | 7.5 |
| Other commercial | 876 | 20.0 | 18.9 | 15.3 |
| Managed care | 2,058 | 47.0 | 51.4 | 34.7 |
| Self pay | 6 | 0.1 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 5 | 0.1 | 0.5 | 0.7 |
| Charity & unclassified | 3 | 0.1 | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | . | 0.0 |
| Not reported | 166 | 3.8 | 0.9 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1 | 0.0 | 0.1 | 5.9 |
| Central Utah | 15 | 0.3 | 0.7 | 3.5 |
| Davis County | 24 | 0.5 | 0.4 | 9.2 |
| Salt Lake County | 4,075 | 93.1 | 43.8 | 35.6 |
| Southeastern Utah | 9 | 0.2 | 0.2 | 2.5 |
| Southwest Utah | 7 | 0.2 | 0.2 | 6.6 |
| Summit County | 6 | 0.1 | 0.2 | 0.8 |
| Tooele County | 62 | 1.4 | 0.6 | 1.6 |
| Uintah Basin | 6 | 0.1 | 0.1 | 2.2 |
| Utah County | 89 | 2.0 | 51.5 | 16.4 |
| Wasatch County | 2 | 0.0 | 0.4 | 0.5 |
| Weber/Morgan | 5 | 0.1 | 0.2 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 69 | 1.6 | 1.5 | 5.5 |
| Unknown | 6 | 0.1 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ALTA VIEW HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: IHC, Inc.

COUNTY: Salt Lake

BED SIZE: 70

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 4,498 | 67.8 | 69.9 | 63.4 |
| Male | 2,138 | 32.2 | 30.1 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,869 | 28.2 | 33.1 | 21.3 |
| 29-365 days | . | . | 0.7 | 1.2 |
| 1-4 years | . | . | 0.7 | 1.0 |
| 5-9 | 17 | 0.3 | 0.5 | 0.6 |
| 10-14 | 51 | 0.8 | 0.7 | 0.8 |
| 15-17 | 99 | 1.5 | 1.4 | 1.8 |
| 18-19 | 175 | 2.6 | 2.4 | 2.4 |
| 20-24 | 647 | 9.7 | 12.2 | 9.2 |
| 25-29 | 781 | 11.8 | 12.8 | 9.1 |
| 30-34 | 519 | 7.8 | 7.9 | 6.3 |
| 35-39 | 399 | 6.0 | 5.0 | 5.0 |
| 40-44 | 247 | 3.7 | 2.8 | 4.0 |
| 45-49 | 236 | 3.6 | 2.4 | 3.7 |
| 50-54 | 207 | 3.1 | 1.9 | 3.6 |
| 55-59 | 155 | 2.3 | 1.6 | 3.5 |
| 60-64 | 180 | 2.7 | 1.9 | 3.8 |
| 65-69 | 193 | 2.9 | 2.2 | 4.5 |
| 70-74 | 192 | 2.9 | 2.3 | 5.3 |
| 75-79 | 217 | 3.3 | 2.4 | 5.2 |
| 80-84 | 189 | 2.8 | 2.2 | 4.1 |
| 85-89 | 183 | 2.8 | 1.9 | 2.6 |
| 90 + | 80 | 1.2 | 0.9 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 6 | 0.1 | 4.3 | 12.5 |
| Urgent | 4,118 | 62.1 | 41.3 | 43.6 |
| Elective | 649 | 9.8 | 21.5 | 22.9 |
| Newborn | 1,863 | 28.1 | 32.8 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 3,165 | 47.7 | 49.9 | 54.5 |
| Clinic referral | 16 | 0.2 | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | 27 | 0.4 | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.0 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 1,565 | 23.6 | 16.9 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 1,755 | 26.4 | 32.2 | 19.6 |
| Premature delivery | 44 | 0.7 | 0.2 | 0.7 |
| Sick baby | 62 | 0.9 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ALTA VIEW HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: IHC, Inc.

COUNTY: Salt Lake

BED SIZE: 70

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 1 | 0.0 | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 1 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 5,950 | 89.7 | 91.7 | 86.3 |
| Another hospital | 185 | 2.8 | 2.2 | 1.6 |
| Skilled nursing facility | 210 | 3.2 | 3.0 | 5.1 |
| Intermediate care | 1 | 0.0 | 0.1 | 0.3 |
| Another type of institution | 150 | 2.3 | 1.2 | 1.8 |
| Under care of home service | 67 | 1.0 | 1.0 | 3.1 |
| Left against medical advice | 8 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 3 | 0.0 | 0.0 | 0.1 |
| Expired | 62 | 0.9 | 0.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 888 | 13.4 | 10.4 | 21.9 |
| Medicaid | 158 | 2.4 | 3.8 | 9.5 |
| Other government | 269 | 4.1 | 3.5 | 3.5 |
| Blue Cross/Blue Shield | 500 | 7.5 | 8.1 | 7.5 |
| Other commercial | 1,331 | 20.1 | 18.9 | 15.3 |
| Managed care | 3,200 | 48.2 | 51.4 | 34.7 |
| Self pay | 214 | 3.2 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 50 | 0.8 | 0.5 | 0.7 |
| Charity & unclassified | 4 | 0.1 | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | . | 0.0 |
| Not reported | 22 | 0.3 | 0.9 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 10 | 0.2 | 0.1 | 5.9 |
| Central Utah | 31 | 0.5 | 0.7 | 3.5 |
| Davis County | 58 | 0.9 | 0.4 | 9.2 |
| Salt Lake County | 6,028 | 90.8 | 43.8 | 35.6 |
| Southeastern Utah | 7 | 0.1 | 0.2 | 2.5 |
| Southwest Utah | 26 | 0.4 | 0.2 | 6.6 |
| Summit County | 29 | 0.4 | 0.2 | 0.8 |
| Tooele County | 48 | 0.7 | 0.6 | 1.6 |
| Uintah Basin | 6 | 0.1 | 0.1 | 2.2 |
| Utah County | 207 | 3.1 | 51.5 | 16.4 |
| Wasatch County | 9 | 0.1 | 0.4 | 0.5 |
| Weber/Morgan | 17 | 0.3 | 0.2 | 9.5 |
| Unknown Utah | 2 | 0.0 | 0.0 | 0.1 |
| Outside Utah | 157 | 2.4 | 1.5 | 5.5 |
| Unknown | 1 | 0.0 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

OREM COMMUNITY HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: IHC, Inc.

COUNTY: Utah

BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 2,273 | 74.8 | 69.9 | 63.4 |
| Male | 766 | 25.2 | 30.1 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,394 | 45.9 | 33.1 | 21.3 |
| 29-365 days | . | . | 0.7 | 1.2 |
| 1-4 years | . | . | 0.7 | 1.0 |
| 5-9 | 2 | 0.1 | 0.5 | 0.6 |
| 10-14 | 4 | 0.1 | 0.7 | 0.8 |
| 15-17 | 32 | 1.1 | 1.4 | 1.8 |
| 18-19 | 88 | 2.9 | 2.4 | 2.4 |
| 20-24 | 599 | 19.7 | 12.2 | 9.2 |
| 25-29 | 455 | 15.0 | 12.8 | 9.1 |
| 30-34 | 242 | 8.0 | 7.9 | 6.3 |
| 35-39 | 104 | 3.4 | 5.0 | 5.0 |
| 40-44 | 40 | 1.3 | 2.8 | 4.0 |
| 45-49 | 12 | 0.4 | 2.4 | 3.7 |
| 50-54 | 12 | 0.4 | 1.9 | 3.6 |
| 55-59 | 6 | 0.2 | 1.6 | 3.5 |
| 60-64 | 8 | 0.3 | 1.9 | 3.8 |
| 65-69 | 7 | 0.2 | 2.2 | 4.5 |
| 70-74 | 3 | 0.1 | 2.3 | 5.3 |
| 75-79 | 10 | 0.3 | 2.4 | 5.2 |
| 80-84 | 5 | 0.2 | 2.2 | 4.1 |
| 85-89 | 9 | 0.3 | 1.9 | 2.6 |
| 90 + | 6 | 0.2 | 0.9 | 1.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 2 | 0.1 | 4.3 | 12.5 |
| Urgent | 1,038 | 34.2 | 41.3 | 43.6 |
| Elective | 603 | 19.8 | 21.5 | 22.9 |
| Newborn | 1,396 | 45.9 | 32.8 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,600 | 52.6 | 49.9 | 54.5 |
| Clinic referral | 2 | 0.1 | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.0 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 41 | 1.3 | 16.9 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 1,391 | 45.8 | 32.2 | 19.6 |
| Premature delivery | 2 | 0.1 | 0.2 | 0.7 |
| Sick baby | 1 | 0.0 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

OREM COMMUNITY HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: IHC, Inc.

COUNTY: Utah

BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | 1 | 0.0 | 0.0 | 0.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,970 | 97.7 | 91.7 | 86.3 |
| Another hospital | 42 | 1.4 | 2.2 | 1.6 |
| Skilled nursing facility | 11 | 0.4 | 3.0 | 5.1 |
| Intermediate care | 2 | 0.1 | 0.1 | 0.3 |
| Another type of institution | 1 | 0.0 | 1.2 | 1.8 |
| Under care of home service | 12 | 0.4 | 1.0 | 3.1 |
| Left against medical advice | 1 | 0.0 | 0.1 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | . | . | 0.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 46 | 1.5 | 10.4 | 21.9 |
| Medicaid | 132 | 4.3 | 3.8 | 9.5 |
| Other government | 88 | 2.9 | 3.5 | 3.5 |
| Blue Cross/Blue Shield | 237 | 7.8 | 8.1 | 7.5 |
| Other commercial | 322 | 10.6 | 18.9 | 15.3 |
| Managed care | 2,124 | 69.9 | 51.4 | 34.7 |
| Self pay | 76 | 2.5 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 10 | 0.3 | 0.5 | 0.7 |
| Charity & unclassified | 1 | 0.0 | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | . | 0.0 |
| Not reported | 3 | 0.1 | 0.9 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 2 | 0.1 | 0.1 | 5.9 |
| Central Utah | 38 | 1.3 | 0.7 | 3.5 |
| Davis County | 5 | 0.2 | 0.4 | 9.2 |
| Salt Lake County | 48 | 1.6 | 43.8 | 35.6 |
| Southeastern Utah | 4 | 0.1 | 0.2 | 2.5 |
| Southwest Utah | 3 | 0.1 | 0.2 | 6.6 |
| Summit County | 1 | 0.0 | 0.2 | 0.8 |
| Tooele County | . | . | 0.6 | 1.6 |
| Uintah Basin | 6 | 0.2 | 0.1 | 2.2 |
| Utah County | 2,892 | 95.2 | 51.5 | 16.4 |
| Wasatch County | 17 | 0.6 | 0.4 | 0.5 |
| Weber/Morgan | 2 | 0.1 | 0.2 | 9.5 |
| Unknown Utah | 2 | 0.1 | 0.0 | 0.1 |
| Outside Utah | 19 | 0.6 | 1.5 | 5.5 |
| Unknown | . | . | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

AMERICAN FORK HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: IHC, Inc.

COUNTY: Utah

BED SIZE: 72

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 4,863 | 69.9 | 69.9 | 63.4 |
| Male | 2,097 | 30.1 | 30.1 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,336 | 33.6 | 33.1 | 21.3 |
| 29-365 days | 105 | 1.5 | 0.7 | 1.2 |
| 1-4 years | 93 | 1.3 | 0.7 | 1.0 |
| 5-9 | 51 | 0.7 | 0.5 | 0.6 |
| 10-14 | 63 | 0.9 | 0.7 | 0.8 |
| 15-17 | 80 | 1.1 | 1.4 | 1.8 |
| 18-19 | 139 | 2.0 | 2.4 | 2.4 |
| 20-24 | 814 | 11.7 | 12.2 | 9.2 |
| 25-29 | 874 | 12.6 | 12.8 | 9.1 |
| 30-34 | 566 | 8.1 | 7.9 | 6.3 |
| 35-39 | 314 | 4.5 | 5.0 | 5.0 |
| 40-44 | 153 | 2.2 | 2.8 | 4.0 |
| 45-49 | 144 | 2.1 | 2.4 | 3.7 |
| 50-54 | 113 | 1.6 | 1.9 | 3.6 |
| 55-59 | 104 | 1.5 | 1.6 | 3.5 |
| 60-64 | 122 | 1.8 | 1.9 | 3.8 |
| 65-69 | 163 | 2.3 | 2.2 | 4.5 |
| 70-74 | 161 | 2.3 | 2.3 | 5.3 |
| 75-79 | 164 | 2.4 | 2.4 | 5.2 |
| 80-84 | 191 | 2.7 | 2.2 | 4.1 |
| 85-89 | 146 | 2.1 | 1.9 | 2.6 |
| 90 + | 64 | 0.9 | 0.9 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 27 | 0.4 | 4.3 | 12.5 |
| Urgent | 1,331 | 19.1 | 41.3 | 43.6 |
| Elective | 3,285 | 47.2 | 21.5 | 22.9 |
| Newborn | 2,317 | 33.3 | 32.8 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 3,556 | 51.1 | 49.9 | 54.5 |
| Clinic referral | . | . | 0.1 | 0.2 |
| HMO Referral | 1 | 0.0 | 0.0 | 0.0 |
| Other hospital | 17 | 0.2 | 0.2 | 2.5 |
| Skilled nursing facility | 2 | 0.0 | 0.0 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 1,066 | 15.3 | 16.9 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 2,315 | 33.3 | 32.2 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | 1 | 0.0 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

AMERICAN FORK HOSPITAL

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: IHC, Inc.

COUNTY: Utah

BED SIZE: 72

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | 1 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 6,323 | 90.8 | 91.7 | 86.3 |
| Another hospital | 139 | 2.0 | 2.2 | 1.6 |
| Skilled nursing facility | 369 | 5.3 | 3.0 | 5.1 |
| Intermediate care | 14 | 0.2 | 0.1 | 0.3 |
| Another type of institution | 36 | 0.5 | 1.2 | 1.8 |
| Under care of home service | 32 | 0.5 | 1.0 | 3.1 |
| Left against medical advice | 8 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 39 | 0.6 | 0.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 932 | 13.4 | 10.4 | 21.9 |
| Medicaid | 218 | 3.1 | 3.8 | 9.5 |
| Other government | 305 | 4.4 | 3.5 | 3.5 |
| Blue Cross/Blue Shield | 583 | 8.4 | 8.1 | 7.5 |
| Other commercial | 978 | 14.1 | 18.9 | 15.3 |
| Managed care | 3,683 | 52.9 | 51.4 | 34.7 |
| Self pay | 212 | 3.0 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 29 | 0.4 | 0.5 | 0.7 |
| Charity & unclassified | 9 | 0.1 | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | . | 0.0 |
| Not reported | 11 | 0.2 | 0.9 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 3 | 0.0 | 0.1 | 5.9 |
| Central Utah | 46 | 0.7 | 0.7 | 3.5 |
| Davis County | 13 | 0.2 | 0.4 | 9.2 |
| Salt Lake County | 142 | 2.0 | 43.8 | 35.6 |
| Southeastern Utah | 22 | 0.3 | 0.2 | 2.5 |
| Southwest Utah | 8 | 0.1 | 0.2 | 6.6 |
| Summit County | 4 | 0.1 | 0.2 | 0.8 |
| Tooele County | 20 | 0.3 | 0.6 | 1.6 |
| Uintah Basin | 6 | 0.1 | 0.1 | 2.2 |
| Utah County | 6,582 | 94.6 | 51.5 | 16.4 |
| Wasatch County | 22 | 0.3 | 0.4 | 0.5 |
| Weber/Morgan | 4 | 0.1 | 0.2 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.1 |
| Outside Utah | 69 | 1.0 | 1.5 | 5.5 |
| Unknown | 18 | 0.3 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

TIMPANOGOS REGIONAL MEDICAL CENTER

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: Columbia Healthcare, Inc.

COUNTY: Utah

BED SIZE: 47

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,768 | 67.2 | 69.9 | 63.4 |
| Male | 861 | 32.8 | 30.1 | 36.6 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 761 | 28.9 | 33.1 | 21.3 |
| 29-365 days | 25 | 1.0 | 0.7 | 1.2 |
| 1-4 years | 37 | 1.4 | 0.7 | 1.0 |
| 5-9 | 22 | 0.8 | 0.5 | 0.6 |
| 10-14 | 15 | 0.6 | 0.7 | 0.8 |
| 15-17 | 39 | 1.5 | 1.4 | 1.8 |
| 18-19 | 40 | 1.5 | 2.4 | 2.4 |
| 20-24 | 294 | 11.2 | 12.2 | 9.2 |
| 25-29 | 307 | 11.7 | 12.8 | 9.1 |
| 30-34 | 163 | 6.2 | 7.9 | 6.3 |
| 35-39 | 123 | 4.7 | 5.0 | 5.0 |
| 40-44 | 88 | 3.3 | 2.8 | 4.0 |
| 45-49 | 70 | 2.7 | 2.4 | 3.7 |
| 50-54 | 40 | 1.5 | 1.9 | 3.6 |
| 55-59 | 58 | 2.2 | 1.6 | 3.5 |
| 60-64 | 60 | 2.3 | 1.9 | 3.8 |
| 65-69 | 84 | 3.2 | 2.2 | 4.5 |
| 70-74 | 108 | 4.1 | 2.3 | 5.3 |
| 75-79 | 117 | 4.5 | 2.4 | 5.2 |
| 80-84 | 79 | 3.0 | 2.2 | 4.1 |
| 85-89 | 72 | 2.7 | 1.9 | 2.6 |
| 90 + | 26 | 1.0 | 0.9 | 1.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 484 | 18.4 | 4.3 | 12.5 |
| Urgent | 1,369 | 52.1 | 41.3 | 43.6 |
| Elective | 26 | 1.0 | 21.5 | 22.9 |
| Newborn | 750 | 28.5 | 32.8 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,406 | 53.5 | 49.9 | 54.5 |
| Clinic referral | . | . | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | 3 | 0.1 | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.0 | 0.1 |
| Other health care facility | 1 | 0.0 | 0.0 | 0.7 |
| Emergency room | 466 | 17.7 | 16.9 | 20.9 |
| Court/law enforcement | . | . | 0.0 | 0.0 |
| Normal delivery | 737 | 28.0 | 32.2 | 19.6 |
| Premature delivery | 2 | 0.1 | 0.2 | 0.7 |
| Sick baby | 10 | 0.4 | 0.3 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

TIMPANOGOS REGIONAL MEDICAL CENTER

PEER GROUP: Acute, urban, low CMI (n=5)

AFFILIATION: Columbia Healthcare, Inc.

COUNTY: Utah

BED SIZE: 47

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 1 | 0.0 | 0.0 | 0.2 |
| Unknown | 3 | 0.1 | 0.0 | 0.0 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,314 | 88.0 | 91.7 | 86.3 |
| Another hospital | 49 | 1.9 | 2.2 | 1.6 |
| Skilled nursing facility | 90 | 3.4 | 3.0 | 5.1 |
| Intermediate care | 5 | 0.2 | 0.1 | 0.3 |
| Another type of institution | 38 | 1.4 | 1.2 | 1.8 |
| Under care of home service | 100 | 3.8 | 1.0 | 3.1 |
| Left against medical advice | . | . | 0.1 | 0.1 |
| Under care of a home iv provider | 1 | 0.0 | 0.0 | 0.1 |
| Expired | 32 | 1.2 | 0.7 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 248 | 9.4 | 10.4 | 21.9 |
| Medicaid | 137 | 5.2 | 3.8 | 9.5 |
| Other government | 20 | 0.8 | 3.5 | 3.5 |
| Blue Cross/Blue Shield | 67 | 2.5 | 8.1 | 7.5 |
| Other commercial | 959 | 36.5 | 18.9 | 15.3 |
| Managed care | 1,079 | 41.0 | 51.4 | 34.7 |
| Self pay | 86 | 3.3 | 2.5 | 3.2 |
| Industrial/Worker's Comp | 15 | 0.6 | 0.5 | 0.7 |
| Charity & unclassified | . | . | 0.1 | 0.1 |
| Children's Health Insurance Plan | . | . | . | 0.0 |
| Not reported | 18 | 0.7 | 0.9 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 0.1 | 5.9 |
| Central Utah | 39 | 1.5 | 0.7 | 3.5 |
| Davis County | 6 | 0.2 | 0.4 | 9.2 |
| Salt Lake County | 51 | 1.9 | 43.8 | 35.6 |
| Southeastern Utah | 16 | 0.6 | 0.2 | 2.5 |
| Southwest Utah | 4 | 0.2 | 0.2 | 6.6 |
| Summit County | 4 | 0.2 | 0.2 | 0.8 |
| Tooele County | 1 | 0.0 | 0.6 | 1.6 |
| Uintah Basin | 2 | 0.1 | 0.1 | 2.2 |
| Utah County | 2,415 | 91.9 | 51.5 | 16.4 |
| Wasatch County | 35 | 1.3 | 0.4 | 0.5 |
| Weber/Morgan | 10 | 0.4 | 0.2 | 9.5 |
| Unknown Utah | 1 | 0.0 | 0.0 | 0.1 |
| Outside Utah | 40 | 1.5 | 1.5 | 5.5 |
| Unknown | 5 | 0.2 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6) COUNTY: Box Elder
 AFFILIATION: Columbia Healthcare, Inc. BED SIZE: 49

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,272 | 67.4 | 64.1 | 63.4 |
| Male | 616 | 32.6 | 35.9 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 524 | 27.8 | 22.0 | 21.3 |
| 29-365 days | 17 | 0.9 | 1.6 | 1.2 |
| 1-4 years | 19 | 1.0 | 1.3 | 1.0 |
| 5-9 | 19 | 1.0 | 0.8 | 0.6 |
| 10-14 | 8 | 0.4 | 1.0 | 0.8 |
| 15-17 | 48 | 2.5 | 1.8 | 1.8 |
| 18-19 | 62 | 3.3 | 2.6 | 2.4 |
| 20-24 | 222 | 11.8 | 10.1 | 9.2 |
| 25-29 | 146 | 7.7 | 8.5 | 9.1 |
| 30-34 | 118 | 6.3 | 5.5 | 6.3 |
| 35-39 | 73 | 3.9 | 4.1 | 5.0 |
| 40-44 | 66 | 3.5 | 3.1 | 4.0 |
| 45-49 | 33 | 1.7 | 2.9 | 3.7 |
| 50-54 | 34 | 1.8 | 2.9 | 3.6 |
| 55-59 | 36 | 1.9 | 3.0 | 3.5 |
| 60-64 | 53 | 2.8 | 3.5 | 3.8 |
| 65-69 | 52 | 2.8 | 4.7 | 4.5 |
| 70-74 | 95 | 5.0 | 5.8 | 5.3 |
| 75-79 | 99 | 5.2 | 5.7 | 5.2 |
| 80-84 | 95 | 5.0 | 4.7 | 4.1 |
| 85-89 | 45 | 2.4 | 3.0 | 2.6 |
| 90 + | 22 | 1.2 | 1.5 | 1.2 |
| Unknown | 2 | 0.1 | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 332 | 17.6 | 10.2 | 12.5 |
| Urgent | 750 | 39.7 | 55.2 | 43.6 |
| Elective | 287 | 15.2 | 13.1 | 22.9 |
| Newborn | 518 | 27.4 | 21.5 | 20.9 |
| Unknown | 1 | 0.1 | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 978 | 51.8 | 51.0 | 54.5 |
| Clinic referral | . | . | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | 3 | 0.2 | 0.9 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.1 | 0.7 |
| Emergency room | 383 | 20.3 | 26.4 | 20.9 |
| Court/law enforcement | . | . | . | 0.0 |
| Normal delivery | 501 | 26.5 | 20.7 | 19.6 |
| Premature delivery | 1 | 0.1 | 0.5 | 0.7 |
| Sick baby | . | . | 0.2 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BRIGHAM CITY COMMUNITY HOSPITAL
 PEER GROUP: Acute, rural, high CMI (n=6) COUNTY: Box Elder
 AFFILIATION: Columbia Healthcare, Inc. BED SIZE: 49

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 16 | 0.8 | 0.2 | 0.2 |
| Unknown | 5 | 0.3 | 0.0 | 0.0 |
| Not reported | 1 | 0.1 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,600 | 84.7 | 85.7 | 86.3 |
| Another hospital | 46 | 2.4 | 2.8 | 1.6 |
| Skilled nursing facility | 135 | 7.2 | 6.5 | 5.1 |
| Intermediate care | 3 | 0.2 | 0.4 | 0.3 |
| Another type of institution | 6 | 0.3 | 0.5 | 1.8 |
| Under care of home service | 72 | 3.8 | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 6 | 0.3 | 0.1 | 0.1 |
| Expired | 19 | 1.0 | 1.2 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 412 | 21.8 | 26.5 | 21.9 |
| Medicaid | 257 | 13.6 | 17.9 | 9.5 |
| Other government | 15 | 0.8 | 2.4 | 3.5 |
| Blue Cross/Blue Shield | 384 | 20.3 | 12.1 | 7.5 |
| Other commercial | 162 | 8.6 | 11.5 | 15.3 |
| Managed care | 617 | 32.7 | 24.3 | 34.7 |
| Self pay | 35 | 1.9 | 3.9 | 3.2 |
| Industrial/Worker's Comp | 6 | 0.3 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.0 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1,719 | 91.0 | 33.9 | 5.9 |
| Central Utah | 1 | 0.1 | 0.3 | 3.5 |
| Davis County | 8 | 0.4 | 0.2 | 9.2 |
| Salt Lake County | 13 | 0.7 | 0.5 | 35.6 |
| Southeastern Utah | 1 | 0.1 | 8.9 | 2.5 |
| Southwest Utah | 1 | 0.1 | 38.9 | 6.6 |
| Summit County | 1 | 0.1 | 0.0 | 0.8 |
| Tooele County | . | . | 0.0 | 1.6 |
| Uintah Basin | . | . | 5.9 | 2.2 |
| Utah County | 6 | 0.3 | 0.3 | 16.4 |
| Wasatch County | 2 | 0.1 | 0.0 | 0.5 |
| Weber/Morgan | 71 | 3.8 | 0.4 | 9.5 |
| Unknown Utah | 2 | 0.1 | 0.1 | 0.1 |
| Outside Utah | 62 | 3.3 | 10.3 | 5.5 |
| Unknown | 1 | 0.1 | 0.1 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

LOGAN REGIONAL HOSPITAL

PEER GROUP: Acute, rural, high CMI (n=6)

AFFILIATION: IHC, Inc.

COUNTY: Cache

BED SIZE: 148

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 5,864 | 66.4 | 64.1 | 63.4 |
| Male | 2,967 | 33.6 | 35.9 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 2,319 | 26.3 | 22.0 | 21.3 |
| 29-365 days | 179 | 2.0 | 1.6 | 1.2 |
| 1-4 years | 146 | 1.7 | 1.3 | 1.0 |
| 5-9 | 74 | 0.8 | 0.8 | 0.6 |
| 10-14 | 77 | 0.9 | 1.0 | 0.8 |
| 15-17 | 140 | 1.6 | 1.8 | 1.8 |
| 18-19 | 225 | 2.5 | 2.6 | 2.4 |
| 20-24 | 1,102 | 12.5 | 10.1 | 9.2 |
| 25-29 | 943 | 10.7 | 8.5 | 9.1 |
| 30-34 | 520 | 5.9 | 5.5 | 6.3 |
| 35-39 | 386 | 4.4 | 4.1 | 5.0 |
| 40-44 | 285 | 3.2 | 3.1 | 4.0 |
| 45-49 | 247 | 2.8 | 2.9 | 3.7 |
| 50-54 | 210 | 2.4 | 2.9 | 3.6 |
| 55-59 | 218 | 2.5 | 3.0 | 3.5 |
| 60-64 | 244 | 2.8 | 3.5 | 3.8 |
| 65-69 | 261 | 3.0 | 4.7 | 4.5 |
| 70-74 | 302 | 3.4 | 5.8 | 5.3 |
| 75-79 | 326 | 3.7 | 5.7 | 5.2 |
| 80-84 | 303 | 3.4 | 4.7 | 4.1 |
| 85-89 | 209 | 2.4 | 3.0 | 2.6 |
| 90 + | 115 | 1.3 | 1.5 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 820 | 9.3 | 10.2 | 12.5 |
| Urgent | 4,424 | 50.1 | 55.2 | 43.6 |
| Elective | 1,265 | 14.3 | 13.1 | 22.9 |
| Newborn | 2,322 | 26.3 | 21.5 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 5,180 | 58.7 | 51.0 | 54.5 |
| Clinic referral | . | . | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | 25 | 0.3 | 0.9 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.1 | 0.7 |
| Emergency room | 1,304 | 14.8 | 26.4 | 20.9 |
| Court/law enforcement | . | . | . | 0.0 |
| Normal delivery | 2,277 | 25.8 | 20.7 | 19.6 |
| Premature delivery | 39 | 0.4 | 0.5 | 0.7 |
| Sick baby | 1 | 0.0 | 0.2 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

LOGAN REGIONAL HOSPITAL

PEER GROUP: Acute, rural, high CMI (n=6)

AFFILIATION: IHC, Inc.

COUNTY: Cache

BED SIZE: 148

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | 5 | 0.1 | 0.2 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 8,002 | 90.6 | 85.7 | 86.3 |
| Another hospital | 231 | 2.6 | 2.8 | 1.6 |
| Skilled nursing facility | 382 | 4.3 | 6.5 | 5.1 |
| Intermediate care | 4 | 0.0 | 0.4 | 0.3 |
| Another type of institution | 37 | 0.4 | 0.5 | 1.8 |
| Under care of home service | 109 | 1.2 | 2.7 | 3.1 |
| Left against medical advice | 4 | 0.0 | 0.1 | 0.1 |
| Under care of a home iv provider | 3 | 0.0 | 0.1 | 0.1 |
| Expired | 59 | 0.7 | 1.2 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 1,556 | 17.6 | 26.5 | 21.9 |
| Medicaid | 1,388 | 15.7 | 17.9 | 9.5 |
| Other government | 172 | 1.9 | 2.4 | 3.5 |
| Blue Cross/Blue Shield | 1,610 | 18.2 | 12.1 | 7.5 |
| Other commercial | 1,056 | 12.0 | 11.5 | 15.3 |
| Managed care | 2,741 | 31.0 | 24.3 | 34.7 |
| Self pay | 201 | 2.3 | 3.9 | 3.2 |
| Industrial/Worker's Comp | 54 | 0.6 | 0.7 | 0.7 |
| Charity & unclassified | 1 | 0.0 | 0.0 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 52 | 0.6 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 7,901 | 89.5 | 33.9 | 5.9 |
| Central Utah | 7 | 0.1 | 0.3 | 3.5 |
| Davis County | 17 | 0.2 | 0.2 | 9.2 |
| Salt Lake County | 30 | 0.3 | 0.5 | 35.6 |
| Southeastern Utah | 1 | 0.0 | 8.9 | 2.5 |
| Southwest Utah | 11 | 0.1 | 38.9 | 6.6 |
| Summit County | 1 | 0.0 | 0.0 | 0.8 |
| Tooele County | 2 | 0.0 | 0.0 | 1.6 |
| Uintah Basin | 6 | 0.1 | 5.9 | 2.2 |
| Utah County | 12 | 0.1 | 0.3 | 16.4 |
| Wasatch County | 1 | 0.0 | 0.0 | 0.5 |
| Weber/Morgan | 34 | 0.4 | 0.4 | 9.5 |
| Unknown Utah | 5 | 0.1 | 0.1 | 0.1 |
| Outside Utah | 801 | 9.1 | 10.3 | 5.5 |
| Unknown | 2 | 0.0 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

CASTLEVIEW HOSPITAL

PEER GROUP: Acute, rural, high CMI (n=6)

COUNTY: Carbon

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 74

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,683 | 64.1 | 64.1 | 63.4 |
| Male | 944 | 35.9 | 35.9 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 448 | 17.1 | 22.0 | 21.3 |
| 29-365 days | 60 | 2.3 | 1.6 | 1.2 |
| 1-4 years | 49 | 1.9 | 1.3 | 1.0 |
| 5-9 | 19 | 0.7 | 0.8 | 0.6 |
| 10-14 | 46 | 1.8 | 1.0 | 0.8 |
| 15-17 | 51 | 1.9 | 1.8 | 1.8 |
| 18-19 | 88 | 3.3 | 2.6 | 2.4 |
| 20-24 | 223 | 8.5 | 10.1 | 9.2 |
| 25-29 | 175 | 6.7 | 8.5 | 9.1 |
| 30-34 | 114 | 4.3 | 5.5 | 6.3 |
| 35-39 | 93 | 3.5 | 4.1 | 5.0 |
| 40-44 | 76 | 2.9 | 3.1 | 4.0 |
| 45-49 | 75 | 2.9 | 2.9 | 3.7 |
| 50-54 | 82 | 3.1 | 2.9 | 3.6 |
| 55-59 | 76 | 2.9 | 3.0 | 3.5 |
| 60-64 | 85 | 3.2 | 3.5 | 3.8 |
| 65-69 | 151 | 5.7 | 4.7 | 4.5 |
| 70-74 | 191 | 7.3 | 5.8 | 5.3 |
| 75-79 | 173 | 6.6 | 5.7 | 5.2 |
| 80-84 | 169 | 6.4 | 4.7 | 4.1 |
| 85-89 | 135 | 5.1 | 3.0 | 2.6 |
| 90 + | 48 | 1.8 | 1.5 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 136 | 5.2 | 10.2 | 12.5 |
| Urgent | 1,675 | 63.8 | 55.2 | 43.6 |
| Elective | 399 | 15.2 | 13.1 | 22.9 |
| Newborn | 417 | 15.9 | 21.5 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,102 | 41.9 | 51.0 | 54.5 |
| Clinic referral | 3 | 0.1 | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | 170 | 6.5 | 0.9 | 2.5 |
| Skilled nursing facility | 6 | 0.2 | 0.1 | 0.1 |
| Other health care facility | . | . | 0.1 | 0.7 |
| Emergency room | 929 | 35.4 | 26.4 | 20.9 |
| Court/law enforcement | . | . | . | 0.0 |
| Normal delivery | 394 | 15.0 | 20.7 | 19.6 |
| Premature delivery | 3 | 0.1 | 0.5 | 0.7 |
| Sick baby | 13 | 0.5 | 0.2 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

CASTLEVIEW HOSPITAL

PEER GROUP: Acute, rural, high CMI (n=6)

COUNTY: Carbon

AFFILIATION: Columbia Healthcare, Inc.

BED SIZE: 74

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | 7 | 0.3 | 0.2 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,102 | 80.0 | 85.7 | 86.3 |
| Another hospital | 122 | 4.6 | 2.8 | 1.6 |
| Skilled nursing facility | 236 | 9.0 | 6.5 | 5.1 |
| Intermediate care | 21 | 0.8 | 0.4 | 0.3 |
| Another type of institution | 6 | 0.2 | 0.5 | 1.8 |
| Under care of home service | 84 | 3.2 | 2.7 | 3.1 |
| Left against medical advice | 13 | 0.5 | 0.1 | 0.1 |
| Under care of a home iv provider | . | . | 0.1 | 0.1 |
| Expired | 43 | 1.6 | 1.2 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 919 | 35.0 | 26.5 | 21.9 |
| Medicaid | 648 | 24.7 | 17.9 | 9.5 |
| Other government | 92 | 3.5 | 2.4 | 3.5 |
| Blue Cross/Blue Shield | 238 | 9.1 | 12.1 | 7.5 |
| Other commercial | 523 | 19.9 | 11.5 | 15.3 |
| Managed care | 122 | 4.6 | 24.3 | 34.7 |
| Self pay | 68 | 2.6 | 3.9 | 3.2 |
| Industrial/Worker's Comp | 13 | 0.5 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.0 | 0.1 |
| Children's Health Insurance Plan | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | 3 | 0.1 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 33.9 | 5.9 |
| Central Utah | 9 | 0.3 | 0.3 | 3.5 |
| Davis County | 2 | 0.1 | 0.2 | 9.2 |
| Salt Lake County | 9 | 0.3 | 0.5 | 35.6 |
| Southeastern Utah | 2,512 | 95.6 | 8.9 | 2.5 |
| Southwest Utah | 8 | 0.3 | 38.9 | 6.6 |
| Summit County | . | . | 0.0 | 0.8 |
| Tooele County | . | . | 0.0 | 1.6 |
| Uintah Basin | 29 | 1.1 | 5.9 | 2.2 |
| Utah County | 8 | 0.3 | 0.3 | 16.4 |
| Wasatch County | . | . | 0.0 | 0.5 |
| Weber/Morgan | 2 | 0.1 | 0.4 | 9.5 |
| Unknown Utah | 2 | 0.1 | 0.1 | 0.1 |
| Outside Utah | 45 | 1.7 | 10.3 | 5.5 |
| Unknown | 1 | 0.0 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

VALLEY VIEW MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=6)

AFFILIATION: IHC, Inc.

COUNTY: Iron

BED SIZE: 48

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,600 | 66.4 | 64.1 | 63.4 |
| Male | 808 | 33.6 | 35.9 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 703 | 29.2 | 22.0 | 21.3 |
| 29-365 days | 29 | 1.2 | 1.6 | 1.2 |
| 1-4 years | 19 | 0.8 | 1.3 | 1.0 |
| 5-9 | 17 | 0.7 | 0.8 | 0.6 |
| 10-14 | 19 | 0.8 | 1.0 | 0.8 |
| 15-17 | 33 | 1.4 | 1.8 | 1.8 |
| 18-19 | 66 | 2.7 | 2.6 | 2.4 |
| 20-24 | 333 | 13.8 | 10.1 | 9.2 |
| 25-29 | 234 | 9.7 | 8.5 | 9.1 |
| 30-34 | 120 | 5.0 | 5.5 | 6.3 |
| 35-39 | 68 | 2.8 | 4.1 | 5.0 |
| 40-44 | 67 | 2.8 | 3.1 | 4.0 |
| 45-49 | 51 | 2.1 | 2.9 | 3.7 |
| 50-54 | 65 | 2.7 | 2.9 | 3.6 |
| 55-59 | 59 | 2.5 | 3.0 | 3.5 |
| 60-64 | 57 | 2.4 | 3.5 | 3.8 |
| 65-69 | 95 | 3.9 | 4.7 | 4.5 |
| 70-74 | 101 | 4.2 | 5.8 | 5.3 |
| 75-79 | 114 | 4.7 | 5.7 | 5.2 |
| 80-84 | 65 | 2.7 | 4.7 | 4.1 |
| 85-89 | 58 | 2.4 | 3.0 | 2.6 |
| 90 + | 35 | 1.5 | 1.5 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 494 | 20.5 | 10.2 | 12.5 |
| Urgent | 602 | 25.0 | 55.2 | 43.6 |
| Elective | 629 | 26.1 | 13.1 | 22.9 |
| Newborn | 683 | 28.4 | 21.5 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 1,231 | 51.1 | 51.0 | 54.5 |
| Clinic referral | . | . | 0.1 | 0.2 |
| HMO Referral | 6 | 0.2 | 0.0 | 0.0 |
| Other hospital | . | . | 0.9 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.1 | 0.7 |
| Emergency room | 488 | 20.3 | 26.4 | 20.9 |
| Court/law enforcement | . | . | . | 0.0 |
| Normal delivery | 669 | 27.8 | 20.7 | 19.6 |
| Premature delivery | 12 | 0.5 | 0.5 | 0.7 |
| Sick baby | . | . | 0.2 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

VALLEY VIEW MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=6)

AFFILIATION: IHC, Inc.

COUNTY: Iron

BED SIZE: 48

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 2 | 0.1 | 0.2 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 2,136 | 88.7 | 85.7 | 86.3 |
| Another hospital | 49 | 2.0 | 2.8 | 1.6 |
| Skilled nursing facility | 77 | 3.2 | 6.5 | 5.1 |
| Intermediate care | 68 | 2.8 | 0.4 | 0.3 |
| Another type of institution | 2 | 0.1 | 0.5 | 1.8 |
| Under care of home service | 34 | 1.4 | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.0 | 0.1 | 0.1 |
| Under care of a home iv provider | 23 | 1.0 | 0.1 | 0.1 |
| Expired | 18 | 0.7 | 1.2 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 476 | 19.8 | 26.5 | 21.9 |
| Medicaid | 634 | 26.3 | 17.9 | 9.5 |
| Other government | 66 | 2.7 | 2.4 | 3.5 |
| Blue Cross/Blue Shield | 313 | 13.0 | 12.1 | 7.5 |
| Other commercial | 289 | 12.0 | 11.5 | 15.3 |
| Managed care | 536 | 22.3 | 24.3 | 34.7 |
| Self pay | 61 | 2.5 | 3.9 | 3.2 |
| Industrial/Worker's Comp | 12 | 0.5 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.0 | 0.1 |
| Children's Health Insurance Plan | 2 | 0.1 | 0.0 | 0.0 |
| Not reported | 19 | 0.8 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 33.9 | 5.9 |
| Central Utah | 22 | 0.9 | 0.3 | 3.5 |
| Davis County | 5 | 0.2 | 0.2 | 9.2 |
| Salt Lake County | 13 | 0.5 | 0.5 | 35.6 |
| Southeastern Utah | 2 | 0.1 | 8.9 | 2.5 |
| Southwest Utah | 2,223 | 92.3 | 38.9 | 6.6 |
| Summit County | . | . | 0.0 | 0.8 |
| Tooele County | 1 | 0.0 | 0.0 | 1.6 |
| Uintah Basin | . | . | 5.9 | 2.2 |
| Utah County | 3 | 0.1 | 0.3 | 16.4 |
| Wasatch County | 2 | 0.1 | 0.0 | 0.5 |
| Weber/Morgan | 1 | 0.0 | 0.4 | 9.5 |
| Unknown Utah | . | . | 0.1 | 0.1 |
| Outside Utah | 132 | 5.5 | 10.3 | 5.5 |
| Unknown | 4 | 0.2 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ASHLEY VALLEY MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=6)

AFFILIATION: Columbia Healthcare, Inc.

COUNTY: Uintah

BED SIZE: 39

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,045 | 60.9 | 64.1 | 63.4 |
| Male | 670 | 39.1 | 35.9 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 287 | 16.7 | 22.0 | 21.3 |
| 29-365 days | 32 | 1.9 | 1.6 | 1.2 |
| 1-4 years | 24 | 1.4 | 1.3 | 1.0 |
| 5-9 | 18 | 1.0 | 0.8 | 0.6 |
| 10-14 | 20 | 1.2 | 1.0 | 0.8 |
| 15-17 | 30 | 1.7 | 1.8 | 1.8 |
| 18-19 | 43 | 2.5 | 2.6 | 2.4 |
| 20-24 | 139 | 8.1 | 10.1 | 9.2 |
| 25-29 | 102 | 5.9 | 8.5 | 9.1 |
| 30-34 | 88 | 5.1 | 5.5 | 6.3 |
| 35-39 | 61 | 3.6 | 4.1 | 5.0 |
| 40-44 | 54 | 3.1 | 3.1 | 4.0 |
| 45-49 | 52 | 3.0 | 2.9 | 3.7 |
| 50-54 | 67 | 3.9 | 2.9 | 3.6 |
| 55-59 | 72 | 4.2 | 3.0 | 3.5 |
| 60-64 | 82 | 4.8 | 3.5 | 3.8 |
| 65-69 | 90 | 5.2 | 4.7 | 4.5 |
| 70-74 | 122 | 7.1 | 5.8 | 5.3 |
| 75-79 | 121 | 7.1 | 5.7 | 5.2 |
| 80-84 | 87 | 5.1 | 4.7 | 4.1 |
| 85-89 | 78 | 4.5 | 3.0 | 2.6 |
| 90 + | 46 | 2.7 | 1.5 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 621 | 36.2 | 10.2 | 12.5 |
| Urgent | 100 | 5.8 | 55.2 | 43.6 |
| Elective | 709 | 41.3 | 13.1 | 22.9 |
| Newborn | 285 | 16.6 | 21.5 | 20.9 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 790 | 46.1 | 51.0 | 54.5 |
| Clinic referral | . | . | 0.1 | 0.2 |
| HMO Referral | . | . | 0.0 | 0.0 |
| Other hospital | 2 | 0.1 | 0.9 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | 1 | 0.1 | 0.1 | 0.7 |
| Emergency room | 637 | 37.1 | 26.4 | 20.9 |
| Court/law enforcement | . | . | . | 0.0 |
| Normal delivery | 271 | 15.8 | 20.7 | 19.6 |
| Premature delivery | . | . | 0.5 | 0.7 |
| Sick baby | 2 | 0.1 | 0.2 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ASHLEY VALLEY MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=6)

AFFILIATION: Columbia Healthcare, Inc.

COUNTY: Uintah

BED SIZE: 39

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | 12 | 0.7 | 0.2 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,392 | 81.2 | 85.7 | 86.3 |
| Another hospital | 59 | 3.4 | 2.8 | 1.6 |
| Skilled nursing facility | 183 | 10.7 | 6.5 | 5.1 |
| Intermediate care | 30 | 1.7 | 0.4 | 0.3 |
| Another type of institution | 13 | 0.8 | 0.5 | 1.8 |
| Under care of home service | 23 | 1.3 | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 1 | 0.1 | 0.1 | 0.1 |
| Expired | 13 | 0.8 | 1.2 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 582 | 33.9 | 26.5 | 21.9 |
| Medicaid | 385 | 22.4 | 17.9 | 9.5 |
| Other government | 82 | 4.8 | 2.4 | 3.5 |
| Blue Cross/Blue Shield | 170 | 9.9 | 12.1 | 7.5 |
| Other commercial | 171 | 10.0 | 11.5 | 15.3 |
| Managed care | 253 | 14.8 | 24.3 | 34.7 |
| Self pay | 58 | 3.4 | 3.9 | 3.2 |
| Industrial/Worker's Comp | 10 | 0.6 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.0 | 0.1 |
| Children's Health Insurance Plan | . | . | 0.0 | 0.0 |
| Not reported | 4 | 0.2 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 33.9 | 5.9 |
| Central Utah | 1 | 0.1 | 0.3 | 3.5 |
| Davis County | 2 | 0.1 | 0.2 | 9.2 |
| Salt Lake County | 7 | 0.4 | 0.5 | 35.6 |
| Southeastern Utah | 3 | 0.2 | 8.9 | 2.5 |
| Southwest Utah | 2 | 0.1 | 38.9 | 6.6 |
| Summit County | . | . | 0.0 | 0.8 |
| Tooele County | . | . | 0.0 | 1.6 |
| Uintah Basin | 1,643 | 95.8 | 5.9 | 2.2 |
| Utah County | 3 | 0.2 | 0.3 | 16.4 |
| Wasatch County | . | . | 0.0 | 0.5 |
| Weber/Morgan | 2 | 0.1 | 0.4 | 9.5 |
| Unknown Utah | 2 | 0.1 | 0.1 | 0.1 |
| Outside Utah | 48 | 2.8 | 10.3 | 5.5 |
| Unknown | 2 | 0.1 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

DIXIE MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=6)

AFFILIATION: IHC, Inc.

COUNTY: Washington

BED SIZE: 137

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 6,742 | 61.6 | 64.1 | 63.4 |
| Male | 4,201 | 38.4 | 35.9 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 1,957 | 17.9 | 22.0 | 21.3 |
| 29-365 days | 127 | 1.2 | 1.6 | 1.2 |
| 1-4 years | 109 | 1.0 | 1.3 | 1.0 |
| 5-9 | 82 | 0.7 | 0.8 | 0.6 |
| 10-14 | 114 | 1.0 | 1.0 | 0.8 |
| 15-17 | 202 | 1.8 | 1.8 | 1.8 |
| 18-19 | 253 | 2.3 | 2.6 | 2.4 |
| 20-24 | 863 | 7.9 | 10.1 | 9.2 |
| 25-29 | 801 | 7.3 | 8.5 | 9.1 |
| 30-34 | 608 | 5.6 | 5.5 | 6.3 |
| 35-39 | 471 | 4.3 | 4.1 | 5.0 |
| 40-44 | 346 | 3.2 | 3.1 | 4.0 |
| 45-49 | 356 | 3.3 | 2.9 | 3.7 |
| 50-54 | 354 | 3.2 | 2.9 | 3.6 |
| 55-59 | 383 | 3.5 | 3.0 | 3.5 |
| 60-64 | 487 | 4.5 | 3.5 | 3.8 |
| 65-69 | 684 | 6.3 | 4.7 | 4.5 |
| 70-74 | 828 | 7.6 | 5.8 | 5.3 |
| 75-79 | 785 | 7.2 | 5.7 | 5.2 |
| 80-84 | 625 | 5.7 | 4.7 | 4.1 |
| 85-89 | 339 | 3.1 | 3.0 | 2.6 |
| 90 + | 169 | 1.5 | 1.5 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 486 | 4.4 | 10.2 | 12.5 |
| Urgent | 8,131 | 74.3 | 55.2 | 43.6 |
| Elective | 428 | 3.9 | 13.1 | 22.9 |
| Newborn | 1,895 | 17.3 | 21.5 | 20.9 |
| Unknown | 3 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | . | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 5,202 | 47.5 | 51.0 | 54.5 |
| Clinic referral | 12 | 0.1 | 0.1 | 0.2 |
| HMO Referral | 3 | 0.0 | 0.0 | 0.0 |
| Other hospital | 49 | 0.4 | 0.9 | 2.5 |
| Skilled nursing facility | 11 | 0.1 | 0.1 | 0.1 |
| Other health care facility | 15 | 0.1 | 0.1 | 0.7 |
| Emergency room | 3,752 | 34.3 | 26.4 | 20.9 |
| Court/law enforcement | . | . | . | 0.0 |
| Normal delivery | 1,762 | 16.1 | 20.7 | 19.6 |
| Premature delivery | 88 | 0.8 | 0.5 | 0.7 |
| Sick baby | 42 | 0.4 | 0.2 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

DIXIE MEDICAL CENTER

PEER GROUP: Acute, rural, high CMI (n=6)

AFFILIATION: IHC, Inc.

COUNTY: Washington

BED SIZE: 137

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 1 | 0.0 | 0.2 | 0.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | 5 | 0.0 | 0.0 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 9,116 | 83.3 | 85.7 | 86.3 |
| Another hospital | 288 | 2.6 | 2.8 | 1.6 |
| Skilled nursing facility | 825 | 7.5 | 6.5 | 5.1 |
| Intermediate care | 1 | 0.0 | 0.4 | 0.3 |
| Another type of institution | 67 | 0.6 | 0.5 | 1.8 |
| Under care of home service | 452 | 4.1 | 2.7 | 3.1 |
| Left against medical advice | 16 | 0.1 | 0.1 | 0.1 |
| Under care of a home iv provider | 2 | 0.0 | 0.1 | 0.1 |
| Expired | 176 | 1.6 | 1.2 | 1.4 |
| Not reported | . | . | . | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 3,582 | 32.7 | 26.5 | 21.9 |
| Medicaid | 1,770 | 16.2 | 17.9 | 9.5 |
| Other government | 245 | 2.2 | 2.4 | 3.5 |
| Blue Cross/Blue Shield | 709 | 6.5 | 12.1 | 7.5 |
| Other commercial | 1,053 | 9.6 | 11.5 | 15.3 |
| Managed care | 2,634 | 24.1 | 24.3 | 34.7 |
| Self pay | 698 | 6.4 | 3.9 | 3.2 |
| Industrial/Worker's Comp | 97 | 0.9 | 0.7 | 0.7 |
| Charity & unclassified | . | . | 0.0 | 0.1 |
| Children's Health Insurance Plan | 2 | 0.0 | 0.0 | 0.0 |
| Not reported | 153 | 1.4 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 10 | 0.1 | 33.9 | 5.9 |
| Central Utah | 59 | 0.5 | 0.3 | 3.5 |
| Davis County | 13 | 0.1 | 0.2 | 9.2 |
| Salt Lake County | 83 | 0.8 | 0.5 | 35.6 |
| Southeastern Utah | 15 | 0.1 | 8.9 | 2.5 |
| Southwest Utah | 8,816 | 80.6 | 38.9 | 6.6 |
| Summit County | 7 | 0.1 | 0.0 | 0.8 |
| Tooele County | 5 | 0.0 | 0.0 | 1.6 |
| Uintah Basin | 2 | 0.0 | 5.9 | 2.2 |
| Utah County | 51 | 0.5 | 0.3 | 16.4 |
| Wasatch County | 6 | 0.1 | 0.0 | 0.5 |
| Weber/Morgan | 15 | 0.1 | 0.4 | 9.5 |
| Unknown Utah | 7 | 0.1 | 0.1 | 0.1 |
| Outside Utah | 1,841 | 16.8 | 10.3 | 5.5 |
| Unknown | 13 | 0.1 | 0.1 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BEAVER VALLEY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Beaver

BED SIZE: 36

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 397 | 66.4 | 63.8 | 63.4 |
| Male | 201 | 33.6 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 84 | 14.0 | 18.2 | 21.3 |
| 29-365 days | 12 | 2.0 | 2.5 | 1.2 |
| 1-4 years | 9 | 1.5 | 3.1 | 1.0 |
| 5-9 | 7 | 1.2 | 1.7 | 0.6 |
| 10-14 | 4 | 0.7 | 1.6 | 0.8 |
| 15-17 | 14 | 2.3 | 2.6 | 1.8 |
| 18-19 | 19 | 3.2 | 3.2 | 2.4 |
| 20-24 | 49 | 8.2 | 8.9 | 9.2 |
| 25-29 | 48 | 8.0 | 7.4 | 9.1 |
| 30-34 | 23 | 3.8 | 5.0 | 6.3 |
| 35-39 | 20 | 3.3 | 3.9 | 5.0 |
| 40-44 | 22 | 3.7 | 3.3 | 4.0 |
| 45-49 | 21 | 3.5 | 3.0 | 3.7 |
| 50-54 | 18 | 3.0 | 2.8 | 3.6 |
| 55-59 | 15 | 2.5 | 3.0 | 3.5 |
| 60-64 | 20 | 3.3 | 3.2 | 3.8 |
| 65-69 | 18 | 3.0 | 3.8 | 4.5 |
| 70-74 | 42 | 7.0 | 5.1 | 5.3 |
| 75-79 | 45 | 7.5 | 5.7 | 5.2 |
| 80-84 | 51 | 8.5 | 5.9 | 4.1 |
| 85-89 | 40 | 6.7 | 4.1 | 2.6 |
| 90 + | 16 | 2.7 | 2.0 | 1.2 |
| Unknown | 1 | 0.2 | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 260 | 43.5 | 26.9 | 12.5 |
| Urgent | 255 | 42.6 | 46.9 | 43.6 |
| Elective | 1 | 0.2 | 11.1 | 22.9 |
| Newborn | 82 | 13.7 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 515 | 86.1 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 1 | 0.2 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 82 | 13.7 | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BEAVER VALLEY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Beaver

BED SIZE: 36

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 478 | 79.9 | 85.2 | 86.3 |
| Another hospital | 20 | 3.3 | 4.4 | 1.6 |
| Skilled nursing facility | 39 | 6.5 | 4.4 | 5.1 |
| Intermediate care | 15 | 2.5 | 1.1 | 0.3 |
| Another type of institution | . | . | 0.5 | 1.8 |
| Under care of home service | 35 | 5.9 | 2.7 | 3.1 |
| Left against medical advice | . | . | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 11 | 1.8 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 216 | 36.1 | 27.1 | 21.9 |
| Medicaid | 111 | 18.6 | 24.0 | 9.5 |
| Other government | 66 | 11.0 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 64 | 10.7 | 10.0 | 7.5 |
| Other commercial | 76 | 12.7 | 13.5 | 15.3 |
| Managed care | 25 | 4.2 | 13.1 | 34.7 |
| Self pay | 40 | 6.7 | 5.5 | 3.2 |
| Industrial/Worker's Comp | . | . | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | . | . | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.2 | 5.9 |
| Central Utah | 5 | 0.8 | 35.0 | 3.5 |
| Davis County | 1 | 0.2 | 0.2 | 9.2 |
| Salt Lake County | 6 | 1.0 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | 547 | 91.5 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | 1 | 0.2 | 16.7 | 2.2 |
| Utah County | 2 | 0.3 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | 1 | 0.2 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 34 | 5.7 | 3.8 | 5.5 |
| Unknown | 1 | 0.2 | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

MILFORD VALLEY MEMORIAL HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Beaver

BED SIZE: 34

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 283 | 61.4 | 63.8 | 63.4 |
| Male | 178 | 38.6 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 27 | 5.9 | 18.2 | 21.3 |
| 29-365 days | 13 | 2.8 | 2.5 | 1.2 |
| 1-4 years | 31 | 6.7 | 3.1 | 1.0 |
| 5-9 | 15 | 3.3 | 1.7 | 0.6 |
| 10-14 | 15 | 3.3 | 1.6 | 0.8 |
| 15-17 | 8 | 1.7 | 2.6 | 1.8 |
| 18-19 | 8 | 1.7 | 3.2 | 2.4 |
| 20-24 | 44 | 9.5 | 8.9 | 9.2 |
| 25-29 | 31 | 6.7 | 7.4 | 9.1 |
| 30-34 | 16 | 3.5 | 5.0 | 6.3 |
| 35-39 | 12 | 2.6 | 3.9 | 5.0 |
| 40-44 | 19 | 4.1 | 3.3 | 4.0 |
| 45-49 | 23 | 5.0 | 3.0 | 3.7 |
| 50-54 | 15 | 3.3 | 2.8 | 3.6 |
| 55-59 | 10 | 2.2 | 3.0 | 3.5 |
| 60-64 | 11 | 2.4 | 3.2 | 3.8 |
| 65-69 | 24 | 5.2 | 3.8 | 4.5 |
| 70-74 | 30 | 6.5 | 5.1 | 5.3 |
| 75-79 | 35 | 7.6 | 5.7 | 5.2 |
| 80-84 | 40 | 8.7 | 5.9 | 4.1 |
| 85-89 | 16 | 3.5 | 4.1 | 2.6 |
| 90 + | 18 | 3.9 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 354 | 76.8 | 26.9 | 12.5 |
| Urgent | . | . | 46.9 | 43.6 |
| Elective | . | . | 11.1 | 22.9 |
| Newborn | . | . | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | 107 | 23.2 | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 344 | 74.6 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | . | . | 25.3 | 20.9 |
| Court/law enforcement | 10 | 2.2 | 0.1 | 0.0 |
| Normal delivery | . | . | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

MILFORD VALLEY MEMORIAL HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Beaver

BED SIZE: 34

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 107 | 23.2 | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 340 | 73.8 | 85.2 | 86.3 |
| Another hospital | 2 | 0.4 | 4.4 | 1.6 |
| Skilled nursing facility | 38 | 8.2 | 4.4 | 5.1 |
| Intermediate care | 23 | 5.0 | 1.1 | 0.3 |
| Another type of institution | 19 | 4.1 | 0.5 | 1.8 |
| Under care of home service | 26 | 5.6 | 2.7 | 3.1 |
| Left against medical advice | 2 | 0.4 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 10 | 2.2 | 1.2 | 1.4 |
| Not reported | 1 | 0.2 | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 163 | 35.4 | 27.1 | 21.9 |
| Medicaid | 84 | 18.2 | 24.0 | 9.5 |
| Other government | 18 | 3.9 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 71 | 15.4 | 10.0 | 7.5 |
| Other commercial | 34 | 7.4 | 13.5 | 15.3 |
| Managed care | 61 | 13.2 | 13.1 | 34.7 |
| Self pay | 25 | 5.4 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 2 | 0.4 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | 2 | 0.4 | 0.1 | 0.0 |
| Not reported | 1 | 0.2 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.2 | 5.9 |
| Central Utah | 1 | 0.2 | 35.0 | 3.5 |
| Davis County | 2 | 0.4 | 0.2 | 9.2 |
| Salt Lake County | 2 | 0.4 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | 443 | 96.1 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | . | . | 16.7 | 2.2 |
| Utah County | 2 | 0.4 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 10 | 2.2 | 3.8 | 5.5 |
| Unknown | 1 | 0.2 | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17) COUNTY: Box Elder
 AFFILIATION: IHC, Inc. BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 335 | 64.2 | 63.8 | 63.4 |
| Male | 187 | 35.8 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 83 | 15.9 | 18.2 | 21.3 |
| 29-365 days | 12 | 2.3 | 2.5 | 1.2 |
| 1-4 years | 16 | 3.1 | 3.1 | 1.0 |
| 5-9 | 15 | 2.9 | 1.7 | 0.6 |
| 10-14 | 13 | 2.5 | 1.6 | 0.8 |
| 15-17 | 13 | 2.5 | 2.6 | 1.8 |
| 18-19 | 16 | 3.1 | 3.2 | 2.4 |
| 20-24 | 44 | 8.4 | 8.9 | 9.2 |
| 25-29 | 44 | 8.4 | 7.4 | 9.1 |
| 30-34 | 28 | 5.4 | 5.0 | 6.3 |
| 35-39 | 27 | 5.2 | 3.9 | 5.0 |
| 40-44 | 24 | 4.6 | 3.3 | 4.0 |
| 45-49 | 9 | 1.7 | 3.0 | 3.7 |
| 50-54 | 9 | 1.7 | 2.8 | 3.6 |
| 55-59 | 11 | 2.1 | 3.0 | 3.5 |
| 60-64 | 23 | 4.4 | 3.2 | 3.8 |
| 65-69 | 18 | 3.4 | 3.8 | 4.5 |
| 70-74 | 14 | 2.7 | 5.1 | 5.3 |
| 75-79 | 19 | 3.6 | 5.7 | 5.2 |
| 80-84 | 32 | 6.1 | 5.9 | 4.1 |
| 85-89 | 34 | 6.5 | 4.1 | 2.6 |
| 90 + | 18 | 3.4 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | 26.9 | 12.5 |
| Urgent | 402 | 77.0 | 46.9 | 43.6 |
| Elective | 44 | 8.4 | 11.1 | 22.9 |
| Newborn | 76 | 14.6 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 399 | 76.4 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | 3 | 0.6 | 0.0 | 0.7 |
| Emergency room | 44 | 8.4 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 76 | 14.6 | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BEAR RIVER VALLEY HOSPITAL
 PEER GROUP: Acute, rural, low CMI (n=17) COUNTY: Box Elder
 AFFILIATION: IHC, Inc. BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 440 | 84.3 | 85.2 | 86.3 |
| Another hospital | 22 | 4.2 | 4.4 | 1.6 |
| Skilled nursing facility | 25 | 4.8 | 4.4 | 5.1 |
| Intermediate care | 26 | 5.0 | 1.1 | 0.3 |
| Another type of institution | . | . | 0.5 | 1.8 |
| Under care of home service | 2 | 0.4 | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.2 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 6 | 1.1 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 130 | 24.9 | 27.1 | 21.9 |
| Medicaid | 54 | 10.3 | 24.0 | 9.5 |
| Other government | 11 | 2.1 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 105 | 20.1 | 10.0 | 7.5 |
| Other commercial | 37 | 7.1 | 13.5 | 15.3 |
| Managed care | 163 | 31.2 | 13.1 | 34.7 |
| Self pay | 17 | 3.3 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 4 | 0.8 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | 1 | 0.2 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 497 | 95.2 | 4.2 | 5.9 |
| Central Utah | 1 | 0.2 | 35.0 | 3.5 |
| Davis County | . | . | 0.2 | 9.2 |
| Salt Lake County | 2 | 0.4 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | . | . | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | . | . | 16.7 | 2.2 |
| Utah County | 3 | 0.6 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | 8 | 1.5 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 10 | 1.9 | 3.8 | 5.5 |
| Unknown | 1 | 0.2 | 0.2 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

UINTAH BASIN MEDICAL CENTER

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Duchesne

BED SIZE: 42

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 1,321 | 64.4 | 63.8 | 63.4 |
| Male | 730 | 35.6 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 412 | 20.1 | 18.2 | 21.3 |
| 29-365 days | 72 | 3.5 | 2.5 | 1.2 |
| 1-4 years | 69 | 3.4 | 3.1 | 1.0 |
| 5-9 | 19 | 0.9 | 1.7 | 0.6 |
| 10-14 | 31 | 1.5 | 1.6 | 0.8 |
| 15-17 | 64 | 3.1 | 2.6 | 1.8 |
| 18-19 | 84 | 4.1 | 3.2 | 2.4 |
| 20-24 | 225 | 11.0 | 8.9 | 9.2 |
| 25-29 | 158 | 7.7 | 7.4 | 9.1 |
| 30-34 | 121 | 5.9 | 5.0 | 6.3 |
| 35-39 | 92 | 4.5 | 3.9 | 5.0 |
| 40-44 | 86 | 4.2 | 3.3 | 4.0 |
| 45-49 | 79 | 3.9 | 3.0 | 3.7 |
| 50-54 | 60 | 2.9 | 2.8 | 3.6 |
| 55-59 | 84 | 4.1 | 3.0 | 3.5 |
| 60-64 | 65 | 3.2 | 3.2 | 3.8 |
| 65-69 | 64 | 3.1 | 3.8 | 4.5 |
| 70-74 | 70 | 3.4 | 5.1 | 5.3 |
| 75-79 | 91 | 4.4 | 5.7 | 5.2 |
| 80-84 | 52 | 2.5 | 5.9 | 4.1 |
| 85-89 | 38 | 1.9 | 4.1 | 2.6 |
| 90 + | 15 | 0.7 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 635 | 31.0 | 26.9 | 12.5 |
| Urgent | 908 | 44.3 | 46.9 | 43.6 |
| Elective | 103 | 5.0 | 11.1 | 22.9 |
| Newborn | 405 | 19.7 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 938 | 45.7 | 57.4 | 54.5 |
| Clinic referral | 73 | 3.6 | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | 1 | 0.0 | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 633 | 30.9 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 405 | 19.7 | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

UINTAH BASIN MEDICAL CENTER

PEER GROUP: Acute, rural, low CMI (n=17)

COUNTY: Duchesne

AFFILIATION: Freestanding

BED SIZE: 42

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | 1 | 0.0 | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,897 | 92.5 | 85.2 | 86.3 |
| Another hospital | 98 | 4.8 | 4.4 | 1.6 |
| Skilled nursing facility | 3 | 0.1 | 4.4 | 5.1 |
| Intermediate care | . | . | 1.1 | 0.3 |
| Another type of institution | 17 | 0.8 | 0.5 | 1.8 |
| Under care of home service | 1 | 0.0 | 2.7 | 3.1 |
| Left against medical advice | 4 | 0.2 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 19 | 0.9 | 1.2 | 1.4 |
| Not reported | 12 | 0.6 | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 415 | 20.2 | 27.1 | 21.9 |
| Medicaid | 617 | 30.1 | 24.0 | 9.5 |
| Other government | 193 | 9.4 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 249 | 12.1 | 10.0 | 7.5 |
| Other commercial | 226 | 11.0 | 13.5 | 15.3 |
| Managed care | 218 | 10.6 | 13.1 | 34.7 |
| Self pay | 119 | 5.8 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 7 | 0.3 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | 2 | 0.1 | 0.1 | 0.0 |
| Not reported | 5 | 0.2 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1 | 0.0 | 4.2 | 5.9 |
| Central Utah | . | . | 35.0 | 3.5 |
| Davis County | 6 | 0.3 | 0.2 | 9.2 |
| Salt Lake County | 20 | 1.0 | 1.0 | 35.6 |
| Southeastern Utah | 10 | 0.5 | 11.4 | 2.5 |
| Southwest Utah | 1 | 0.0 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | 1,968 | 96.0 | 16.7 | 2.2 |
| Utah County | 4 | 0.2 | 0.6 | 16.4 |
| Wasatch County | 2 | 0.1 | 3.3 | 0.5 |
| Weber/Morgan | 1 | 0.0 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 38 | 1.9 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

GARFIELD MEMORIAL HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Garfield

BED SIZE: 44

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 202 | 58.4 | 63.8 | 63.4 |
| Male | 144 | 41.6 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 43 | 12.4 | 18.2 | 21.3 |
| 29-365 days | 11 | 3.2 | 2.5 | 1.2 |
| 1-4 years | 13 | 3.8 | 3.1 | 1.0 |
| 5-9 | 14 | 4.0 | 1.7 | 0.6 |
| 10-14 | 13 | 3.8 | 1.6 | 0.8 |
| 15-17 | 14 | 4.0 | 2.6 | 1.8 |
| 18-19 | 7 | 2.0 | 3.2 | 2.4 |
| 20-24 | 26 | 7.5 | 8.9 | 9.2 |
| 25-29 | 26 | 7.5 | 7.4 | 9.1 |
| 30-34 | 22 | 6.4 | 5.0 | 6.3 |
| 35-39 | 10 | 2.9 | 3.9 | 5.0 |
| 40-44 | 5 | 1.4 | 3.3 | 4.0 |
| 45-49 | 19 | 5.5 | 3.0 | 3.7 |
| 50-54 | 12 | 3.5 | 2.8 | 3.6 |
| 55-59 | 13 | 3.8 | 3.0 | 3.5 |
| 60-64 | 12 | 3.5 | 3.2 | 3.8 |
| 65-69 | 22 | 6.4 | 3.8 | 4.5 |
| 70-74 | 15 | 4.3 | 5.1 | 5.3 |
| 75-79 | 14 | 4.0 | 5.7 | 5.2 |
| 80-84 | 25 | 7.2 | 5.9 | 4.1 |
| 85-89 | 7 | 2.0 | 4.1 | 2.6 |
| 90 + | 3 | 0.9 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | 26.9 | 12.5 |
| Urgent | 312 | 90.2 | 46.9 | 43.6 |
| Elective | 7 | 2.0 | 11.1 | 22.9 |
| Newborn | 27 | 7.8 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 308 | 89.0 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 11 | 3.2 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 27 | 7.8 | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

GARFIELD MEMORIAL HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Garfield

BED SIZE: 44

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 299 | 86.4 | 85.2 | 86.3 |
| Another hospital | 22 | 6.4 | 4.4 | 1.6 |
| Skilled nursing facility | 15 | 4.3 | 4.4 | 5.1 |
| Intermediate care | 3 | 0.9 | 1.1 | 0.3 |
| Another type of institution | . | . | 0.5 | 1.8 |
| Under care of home service | . | . | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.3 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 6 | 1.7 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 81 | 23.4 | 27.1 | 21.9 |
| Medicaid | 50 | 14.5 | 24.0 | 9.5 |
| Other government | 11 | 3.2 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 22 | 6.4 | 10.0 | 7.5 |
| Other commercial | 64 | 18.5 | 13.5 | 15.3 |
| Managed care | 88 | 25.4 | 13.1 | 34.7 |
| Self pay | 28 | 8.1 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 2 | 0.6 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | . | . | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.2 | 5.9 |
| Central Utah | 18 | 5.2 | 35.0 | 3.5 |
| Davis County | . | . | 0.2 | 9.2 |
| Salt Lake County | 4 | 1.2 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | 274 | 79.2 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | 1 | 0.3 | 16.7 | 2.2 |
| Utah County | 2 | 0.6 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 40 | 11.6 | 3.8 | 5.5 |
| Unknown | 7 | 2.0 | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ALLEN MEMORIAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Management

COUNTY: Grand

BED SIZE: 38

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 430 | 61.5 | 63.8 | 63.4 |
| Male | 269 | 38.5 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 97 | 13.9 | 18.2 | 21.3 |
| 29-365 days | 16 | 2.3 | 2.5 | 1.2 |
| 1-4 years | 17 | 2.4 | 3.1 | 1.0 |
| 5-9 | 9 | 1.3 | 1.7 | 0.6 |
| 10-14 | 12 | 1.7 | 1.6 | 0.8 |
| 15-17 | 16 | 2.3 | 2.6 | 1.8 |
| 18-19 | 15 | 2.1 | 3.2 | 2.4 |
| 20-24 | 47 | 6.7 | 8.9 | 9.2 |
| 25-29 | 52 | 7.4 | 7.4 | 9.1 |
| 30-34 | 29 | 4.1 | 5.0 | 6.3 |
| 35-39 | 45 | 6.4 | 3.9 | 5.0 |
| 40-44 | 16 | 2.3 | 3.3 | 4.0 |
| 45-49 | 18 | 2.6 | 3.0 | 3.7 |
| 50-54 | 22 | 3.1 | 2.8 | 3.6 |
| 55-59 | 20 | 2.9 | 3.0 | 3.5 |
| 60-64 | 40 | 5.7 | 3.2 | 3.8 |
| 65-69 | 29 | 4.1 | 3.8 | 4.5 |
| 70-74 | 63 | 9.0 | 5.1 | 5.3 |
| 75-79 | 52 | 7.4 | 5.7 | 5.2 |
| 80-84 | 40 | 5.7 | 5.9 | 4.1 |
| 85-89 | 33 | 4.7 | 4.1 | 2.6 |
| 90 + | 11 | 1.6 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 101 | 14.4 | 26.9 | 12.5 |
| Urgent | 470 | 67.2 | 46.9 | 43.6 |
| Elective | 37 | 5.3 | 11.1 | 22.9 |
| Newborn | 87 | 12.4 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | 4 | 0.6 | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 338 | 48.4 | 57.4 | 54.5 |
| Clinic referral | 2 | 0.3 | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 268 | 38.3 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 87 | 12.4 | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ALLEN MEMORIAL
 PEER GROUP: Acute, rural, low CMI (n=17) COUNTY: Grand
 AFFILIATION: Management BED SIZE: 38

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 4 | 0.6 | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 620 | 88.7 | 85.2 | 86.3 |
| Another hospital | 20 | 2.9 | 4.4 | 1.6 |
| Skilled nursing facility | 28 | 4.0 | 4.4 | 5.1 |
| Intermediate care | 5 | 0.7 | 1.1 | 0.3 |
| Another type of institution | 9 | 1.3 | 0.5 | 1.8 |
| Under care of home service | 9 | 1.3 | 2.7 | 3.1 |
| Left against medical advice | 5 | 0.7 | 0.2 | 0.1 |
| Under care of a home iv provider | 1 | 0.1 | 0.0 | 0.1 |
| Expired | 2 | 0.3 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 237 | 33.9 | 27.1 | 21.9 |
| Medicaid | 201 | 28.8 | 24.0 | 9.5 |
| Other government | 17 | 2.4 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 47 | 6.7 | 10.0 | 7.5 |
| Other commercial | 118 | 16.9 | 13.5 | 15.3 |
| Managed care | 27 | 3.9 | 13.1 | 34.7 |
| Self pay | 49 | 7.0 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 3 | 0.4 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | . | . | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1 | 0.1 | 4.2 | 5.9 |
| Central Utah | . | . | 35.0 | 3.5 |
| Davis County | . | . | 0.2 | 9.2 |
| Salt Lake County | 6 | 0.9 | 1.0 | 35.6 |
| Southeastern Utah | 628 | 89.8 | 11.4 | 2.5 |
| Southwest Utah | . | . | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | . | . | 16.7 | 2.2 |
| Utah County | 5 | 0.7 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | 1 | 0.1 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 58 | 8.3 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

CENTRAL VALLEY MEDICAL CENTER

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Juab

BED SIZE: 31

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 453 | 63.0 | 63.8 | 63.4 |
| Male | 266 | 37.0 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 116 | 16.1 | 18.2 | 21.3 |
| 29-365 days | 43 | 6.0 | 2.5 | 1.2 |
| 1-4 years | 24 | 3.3 | 3.1 | 1.0 |
| 5-9 | 24 | 3.3 | 1.7 | 0.6 |
| 10-14 | 9 | 1.3 | 1.6 | 0.8 |
| 15-17 | 26 | 3.6 | 2.6 | 1.8 |
| 18-19 | 9 | 1.3 | 3.2 | 2.4 |
| 20-24 | 53 | 7.4 | 8.9 | 9.2 |
| 25-29 | 41 | 5.7 | 7.4 | 9.1 |
| 30-34 | 27 | 3.8 | 5.0 | 6.3 |
| 35-39 | 27 | 3.8 | 3.9 | 5.0 |
| 40-44 | 37 | 5.1 | 3.3 | 4.0 |
| 45-49 | 14 | 1.9 | 3.0 | 3.7 |
| 50-54 | 28 | 3.9 | 2.8 | 3.6 |
| 55-59 | 17 | 2.4 | 3.0 | 3.5 |
| 60-64 | 27 | 3.8 | 3.2 | 3.8 |
| 65-69 | 34 | 4.7 | 3.8 | 4.5 |
| 70-74 | 28 | 3.9 | 5.1 | 5.3 |
| 75-79 | 35 | 4.9 | 5.7 | 5.2 |
| 80-84 | 51 | 7.1 | 5.9 | 4.1 |
| 85-89 | 27 | 3.8 | 4.1 | 2.6 |
| 90 + | 22 | 3.1 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 243 | 33.8 | 26.9 | 12.5 |
| Urgent | 363 | 50.5 | 46.9 | 43.6 |
| Elective | . | . | 11.1 | 22.9 |
| Newborn | 100 | 13.9 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | 13 | 1.8 | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 339 | 47.1 | 57.4 | 54.5 |
| Clinic referral | 24 | 3.3 | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | 4 | 0.6 | 0.2 | 2.5 |
| Skilled nursing facility | 1 | 0.1 | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 238 | 33.1 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 98 | 13.6 | 13.6 | 19.6 |
| Premature delivery | 2 | 0.3 | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

CENTRAL VALLEY MEDICAL CENTER

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Juab

BED SIZE: 31

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 13 | 1.8 | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 562 | 78.2 | 85.2 | 86.3 |
| Another hospital | 39 | 5.4 | 4.4 | 1.6 |
| Skilled nursing facility | 28 | 3.9 | 4.4 | 5.1 |
| Intermediate care | 36 | 5.0 | 1.1 | 0.3 |
| Another type of institution | 1 | 0.1 | 0.5 | 1.8 |
| Under care of home service | 42 | 5.8 | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.1 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 8 | 1.1 | 1.2 | 1.4 |
| Not reported | 2 | 0.3 | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 220 | 30.6 | 27.1 | 21.9 |
| Medicaid | 148 | 20.6 | 24.0 | 9.5 |
| Other government | 16 | 2.2 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 90 | 12.5 | 10.0 | 7.5 |
| Other commercial | 111 | 15.4 | 13.5 | 15.3 |
| Managed care | 82 | 11.4 | 13.1 | 34.7 |
| Self pay | 44 | 6.1 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 1 | 0.1 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | 7 | 1.0 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 4 | 0.6 | 4.2 | 5.9 |
| Central Utah | 673 | 93.6 | 35.0 | 3.5 |
| Davis County | . | . | 0.2 | 9.2 |
| Salt Lake County | 9 | 1.3 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | 4 | 0.6 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | . | . | 16.7 | 2.2 |
| Utah County | 15 | 2.1 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | 2 | 0.3 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 12 | 1.7 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

KANE COUNTY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Management

COUNTY: Kane

BED SIZE: 33

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 233 | 67.7 | 63.8 | 63.4 |
| Male | 111 | 32.3 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 40 | 11.6 | 18.2 | 21.3 |
| 29-365 days | 15 | 4.4 | 2.5 | 1.2 |
| 1-4 years | 15 | 4.4 | 3.1 | 1.0 |
| 5-9 | 5 | 1.5 | 1.7 | 0.6 |
| 10-14 | 2 | 0.6 | 1.6 | 0.8 |
| 15-17 | 4 | 1.2 | 2.6 | 1.8 |
| 18-19 | 9 | 2.6 | 3.2 | 2.4 |
| 20-24 | 18 | 5.2 | 8.9 | 9.2 |
| 25-29 | 14 | 4.1 | 7.4 | 9.1 |
| 30-34 | 17 | 4.9 | 5.0 | 6.3 |
| 35-39 | 10 | 2.9 | 3.9 | 5.0 |
| 40-44 | 6 | 1.7 | 3.3 | 4.0 |
| 45-49 | 7 | 2.0 | 3.0 | 3.7 |
| 50-54 | 9 | 2.6 | 2.8 | 3.6 |
| 55-59 | 10 | 2.9 | 3.0 | 3.5 |
| 60-64 | 13 | 3.8 | 3.2 | 3.8 |
| 65-69 | 11 | 3.2 | 3.8 | 4.5 |
| 70-74 | 29 | 8.4 | 5.1 | 5.3 |
| 75-79 | 18 | 5.2 | 5.7 | 5.2 |
| 80-84 | 39 | 11.3 | 5.9 | 4.1 |
| 85-89 | 26 | 7.6 | 4.1 | 2.6 |
| 90 + | 27 | 7.8 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 14 | 4.1 | 26.9 | 12.5 |
| Urgent | 296 | 86.0 | 46.9 | 43.6 |
| Elective | . | . | 11.1 | 22.9 |
| Newborn | 21 | 6.1 | 13.8 | 20.9 |
| Unknown | 9 | 2.6 | 0.1 | 0.0 |
| Not reported | 4 | 1.2 | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 203 | 59.0 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | 2 | 0.6 | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | 1 | 0.3 | 0.0 | 0.7 |
| Emergency room | 103 | 29.9 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 20 | 5.8 | 13.6 | 19.6 |
| Premature delivery | 1 | 0.3 | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

KANE COUNTY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Management

COUNTY: Kane

BED SIZE: 33

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | 1 | 0.3 | 0.0 | 0.0 |
| Not reported | 13 | 3.8 | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 297 | 86.3 | 85.2 | 86.3 |
| Another hospital | 14 | 4.1 | 4.4 | 1.6 |
| Skilled nursing facility | 15 | 4.4 | 4.4 | 5.1 |
| Intermediate care | . | . | 1.1 | 0.3 |
| Another type of institution | . | . | 0.5 | 1.8 |
| Under care of home service | 11 | 3.2 | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.3 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 6 | 1.7 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 106 | 30.8 | 27.1 | 21.9 |
| Medicaid | 87 | 25.3 | 24.0 | 9.5 |
| Other government | 21 | 6.1 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 21 | 6.1 | 10.0 | 7.5 |
| Other commercial | 77 | 22.4 | 13.5 | 15.3 |
| Managed care | 3 | 0.9 | 13.1 | 34.7 |
| Self pay | 27 | 7.8 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 2 | 0.6 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | . | . | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.2 | 5.9 |
| Central Utah | . | . | 35.0 | 3.5 |
| Davis County | . | . | 0.2 | 9.2 |
| Salt Lake County | . | . | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | 256 | 74.4 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | . | . | 16.7 | 2.2 |
| Utah County | 1 | 0.3 | 0.6 | 16.4 |
| Wasatch County | 1 | 0.3 | 3.3 | 0.5 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 86 | 25.0 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

FILLMORE COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 AFFILIATION: IHC, Inc.

COUNTY: Millard
 BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 164 | 69.5 | 63.8 | 63.4 |
| Male | 72 | 30.5 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 45 | 19.1 | 18.2 | 21.3 |
| 29-365 days | 5 | 2.1 | 2.5 | 1.2 |
| 1-4 years | 7 | 3.0 | 3.1 | 1.0 |
| 5-9 | 4 | 1.7 | 1.7 | 0.6 |
| 10-14 | 5 | 2.1 | 1.6 | 0.8 |
| 15-17 | 6 | 2.5 | 2.6 | 1.8 |
| 18-19 | 6 | 2.5 | 3.2 | 2.4 |
| 20-24 | 14 | 5.9 | 8.9 | 9.2 |
| 25-29 | 19 | 8.1 | 7.4 | 9.1 |
| 30-34 | 8 | 3.4 | 5.0 | 6.3 |
| 35-39 | 8 | 3.4 | 3.9 | 5.0 |
| 40-44 | 11 | 4.7 | 3.3 | 4.0 |
| 45-49 | 5 | 2.1 | 3.0 | 3.7 |
| 50-54 | 2 | 0.8 | 2.8 | 3.6 |
| 55-59 | 3 | 1.3 | 3.0 | 3.5 |
| 60-64 | 4 | 1.7 | 3.2 | 3.8 |
| 65-69 | 6 | 2.5 | 3.8 | 4.5 |
| 70-74 | 18 | 7.6 | 5.1 | 5.3 |
| 75-79 | 22 | 9.3 | 5.7 | 5.2 |
| 80-84 | 20 | 8.5 | 5.9 | 4.1 |
| 85-89 | 11 | 4.7 | 4.1 | 2.6 |
| 90 + | 7 | 3.0 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | 26.9 | 12.5 |
| Urgent | 116 | 49.2 | 46.9 | 43.6 |
| Elective | 76 | 32.2 | 11.1 | 22.9 |
| Newborn | 44 | 18.6 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 104 | 44.1 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | 2 | 0.8 | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 86 | 36.4 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 43 | 18.2 | 13.6 | 19.6 |
| Premature delivery | 1 | 0.4 | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

FILLMORE COMMUNITY MEDICAL CENTER
 PEER GROUP: Acute, rural, low CMI (n=17)
 AFFILIATION: IHC, Inc.

COUNTY: Millard
 BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 177 | 75.0 | 85.2 | 86.3 |
| Another hospital | 14 | 5.9 | 4.4 | 1.6 |
| Skilled nursing facility | 28 | 11.9 | 4.4 | 5.1 |
| Intermediate care | . | . | 1.1 | 0.3 |
| Another type of institution | . | . | 0.5 | 1.8 |
| Under care of home service | 10 | 4.2 | 2.7 | 3.1 |
| Left against medical advice | . | . | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 7 | 3.0 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 84 | 35.6 | 27.1 | 21.9 |
| Medicaid | 45 | 19.1 | 24.0 | 9.5 |
| Other government | 9 | 3.8 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 13 | 5.5 | 10.0 | 7.5 |
| Other commercial | 19 | 8.1 | 13.5 | 15.3 |
| Managed care | 51 | 21.6 | 13.1 | 34.7 |
| Self pay | 12 | 5.1 | 5.5 | 3.2 |
| Industrial/Worker's Comp | . | . | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | 1 | 0.4 | 0.1 | 0.0 |
| Not reported | 2 | 0.8 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.2 | 5.9 |
| Central Utah | 220 | 93.2 | 35.0 | 3.5 |
| Davis County | 1 | 0.4 | 0.2 | 9.2 |
| Salt Lake County | 2 | 0.8 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | 3 | 1.3 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | . | . | 16.7 | 2.2 |
| Utah County | 1 | 0.4 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | 1 | 0.4 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 8 | 3.4 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

DELTA COMMUNITY MEDICAL CENTER

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Millard

BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 271 | 65.5 | 63.8 | 63.4 |
| Male | 143 | 34.5 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 114 | 27.5 | 18.2 | 21.3 |
| 29-365 days | 4 | 1.0 | 2.5 | 1.2 |
| 1-4 years | 6 | 1.4 | 3.1 | 1.0 |
| 5-9 | 3 | 0.7 | 1.7 | 0.6 |
| 10-14 | 8 | 1.9 | 1.6 | 0.8 |
| 15-17 | 15 | 3.6 | 2.6 | 1.8 |
| 18-19 | 15 | 3.6 | 3.2 | 2.4 |
| 20-24 | 30 | 7.2 | 8.9 | 9.2 |
| 25-29 | 38 | 9.2 | 7.4 | 9.1 |
| 30-34 | 25 | 6.0 | 5.0 | 6.3 |
| 35-39 | 12 | 2.9 | 3.9 | 5.0 |
| 40-44 | 15 | 3.6 | 3.3 | 4.0 |
| 45-49 | 7 | 1.7 | 3.0 | 3.7 |
| 50-54 | 4 | 1.0 | 2.8 | 3.6 |
| 55-59 | 9 | 2.2 | 3.0 | 3.5 |
| 60-64 | 9 | 2.2 | 3.2 | 3.8 |
| 65-69 | 14 | 3.4 | 3.8 | 4.5 |
| 70-74 | 15 | 3.6 | 5.1 | 5.3 |
| 75-79 | 15 | 3.6 | 5.7 | 5.2 |
| 80-84 | 15 | 3.6 | 5.9 | 4.1 |
| 85-89 | 30 | 7.2 | 4.1 | 2.6 |
| 90 + | 11 | 2.7 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 3 | 0.7 | 26.9 | 12.5 |
| Urgent | 138 | 33.3 | 46.9 | 43.6 |
| Elective | 167 | 40.3 | 11.1 | 22.9 |
| Newborn | 106 | 25.6 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 212 | 51.2 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | 1 | 0.2 | 0.0 | 0.7 |
| Emergency room | 95 | 22.9 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 102 | 24.6 | 13.6 | 19.6 |
| Premature delivery | 1 | 0.2 | 0.2 | 0.7 |
| Sick baby | 3 | 0.7 | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

DELTA COMMUNITY MEDICAL CENTER

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Millard

BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 343 | 82.9 | 85.2 | 86.3 |
| Another hospital | 14 | 3.4 | 4.4 | 1.6 |
| Skilled nursing facility | 30 | 7.2 | 4.4 | 5.1 |
| Intermediate care | 9 | 2.2 | 1.1 | 0.3 |
| Another type of institution | 3 | 0.7 | 0.5 | 1.8 |
| Under care of home service | 8 | 1.9 | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.2 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 6 | 1.4 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 92 | 22.2 | 27.1 | 21.9 |
| Medicaid | 88 | 21.3 | 24.0 | 9.5 |
| Other government | 11 | 2.7 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 92 | 22.2 | 10.0 | 7.5 |
| Other commercial | 37 | 8.9 | 13.5 | 15.3 |
| Managed care | 78 | 18.8 | 13.1 | 34.7 |
| Self pay | 16 | 3.9 | 5.5 | 3.2 |
| Industrial/Worker's Comp | . | . | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | . | . | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.2 | 5.9 |
| Central Utah | 388 | 93.7 | 35.0 | 3.5 |
| Davis County | . | . | 0.2 | 9.2 |
| Salt Lake County | 3 | 0.7 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | 2 | 0.5 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | 7 | 1.7 | 9.1 | 1.6 |
| Uintah Basin | . | . | 16.7 | 2.2 |
| Utah County | 1 | 0.2 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | 1 | 0.2 | 0.0 | 0.1 |
| Outside Utah | 12 | 2.9 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SAN JUAN HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Management

COUNTY: San Juan

BED SIZE: 36

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 464 | 60.9 | 63.8 | 63.4 |
| Male | 298 | 39.1 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 182 | 23.9 | 18.2 | 21.3 |
| 29-365 days | 17 | 2.2 | 2.5 | 1.2 |
| 1-4 years | 46 | 6.0 | 3.1 | 1.0 |
| 5-9 | 16 | 2.1 | 1.7 | 0.6 |
| 10-14 | 15 | 2.0 | 1.6 | 0.8 |
| 15-17 | 13 | 1.7 | 2.6 | 1.8 |
| 18-19 | 35 | 4.6 | 3.2 | 2.4 |
| 20-24 | 76 | 10.0 | 8.9 | 9.2 |
| 25-29 | 73 | 9.6 | 7.4 | 9.1 |
| 30-34 | 32 | 4.2 | 5.0 | 6.3 |
| 35-39 | 32 | 4.2 | 3.9 | 5.0 |
| 40-44 | 20 | 2.6 | 3.3 | 4.0 |
| 45-49 | 18 | 2.4 | 3.0 | 3.7 |
| 50-54 | 12 | 1.6 | 2.8 | 3.6 |
| 55-59 | 10 | 1.3 | 3.0 | 3.5 |
| 60-64 | 20 | 2.6 | 3.2 | 3.8 |
| 65-69 | 30 | 3.9 | 3.8 | 4.5 |
| 70-74 | 39 | 5.1 | 5.1 | 5.3 |
| 75-79 | 25 | 3.3 | 5.7 | 5.2 |
| 80-84 | 19 | 2.5 | 5.9 | 4.1 |
| 85-89 | 18 | 2.4 | 4.1 | 2.6 |
| 90 + | 14 | 1.8 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 173 | 22.7 | 26.9 | 12.5 |
| Urgent | 589 | 77.3 | 46.9 | 43.6 |
| Elective | . | . | 11.1 | 22.9 |
| Newborn | . | . | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 647 | 84.9 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 115 | 15.1 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | . | . | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

GUNNISON VALLEY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Sanpete

BED SIZE: 21

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 846 | 69.6 | 63.8 | 63.4 |
| Male | 370 | 30.4 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 266 | 21.9 | 18.2 | 21.3 |
| 29-365 days | 20 | 1.6 | 2.5 | 1.2 |
| 1-4 years | 39 | 3.2 | 3.1 | 1.0 |
| 5-9 | 16 | 1.3 | 1.7 | 0.6 |
| 10-14 | 17 | 1.4 | 1.6 | 0.8 |
| 15-17 | 38 | 3.1 | 2.6 | 1.8 |
| 18-19 | 52 | 4.3 | 3.2 | 2.4 |
| 20-24 | 134 | 11.0 | 8.9 | 9.2 |
| 25-29 | 93 | 7.6 | 7.4 | 9.1 |
| 30-34 | 70 | 5.8 | 5.0 | 6.3 |
| 35-39 | 47 | 3.9 | 3.9 | 5.0 |
| 40-44 | 22 | 1.8 | 3.3 | 4.0 |
| 45-49 | 26 | 2.1 | 3.0 | 3.7 |
| 50-54 | 28 | 2.3 | 2.8 | 3.6 |
| 55-59 | 22 | 1.8 | 3.0 | 3.5 |
| 60-64 | 31 | 2.5 | 3.2 | 3.8 |
| 65-69 | 42 | 3.5 | 3.8 | 4.5 |
| 70-74 | 50 | 4.1 | 5.1 | 5.3 |
| 75-79 | 63 | 5.2 | 5.7 | 5.2 |
| 80-84 | 75 | 6.2 | 5.9 | 4.1 |
| 85-89 | 46 | 3.8 | 4.1 | 2.6 |
| 90 + | 19 | 1.6 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 712 | 58.6 | 26.9 | 12.5 |
| Urgent | 224 | 18.4 | 46.9 | 43.6 |
| Elective | 5 | 0.4 | 11.1 | 22.9 |
| Newborn | 263 | 21.6 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | 12 | 1.0 | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 638 | 52.5 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | 8 | 0.7 | 0.2 | 2.5 |
| Skilled nursing facility | 3 | 0.2 | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 292 | 24.0 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 247 | 20.3 | 13.6 | 19.6 |
| Premature delivery | 12 | 1.0 | 0.2 | 0.7 |
| Sick baby | 4 | 0.3 | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

GUNNISON VALLEY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Sanpete

BED SIZE: 21

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 12 | 1.0 | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,062 | 87.3 | 85.2 | 86.3 |
| Another hospital | 45 | 3.7 | 4.4 | 1.6 |
| Skilled nursing facility | 42 | 3.5 | 4.4 | 5.1 |
| Intermediate care | 14 | 1.2 | 1.1 | 0.3 |
| Another type of institution | . | . | 0.5 | 1.8 |
| Under care of home service | 35 | 2.9 | 2.7 | 3.1 |
| Left against medical advice | 2 | 0.2 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 9 | 0.7 | 1.2 | 1.4 |
| Not reported | 7 | 0.6 | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 308 | 25.3 | 27.1 | 21.9 |
| Medicaid | 305 | 25.1 | 24.0 | 9.5 |
| Other government | 111 | 9.1 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 124 | 10.2 | 10.0 | 7.5 |
| Other commercial | 138 | 11.3 | 13.5 | 15.3 |
| Managed care | 155 | 12.7 | 13.1 | 34.7 |
| Self pay | 72 | 5.9 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 2 | 0.2 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | 1 | 0.1 | 0.1 | 0.0 |
| Not reported | . | . | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 3 | 0.2 | 4.2 | 5.9 |
| Central Utah | 1,138 | 93.6 | 35.0 | 3.5 |
| Davis County | . | . | 0.2 | 9.2 |
| Salt Lake County | 12 | 1.0 | 1.0 | 35.6 |
| Southeastern Utah | 18 | 1.5 | 11.4 | 2.5 |
| Southwest Utah | 14 | 1.2 | 13.2 | 6.6 |
| Summit County | 1 | 0.1 | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | . | . | 16.7 | 2.2 |
| Utah County | 16 | 1.3 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 14 | 1.2 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SANPETE VALLEY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Sanpete

BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 301 | 61.7 | 63.8 | 63.4 |
| Male | 187 | 38.3 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 110 | 22.5 | 18.2 | 21.3 |
| 29-365 days | 6 | 1.2 | 2.5 | 1.2 |
| 1-4 years | 9 | 1.8 | 3.1 | 1.0 |
| 5-9 | 5 | 1.0 | 1.7 | 0.6 |
| 10-14 | 5 | 1.0 | 1.6 | 0.8 |
| 15-17 | 8 | 1.6 | 2.6 | 1.8 |
| 18-19 | 14 | 2.9 | 3.2 | 2.4 |
| 20-24 | 62 | 12.7 | 8.9 | 9.2 |
| 25-29 | 36 | 7.4 | 7.4 | 9.1 |
| 30-34 | 18 | 3.7 | 5.0 | 6.3 |
| 35-39 | 24 | 4.9 | 3.9 | 5.0 |
| 40-44 | 16 | 3.3 | 3.3 | 4.0 |
| 45-49 | 10 | 2.0 | 3.0 | 3.7 |
| 50-54 | 13 | 2.7 | 2.8 | 3.6 |
| 55-59 | 18 | 3.7 | 3.0 | 3.5 |
| 60-64 | 10 | 2.0 | 3.2 | 3.8 |
| 65-69 | 15 | 3.1 | 3.8 | 4.5 |
| 70-74 | 21 | 4.3 | 5.1 | 5.3 |
| 75-79 | 22 | 4.5 | 5.7 | 5.2 |
| 80-84 | 30 | 6.1 | 5.9 | 4.1 |
| 85-89 | 27 | 5.5 | 4.1 | 2.6 |
| 90 + | 9 | 1.8 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 1 | 0.2 | 26.9 | 12.5 |
| Urgent | 461 | 94.5 | 46.9 | 43.6 |
| Elective | 26 | 5.3 | 11.1 | 22.9 |
| Newborn | . | . | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 438 | 89.8 | 57.4 | 54.5 |
| Clinic referral | 1 | 0.2 | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | 2 | 0.4 | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 47 | 9.6 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | . | . | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SANPETE VALLEY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Sanpete

BED SIZE: 20

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 398 | 81.6 | 85.2 | 86.3 |
| Another hospital | 33 | 6.8 | 4.4 | 1.6 |
| Skilled nursing facility | 21 | 4.3 | 4.4 | 5.1 |
| Intermediate care | 2 | 0.4 | 1.1 | 0.3 |
| Another type of institution | 1 | 0.2 | 0.5 | 1.8 |
| Under care of home service | 29 | 5.9 | 2.7 | 3.1 |
| Left against medical advice | . | . | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 4 | 0.8 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 136 | 27.9 | 27.1 | 21.9 |
| Medicaid | 139 | 28.5 | 24.0 | 9.5 |
| Other government | 29 | 5.9 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 25 | 5.1 | 10.0 | 7.5 |
| Other commercial | 18 | 3.7 | 13.5 | 15.3 |
| Managed care | 113 | 23.2 | 13.1 | 34.7 |
| Self pay | 26 | 5.3 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 1 | 0.2 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | 1 | 0.2 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1 | 0.2 | 4.2 | 5.9 |
| Central Utah | 472 | 96.7 | 35.0 | 3.5 |
| Davis County | . | . | 0.2 | 9.2 |
| Salt Lake County | 4 | 0.8 | 1.0 | 35.6 |
| Southeastern Utah | 2 | 0.4 | 11.4 | 2.5 |
| Southwest Utah | . | . | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | 1 | 0.2 | 16.7 | 2.2 |
| Utah County | 3 | 0.6 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | . | . | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 5 | 1.0 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SEVIER VALLEY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Sevier

BED SIZE: 42

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 876 | 62.4 | 63.8 | 63.4 |
| Male | 527 | 37.6 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 231 | 16.5 | 18.2 | 21.3 |
| 29-365 days | 30 | 2.1 | 2.5 | 1.2 |
| 1-4 years | 58 | 4.1 | 3.1 | 1.0 |
| 5-9 | 24 | 1.7 | 1.7 | 0.6 |
| 10-14 | 21 | 1.5 | 1.6 | 0.8 |
| 15-17 | 41 | 2.9 | 2.6 | 1.8 |
| 18-19 | 40 | 2.9 | 3.2 | 2.4 |
| 20-24 | 101 | 7.2 | 8.9 | 9.2 |
| 25-29 | 94 | 6.7 | 7.4 | 9.1 |
| 30-34 | 63 | 4.5 | 5.0 | 6.3 |
| 35-39 | 41 | 2.9 | 3.9 | 5.0 |
| 40-44 | 38 | 2.7 | 3.3 | 4.0 |
| 45-49 | 40 | 2.9 | 3.0 | 3.7 |
| 50-54 | 43 | 3.1 | 2.8 | 3.6 |
| 55-59 | 54 | 3.8 | 3.0 | 3.5 |
| 60-64 | 47 | 3.3 | 3.2 | 3.8 |
| 65-69 | 49 | 3.5 | 3.8 | 4.5 |
| 70-74 | 88 | 6.3 | 5.1 | 5.3 |
| 75-79 | | 7.1 | 5.7 | 5.2 |
| 80-84 | 120 | 8.6 | 5.9 | 4.1 |
| 85-89 | 61 | 4.3 | 4.1 | 2.6 |
| 90 + | 20 | 1.4 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 617 | 44.0 | 26.9 | 12.5 |
| Urgent | 3 | 0.2 | 46.9 | 43.6 |
| Elective | 569 | 40.6 | 11.1 | 22.9 |
| Newborn | 214 | 15.3 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 557 | 39.7 | 57.4 | 54.5 |
| Clinic referral | 16 | 1.1 | 1.6 | 0.2 |
| HMO Referral | 8 | 0.6 | 0.1 | 0.0 |
| Other hospital | 2 | 0.1 | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 606 | 43.2 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 213 | 15.2 | 13.6 | 19.6 |
| Premature delivery | . | . | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SEVIER VALLEY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Sevier

BED SIZE: 42

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | 1 | 0.1 | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 1,113 | 79.3 | 85.2 | 86.3 |
| Another hospital | 66 | 4.7 | 4.4 | 1.6 |
| Skilled nursing facility | 86 | 6.1 | 4.4 | 5.1 |
| Intermediate care | 2 | 0.1 | 1.1 | 0.3 |
| Another type of institution | 10 | 0.7 | 0.5 | 1.8 |
| Under care of home service | 102 | 7.3 | 2.7 | 3.1 |
| Left against medical advice | 3 | 0.2 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 21 | 1.5 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 456 | 32.5 | 27.1 | 21.9 |
| Medicaid | 326 | 23.2 | 24.0 | 9.5 |
| Other government | 76 | 5.4 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 78 | 5.6 | 10.0 | 7.5 |
| Other commercial | 146 | 10.4 | 13.5 | 15.3 |
| Managed care | 233 | 16.6 | 13.1 | 34.7 |
| Self pay | 73 | 5.2 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 14 | 1.0 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | 1 | 0.1 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 1 | 0.1 | 4.2 | 5.9 |
| Central Utah | 1,283 | 91.4 | 35.0 | 3.5 |
| Davis County | 4 | 0.3 | 0.2 | 9.2 |
| Salt Lake County | 11 | 0.8 | 1.0 | 35.6 |
| Southeastern Utah | 4 | 0.3 | 11.4 | 2.5 |
| Southwest Utah | 33 | 2.4 | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | 1 | 0.1 | 9.1 | 1.6 |
| Uintah Basin | 1 | 0.1 | 16.7 | 2.2 |
| Utah County | 3 | 0.2 | 0.6 | 16.4 |
| Wasatch County | 1 | 0.1 | 3.3 | 0.5 |
| Weber/Morgan | 1 | 0.1 | 0.1 | 9.5 |
| Unknown Utah | 2 | 0.1 | 0.0 | 0.1 |
| Outside Utah | 58 | 4.1 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

TOOELE VALLEY HEALTHCARE

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Tooele

BED SIZE: 38

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 707 | 60.6 | 63.8 | 63.4 |
| Male | 459 | 39.4 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 166 | 14.2 | 18.2 | 21.3 |
| 29-365 days | 12 | 1.0 | 2.5 | 1.2 |
| 1-4 years | 10 | 0.9 | 3.1 | 1.0 |
| 5-9 | 19 | 1.6 | 1.7 | 0.6 |
| 10-14 | 16 | 1.4 | 1.6 | 0.8 |
| 15-17 | 18 | 1.5 | 2.6 | 1.8 |
| 18-19 | 32 | 2.7 | 3.2 | 2.4 |
| 20-24 | 75 | 6.4 | 8.9 | 9.2 |
| 25-29 | 68 | 5.8 | 7.4 | 9.1 |
| 30-34 | 60 | 5.1 | 5.0 | 6.3 |
| 35-39 | 44 | 3.8 | 3.9 | 5.0 |
| 40-44 | 42 | 3.6 | 3.3 | 4.0 |
| 45-49 | 44 | 3.8 | 3.0 | 3.7 |
| 50-54 | 51 | 4.4 | 2.8 | 3.6 |
| 55-59 | 58 | 5.0 | 3.0 | 3.5 |
| 60-64 | 38 | 3.3 | 3.2 | 3.8 |
| 65-69 | 69 | 5.9 | 3.8 | 4.5 |
| 70-74 | 77 | 6.6 | 5.1 | 5.3 |
| 75-79 | 105 | 9.0 | 5.7 | 5.2 |
| 80-84 | 83 | 7.1 | 5.9 | 4.1 |
| 85-89 | 50 | 4.3 | 4.1 | 2.6 |
| 90 + | 29 | 2.5 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 110 | 9.4 | 26.9 | 12.5 |
| Urgent | 982 | 84.2 | 46.9 | 43.6 |
| Elective | 3 | 0.3 | 11.1 | 22.9 |
| Newborn | 62 | 5.3 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | 9 | 0.8 | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 615 | 52.7 | 57.4 | 54.5 |
| Clinic referral | 82 | 7.0 | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | . | . | 0.2 | 2.5 |
| Skilled nursing facility | 3 | 0.3 | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 387 | 33.2 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 61 | 5.2 | 13.6 | 19.6 |
| Premature delivery | 1 | 0.1 | 0.2 | 0.7 |
| Sick baby | . | . | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

TOOELE VALLEY HEALTHCARE

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: Freestanding

COUNTY: Tooele

BED SIZE: 38

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | 17 | 1.5 | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 974 | 83.5 | 85.2 | 86.3 |
| Another hospital | 69 | 5.9 | 4.4 | 1.6 |
| Skilled nursing facility | 95 | 8.1 | 4.4 | 5.1 |
| Intermediate care | . | . | 1.1 | 0.3 |
| Another type of institution | . | . | 0.5 | 1.8 |
| Under care of home service | 4 | 0.3 | 2.7 | 3.1 |
| Left against medical advice | 1 | 0.1 | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 23 | 2.0 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 376 | 32.2 | 27.1 | 21.9 |
| Medicaid | 135 | 11.6 | 24.0 | 9.5 |
| Other government | 47 | 4.0 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 135 | 11.6 | 10.0 | 7.5 |
| Other commercial | 240 | 20.6 | 13.5 | 15.3 |
| Managed care | 163 | 14.0 | 13.1 | 34.7 |
| Self pay | . | . | 5.5 | 3.2 |
| Industrial/Worker's Comp | . | . | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | . | . | 0.1 | 0.0 |
| Not reported | 70 | 6.0 | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.2 | 5.9 |
| Central Utah | 2 | 0.2 | 35.0 | 3.5 |
| Davis County | 4 | 0.3 | 0.2 | 9.2 |
| Salt Lake County | 24 | 2.1 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | . | . | 13.2 | 6.6 |
| Summit County | . | . | 1.1 | 0.8 |
| Tooele County | 1,083 | 92.9 | 9.1 | 1.6 |
| Uintah Basin | 1 | 0.1 | 16.7 | 2.2 |
| Utah County | 8 | 0.7 | 0.6 | 16.4 |
| Wasatch County | . | . | 3.3 | 0.5 |
| Weber/Morgan | 2 | 0.2 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 42 | 3.6 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

WASATCH COUNTY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Wasatch

BED SIZE: 40

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| GENDER | | | | |
| Female | 378 | 65.6 | 63.8 | 63.4 |
| Male | 198 | 34.4 | 36.2 | 36.6 |
| Unknown | . | . | . | 0.0 |
| Not reported | . | . | . | . |
| AGE | | | | |
| 1-28 days | 172 | 29.9 | 18.2 | 21.3 |
| 29-365 days | 10 | 1.7 | 2.5 | 1.2 |
| 1-4 years | 9 | 1.6 | 3.1 | 1.0 |
| 5-9 | 6 | 1.0 | 1.7 | 0.6 |
| 10-14 | 3 | 0.5 | 1.6 | 0.8 |
| 15-17 | 13 | 2.3 | 2.6 | 1.8 |
| 18-19 | 26 | 4.5 | 3.2 | 2.4 |
| 20-24 | 65 | 11.3 | 8.9 | 9.2 |
| 25-29 | 48 | 8.3 | 7.4 | 9.1 |
| 30-34 | 42 | 7.3 | 5.0 | 6.3 |
| 35-39 | 19 | 3.3 | 3.9 | 5.0 |
| 40-44 | 14 | 2.4 | 3.3 | 4.0 |
| 45-49 | 16 | 2.8 | 3.0 | 3.7 |
| 50-54 | 16 | 2.8 | 2.8 | 3.6 |
| 55-59 | 10 | 1.7 | 3.0 | 3.5 |
| 60-64 | 14 | 2.4 | 3.2 | 3.8 |
| 65-69 | 17 | 3.0 | 3.8 | 4.5 |
| 70-74 | 8 | 1.4 | 5.1 | 5.3 |
| 75-79 | 20 | 3.5 | 5.7 | 5.2 |
| 80-84 | 19 | 3.3 | 5.9 | 4.1 |
| 85-89 | 23 | 4.0 | 4.1 | 2.6 |
| 90 + | 6 | 1.0 | 2.0 | 1.2 |
| Unknown | . | . | 0.0 | 0.0 |
| TYPE OF ADMISSION | | | | |
| Emergency | 8 | 1.4 | 26.9 | 12.5 |
| Urgent | 109 | 18.9 | 46.9 | 43.6 |
| Elective | 289 | 50.2 | 11.1 | 22.9 |
| Newborn | 170 | 29.5 | 13.8 | 20.9 |
| Unknown | . | . | 0.1 | 0.0 |
| Not reported | . | . | 1.2 | 0.1 |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 289 | 50.2 | 57.4 | 54.5 |
| Clinic referral | . | . | 1.6 | 0.2 |
| HMO Referral | . | . | 0.1 | 0.0 |
| Other hospital | 1 | 0.2 | 0.2 | 2.5 |
| Skilled nursing facility | . | . | 0.1 | 0.1 |
| Other health care facility | . | . | 0.0 | 0.7 |
| Emergency room | 116 | 20.1 | 25.3 | 20.9 |
| Court/law enforcement | . | . | 0.1 | 0.0 |
| Normal delivery | 166 | 28.8 | 13.6 | 19.6 |
| Premature delivery | 2 | 0.3 | 0.2 | 0.7 |
| Sick baby | 2 | 0.3 | 0.1 | 0.3 |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

WASATCH COUNTY HOSPITAL

PEER GROUP: Acute, rural, low CMI (n=17)

AFFILIATION: IHC, Inc.

COUNTY: Wasatch

BED SIZE: 40

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | State* % |
| Extramural birth | . | . | 0.0 | 0.2 |
| Unknown | . | . | 0.0 | 0.0 |
| Not reported | . | . | 1.4 | 0.1 |
| DISCHARGE STATUS | | | | |
| Home self care | 530 | 92.0 | 85.2 | 86.3 |
| Another hospital | 18 | 3.1 | 4.4 | 1.6 |
| Skilled nursing facility | 7 | 1.2 | 4.4 | 5.1 |
| Intermediate care | . | . | 1.1 | 0.3 |
| Another type of institution | 3 | 0.5 | 0.5 | 1.8 |
| Under care of home service | 14 | 2.4 | 2.7 | 3.1 |
| Left against medical advice | . | . | 0.2 | 0.1 |
| Under care of a home iv provider | . | . | 0.0 | 0.1 |
| Expired | 4 | 0.7 | 1.2 | 1.4 |
| Not reported | . | . | 0.2 | 0.0 |
| PRIMARY PAYER | | | | |
| Medicare | 87 | 15.1 | 27.1 | 21.9 |
| Medicaid | 165 | 28.6 | 24.0 | 9.5 |
| Other government | 36 | 6.3 | 5.6 | 3.5 |
| Blue Cross/Blue Shield | 64 | 11.1 | 10.0 | 7.5 |
| Other commercial | 33 | 5.7 | 13.5 | 15.3 |
| Managed care | 108 | 18.8 | 13.1 | 34.7 |
| Self pay | 80 | 13.9 | 5.5 | 3.2 |
| Industrial/Worker's Comp | 2 | 0.3 | 0.4 | 0.7 |
| Charity & unclassified | . | . | . | 0.1 |
| Children's Health Insurance Plan | 1 | 0.2 | 0.1 | 0.0 |
| Not reported | . | . | 0.8 | 3.6 |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 4.2 | 5.9 |
| Central Utah | 1 | 0.2 | 35.0 | 3.5 |
| Davis County | 2 | 0.3 | 0.2 | 9.2 |
| Salt Lake County | 9 | 1.6 | 1.0 | 35.6 |
| Southeastern Utah | . | . | 11.4 | 2.5 |
| Southwest Utah | . | . | 13.2 | 6.6 |
| Summit County | 134 | 23.3 | 1.1 | 0.8 |
| Tooele County | . | . | 9.1 | 1.6 |
| Uintah Basin | 29 | 5.0 | 16.7 | 2.2 |
| Utah County | 2 | 0.3 | 0.6 | 16.4 |
| Wasatch County | 397 | 68.9 | 3.3 | 0.5 |
| Weber/Morgan | 1 | 0.2 | 0.1 | 9.5 |
| Unknown Utah | . | . | 0.0 | 0.1 |
| Outside Utah | 1 | 0.2 | 3.8 | 5.5 |
| Unknown | . | . | 0.2 | 0.3 |

* Including All general acute care hospitals only.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BENCHMARK REGIONAL HOSPITAL

PEER GROUP: Psychiatric & substance abuse (n=7)

COUNTY: Davis

AFFILIATION: Ramsay Hlth Care

BED SIZE: 68

| Patient Profile | Discharges | | | State* % |
|----------------------------|---------------|---------------|-----------|-------------|
| | Hospital # | Hospital % | Peer % | |
| GENDER | | | | |
| Female | . | . | 50.9 | |
| Male | 42 | 100.0 | 49.1 | |
| Unknown | . | . | . | |
| Not reported | . | . | 0.0 | |
| AGE | | | | |
| 1-28 days | . | . | . | |
| 29-365 days | . | . | . | |
| 1-4 years | . | . | 0.1 | |
| 5-9 | . | . | 1.1 | |
| 10-14 | 5 | 11.9 | 6.0 | |
| 15-17 | 27 | 64.3 | 12.9 | |
| 18-19 | 10 | 23.8 | 4.1 | |
| 20-24 | . | . | 7.9 | |
| 25-29 | . | . | 8.6 | |
| 30-34 | . | . | 11.0 | |
| 35-39 | . | . | 14.3 | |
| 40-44 | . | . | 11.4 | |
| 45-49 | . | . | 6.9 | |
| 50-54 | . | . | 4.0 | |
| 55-59 | . | . | 3.4 | |
| 60-64 | . | . | 1.6 | |
| 65-69 | . | . | 1.5 | |
| 70-74 | . | . | 1.6 | |
| 75-79 | . | . | 1.6 | |
| 80-84 | . | . | 1.2 | |
| 85-89 | . | . | 0.5 | |
| 90 + | . | . | 0.2 | |
| Unknown | . | . | 0.1 | |
| TYPE OF ADMISSION | | | | |
| Emergency | 35 | 83.3 | 86.9 | |
| Urgent | 7 | 16.7 | 11.3 | |
| Elective | . | . | 0.4 | |
| Newborn | . | . | 0.0 | |
| Unknown | . | . | 0.0 | |
| Not reported | . | . | 1.3 | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | . | . | 27.2 | |
| Clinic referral | . | . | 3.6 | |
| HMO Referral | . | . | 2.4 | |
| Other hospital | . | . | 2.8 | |
| Skilled nursing facility | . | . | 0.6 | |
| Other health care facility | . | . | 2.3 | |
| Emergency room | . | . | 7.8 | |
| Court/law enforcement | . | . | 0.3 | |
| Normal delivery | . | . | . | |
| Premature delivery | . | . | . | |
| Sick baby | . | . | . | |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BENCHMARK REGIONAL HOSPITAL

PEER GROUP: Psychiatric & substance abuse (n=7)

COUNTY: Davis

AFFILIATION: Ramsay Hlth Care

BED SIZE: 68

| Patient Profile | Discharges | | | State* % |
|----------------------------------|---------------|-------|-----------|-------------|
| | Hospital # | % | Peer % | |
| Extramural birth | . | . | . | |
| Unknown | . | . | 29.6 | |
| Not reported | 42 | 100.0 | 23.3 | |
| DISCHARGE STATUS | | | | |
| Home self care | 18 | 42.9 | 65.0 | |
| Another hospital | 2 | 4.8 | 4.4 | |
| Skilled nursing facility | 19 | 45.2 | 19.3 | |
| Intermediate care | . | . | 0.0 | |
| Another type of institution | . | . | 7.9 | |
| Under care of home service | . | . | . | |
| Left against medical advice | . | . | 3.0 | |
| Under care of a home iv provider | . | . | . | |
| Expired | . | . | 0.0 | |
| Not reported | 3 | 7.1 | 0.4 | |
| PRIMARY PAYER | | | | |
| Medicare | . | . | 11.2 | |
| Medicaid | 2 | 4.8 | 3.5 | |
| Other government | 16 | 38.1 | 7.2 | |
| Blue Cross/Blue Shield | 20 | 47.6 | 5.8 | |
| Other commercial | . | . | 26.9 | |
| Managed care | . | . | 14.0 | |
| Self pay | 1 | 2.4 | 3.0 | |
| Industrial/Worker's Comp | . | . | 0.1 | |
| Charity & unclassified | . | . | 0.6 | |
| Children's Health Insurance Plan | . | . | . | |
| Not reported | 3 | 7.1 | 27.8 | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | 0.8 | |
| Central Utah | . | . | 0.5 | |
| Davis County | . | . | 5.0 | |
| Salt Lake County | . | . | 71.0 | |
| Southeastern Utah | . | . | 0.7 | |
| Southwest Utah | . | . | 0.3 | |
| Summit County | . | . | 0.9 | |
| Tooele County | . | . | 2.5 | |
| Uintah Basin | . | . | 0.6 | |
| Utah County | . | . | 2.4 | |
| Wasatch County | . | . | 0.3 | |
| Weber/Morgan | . | . | 1.7 | |
| Unknown Utah | . | . | 0.4 | |
| Outside Utah | 38 | 90.5 | 11.9 | |
| Unknown | 4 | 9.5 | 0.9 | |

* Not comparable with non-psychiatric/substance abuse hospitals.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

OLYMPUS VIEW HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7) COUNTY: Salt Lake
 AFFILIATION: Comm. Psych. Services BED SIZE: 102

| Patient Profile | Discharges | | |
|----------------------------|---------------|---------------|----------------------------|
| | Hospital # | Hospital % | Peer % State* % |
| GENDER | | | |
| Female | 477 | 52.9 | 50.9 |
| Male | 425 | 47.1 | 49.1 |
| Unknown | . | . | . |
| Not reported | . | . | 0.0 |
| AGE | | | |
| 1-28 days | . | . | . |
| 29-365 days | . | . | . |
| 1-4 years | . | . | 0.1 |
| 5-9 | . | . | 1.1 |
| 10-14 | 56 | 6.2 | 6.0 |
| 15-17 | 127 | 14.1 | 12.9 |
| 18-19 | 41 | 4.5 | 4.1 |
| 20-24 | 78 | 8.6 | 7.9 |
| 25-29 | 87 | 9.6 | 8.6 |
| 30-34 | 107 | 11.9 | 11.0 |
| 35-39 | 133 | 14.7 | 14.3 |
| 40-44 | 88 | 9.8 | 11.4 |
| 45-49 | 69 | 7.6 | 6.9 |
| 50-54 | 31 | 3.4 | 4.0 |
| 55-59 | 31 | 3.4 | 3.4 |
| 60-64 | 15 | 1.7 | 1.6 |
| 65-69 | 12 | 1.3 | 1.5 |
| 70-74 | 10 | 1.1 | 1.6 |
| 75-79 | 9 | 1.0 | 1.6 |
| 80-84 | 5 | 0.6 | 1.2 |
| 85-89 | 2 | 0.2 | 0.5 |
| 90 + | . | . | 0.2 |
| Unknown | 1 | 0.1 | 0.1 |
| TYPE OF ADMISSION | | | |
| Emergency | 893 | 99.0 | 86.9 |
| Urgent | 6 | 0.7 | 11.3 |
| Elective | . | . | 0.4 |
| Newborn | 1 | 0.1 | 0.0 |
| Unknown | 2 | 0.2 | 0.0 |
| Not reported | . | . | 1.3 |
| SOURCE OF ADMISSION | | | |
| Physician referral | 2 | 0.2 | 27.2 |
| Clinic referral | . | . | 3.6 |
| HMO Referral | . | . | 2.4 |
| Other hospital | 3 | 0.3 | 2.8 |
| Skilled nursing facility | . | . | 0.6 |
| Other health care facility | 1 | 0.1 | 2.3 |
| Emergency room | . | . | 7.8 |
| Court/law enforcement | . | . | 0.3 |
| Normal delivery | . | . | . |
| Premature delivery | . | . | . |
| Sick baby | . | . | . |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

OLYMPUS VIEW HOSPITAL
 PEER GROUP: Psychiatric & substance abuse (n=7) COUNTY: Salt Lake
 AFFILIATION: Comm. Psych. Services BED SIZE: 102

| Patient Profile | Discharges | | | State* % |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | |
| Extramural birth | . | . | . | |
| Unknown | 894 | 99.1 | 29.6 | |
| Not reported | 2 | 0.2 | 23.3 | |
| DISCHARGE STATUS | | | | |
| Home self care | 836 | 92.7 | 65.0 | |
| Another hospital | 3 | 0.3 | 4.4 | |
| Skilled nursing facility | 3 | 0.3 | 19.3 | |
| Intermediate care | . | . | 0.0 | |
| Another type of institution | 17 | 1.9 | 7.9 | |
| Under care of home service | . | . | . | |
| Left against medical advice | 41 | 4.5 | 3.0 | |
| Under care of a home iv provider | . | . | . | |
| Expired | . | . | 0.0 | |
| Not reported | 2 | 0.2 | 0.4 | |
| PRIMARY PAYER | | | | |
| Medicare | 53 | 5.9 | 11.2 | |
| Medicaid | 2 | 0.2 | 3.5 | |
| Other government | 14 | 1.6 | 7.2 | |
| Blue Cross/Blue Shield | 12 | 1.3 | 5.8 | |
| Other commercial | 59 | 6.5 | 26.9 | |
| Managed care | 29 | 3.2 | 14.0 | |
| Self pay | . | . | 3.0 | |
| Industrial/Worker's Comp | . | . | 0.1 | |
| Charity & unclassified | . | . | 0.6 | |
| Children's Health Insurance Plan | . | . | . | |
| Not reported | 733 | 81.3 | 27.8 | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 9 | 1.0 | 0.8 | |
| Central Utah | 4 | 0.4 | 0.5 | |
| Davis County | 28 | 3.1 | 5.0 | |
| Salt Lake County | 695 | 77.1 | 71.0 | |
| Southeastern Utah | 2 | 0.2 | 0.7 | |
| Southwest Utah | 4 | 0.4 | 0.3 | |
| Summit County | 5 | 0.6 | 0.9 | |
| Tooele County | 30 | 3.3 | 2.5 | |
| Uintah Basin | 8 | 0.9 | 0.6 | |
| Utah County | 31 | 3.4 | 2.4 | |
| Wasatch County | 3 | 0.3 | 0.3 | |
| Weber/Morgan | 16 | 1.8 | 1.7 | |
| Unknown Utah | 1 | 0.1 | 0.4 | |
| Outside Utah | 66 | 7.3 | 11.9 | |
| Unknown | . | . | 0.9 | |

* Not comparable with non-psychiatric/substance abuse hospitals.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

COPPER HILLS YOUTH CENTER

PEER GROUP: Psychiatric & substance abuse (n=7)

COUNTY: Salt Lake

AFFILIATION: CC

BED SIZE: 80

| Patient Profile | Discharges | | |
|----------------------------|---------------|---------------|------------------|
| | Hospital # | Hospital % | Peer % State* |
| GENDER | | | |
| Female | 41 | 25.9 | 50.9 |
| Male | 117 | 74.1 | 49.1 |
| Unknown | . | . | . |
| Not reported | . | . | 0.0 |
| AGE | | | |
| 1-28 days | . | . | . |
| 29-365 days | . | . | . |
| 1-4 years | . | . | 0.1 |
| 5-9 | . | . | 1.1 |
| 10-14 | 38 | 24.1 | 6.0 |
| 15-17 | 115 | 72.8 | 12.9 |
| 18-19 | 4 | 2.5 | 4.1 |
| 20-24 | . | . | 7.9 |
| 25-29 | . | . | 8.6 |
| 30-34 | . | . | 11.0 |
| 35-39 | . | . | 14.3 |
| 40-44 | . | . | 11.4 |
| 45-49 | . | . | 6.9 |
| 50-54 | . | . | 4.0 |
| 55-59 | . | . | 3.4 |
| 60-64 | . | . | 1.6 |
| 65-69 | . | . | 1.5 |
| 70-74 | . | . | 1.6 |
| 75-79 | . | . | 1.6 |
| 80-84 | . | . | 1.2 |
| 85-89 | . | . | 0.5 |
| 90 + | . | . | 0.2 |
| Unknown | 1 | 0.6 | 0.1 |
| TYPE OF ADMISSION | | | |
| Emergency | 140 | 88.6 | 86.9 |
| Urgent | . | . | 11.3 |
| Elective | . | . | 0.4 |
| Newborn | . | . | 0.0 |
| Unknown | . | . | 0.0 |
| Not reported | 18 | 11.4 | 1.3 |
| SOURCE OF ADMISSION | | | |
| Physician referral | 140 | 88.6 | 27.2 |
| Clinic referral | . | . | 3.6 |
| HMO Referral | . | . | 2.4 |
| Other hospital | . | . | 2.8 |
| Skilled nursing facility | . | . | 0.6 |
| Other health care facility | . | . | 2.3 |
| Emergency room | . | . | 7.8 |
| Court/law enforcement | . | . | 0.3 |
| Normal delivery | . | . | . |
| Premature delivery | . | . | . |
| Sick baby | . | . | . |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

COPPER HILLS YOUTH CENTER
 PEER GROUP: Psychiatric & substance abuse (n=7) COUNTY: Salt Lake
 AFFILIATION: CC BED SIZE: 80

| Patient Profile | Discharges | | | State* % |
|----------------------------------|---------------|------|-----------|-------------|
| | Hospital # | % | Peer % | |
| Extramural birth | . | . | . | |
| Unknown | . | . | 29.6 | |
| Not reported | 18 | 11.4 | 23.3 | |
| DISCHARGE STATUS | | | | |
| Home self care | 18 | 11.4 | 65.0 | |
| Another hospital | 139 | 88.0 | 4.4 | |
| Skilled nursing facility | . | . | 19.3 | |
| Intermediate care | . | . | 0.0 | |
| Another type of institution | . | . | 7.9 | |
| Under care of home service | . | . | . | |
| Left against medical advice | . | . | 3.0 | |
| Under care of a home iv provider | . | . | . | |
| Expired | . | . | 0.0 | |
| Not reported | 1 | 0.6 | 0.4 | |
| PRIMARY PAYER | | | | |
| Medicare | . | . | 11.2 | |
| Medicaid | . | . | 3.5 | |
| Other government | 86 | 54.4 | 7.2 | |
| Blue Cross/Blue Shield | 7 | 4.4 | 5.8 | |
| Other commercial | 46 | 29.1 | 26.9 | |
| Managed care | 11 | 7.0 | 14.0 | |
| Self pay | 4 | 2.5 | 3.0 | |
| Industrial/Worker's Comp | . | . | 0.1 | |
| Charity & unclassified | . | . | 0.6 | |
| Children's Health Insurance Plan | . | . | . | |
| Not reported | 4 | 2.5 | 27.8 | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 4 | 2.5 | 0.8 | |
| Central Utah | 1 | 0.6 | 0.5 | |
| Davis County | 3 | 1.9 | 5.0 | |
| Salt Lake County | 83 | 52.5 | 71.0 | |
| Southeastern Utah | 1 | 0.6 | 0.7 | |
| Southwest Utah | . | . | 0.3 | |
| Summit County | 1 | 0.6 | 0.9 | |
| Tooele County | 2 | 1.3 | 2.5 | |
| Uintah Basin | 3 | 1.9 | 0.6 | |
| Utah County | 1 | 0.6 | 2.4 | |
| Wasatch County | . | . | 0.3 | |
| Weber/Morgan | 2 | 1.3 | 1.7 | |
| Unknown Utah | 2 | 1.3 | 0.4 | |
| Outside Utah | 37 | 23.4 | 11.9 | |
| Unknown | 18 | 11.4 | 0.9 | |

* Not comparable with non-psychiatric/substance abuse hospitals.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=7) COUNTY: Salt Lake
 AFFILIATION: Psych.Inst.Amer. BED SIZE: 90

| Patient Profile | Discharges | | |
|----------------------------|---------------|-----------|-------------|
| | Hospital # | Peer % | State* % |
| GENDER | | | |
| Female | 1,124 | 54.5 | 50.9 |
| Male | 938 | 45.5 | 49.1 |
| Unknown | . | . | . |
| Not reported | 1 | 0.0 | 0.0 |
| AGE | | | |
| 1-28 days | . | . | . |
| 29-365 days | . | . | . |
| 1-4 years | 3 | 0.1 | 0.1 |
| 5-9 | 48 | 2.3 | 1.1 |
| 10-14 | 134 | 6.5 | 6.0 |
| 15-17 | 216 | 10.5 | 12.9 |
| 18-19 | 91 | 4.4 | 4.1 |
| 20-24 | 182 | 8.8 | 7.9 |
| 25-29 | 167 | 8.1 | 8.6 |
| 30-34 | 220 | 10.7 | 11.0 |
| 35-39 | 300 | 14.5 | 14.3 |
| 40-44 | 235 | 11.4 | 11.4 |
| 45-49 | 146 | 7.1 | 6.9 |
| 50-54 | 93 | 4.5 | 4.0 |
| 55-59 | 69 | 3.3 | 3.4 |
| 60-64 | 40 | 1.9 | 1.6 |
| 65-69 | 30 | 1.5 | 1.5 |
| 70-74 | 33 | 1.6 | 1.6 |
| 75-79 | 26 | 1.3 | 1.6 |
| 80-84 | 18 | 0.9 | 1.2 |
| 85-89 | 9 | 0.4 | 0.5 |
| 90 + | 1 | 0.0 | 0.2 |
| Unknown | 2 | 0.1 | 0.1 |
| TYPE OF ADMISSION | | | |
| Emergency | 1,547 | 75.0 | 86.9 |
| Urgent | 477 | 23.1 | 11.3 |
| Elective | . | . | 0.4 |
| Newborn | . | . | 0.0 |
| Unknown | . | . | 0.0 |
| Not reported | 39 | 1.9 | 1.3 |
| SOURCE OF ADMISSION | | | |
| Physician referral | 1,042 | 50.5 | 27.2 |
| Clinic referral | 155 | 7.5 | 3.6 |
| HMO Referral | 103 | 5.0 | 2.4 |
| Other hospital | 121 | 5.9 | 2.8 |
| Skilled nursing facility | 26 | 1.3 | 0.6 |
| Other health care facility | 99 | 4.8 | 2.3 |
| Emergency room | 341 | 16.5 | 7.8 |
| Court/law enforcement | 15 | 0.7 | 0.3 |
| Normal delivery | . | . | . |
| Premature delivery | . | . | . |
| Sick baby | . | . | . |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

UNIVERSITY NEUROPSYCHIATRIC INSTITUTE
 PEER GROUP: Psychiatric & substance abuse (n=7) COUNTY: Salt Lake
 AFFILIATION: Psych.Inst.Amer. BED SIZE: 90

| Patient Profile | Discharges | | |
|----------------------------------|---------------|-----------|-------------|
| | Hospital # | Peer % | State* % |
| Extramural birth | . | . | . |
| Unknown | 59 | 2.9 | 29.6 |
| Not reported | 102 | 4.9 | 23.3 |
| DISCHARGE STATUS | | | |
| Home self care | 1,615 | 78.3 | 65.0 |
| Another hospital | 7 | 0.3 | 4.4 |
| Skilled nursing facility | 22 | 1.1 | 19.3 |
| Intermediate care | 1 | 0.0 | 0.0 |
| Another type of institution | 324 | 15.7 | 7.9 |
| Under care of home service | . | . | . |
| Left against medical advice | 90 | 4.4 | 3.0 |
| Under care of a home iv provider | . | . | . |
| Expired | 2 | 0.1 | 0.0 |
| Not reported | 2 | 0.1 | 0.4 |
| PRIMARY PAYER | | | |
| Medicare | 283 | 13.7 | 11.2 |
| Medicaid | 140 | 6.8 | 3.5 |
| Other government | 137 | 6.6 | 7.2 |
| Blue Cross/Blue Shield | 153 | 7.4 | 5.8 |
| Other commercial | 609 | 29.5 | 26.9 |
| Managed care | 297 | 14.4 | 14.0 |
| Self pay | 86 | 4.2 | 3.0 |
| Industrial/Worker's Comp | 2 | 0.1 | 0.1 |
| Charity & unclassified | 16 | 0.8 | 0.6 |
| Children's Health Insurance Plan | . | . | . |
| Not reported | 340 | 16.5 | 27.8 |
| LOCAL HEALTH DISTRICT | | | |
| Bear River | 11 | 0.5 | 0.8 |
| Central Utah | 10 | 0.5 | 0.5 |
| Davis County | 147 | 7.1 | 5.0 |
| Salt Lake County | 1,549 | 75.1 | 71.0 |
| Southeastern Utah | 19 | 0.9 | 0.7 |
| Southwest Utah | 5 | 0.2 | 0.3 |
| Summit County | 25 | 1.2 | 0.9 |
| Tooele County | 43 | 2.1 | 2.5 |
| Uintah Basin | 7 | 0.3 | 0.6 |
| Utah County | 43 | 2.1 | 2.4 |
| Wasatch County | 8 | 0.4 | 0.3 |
| Weber/Morgan | 46 | 2.2 | 1.7 |
| Unknown Utah | . | . | 0.4 |
| Outside Utah | 145 | 7.0 | 11.9 |
| Unknown | 5 | 0.2 | 0.9 |

* Not comparable with non-psychiatric/substance abuse hospitals.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BENCHMARK SOUTH
 PEER GROUP: Psychiatric & substance abuse (n=7) COUNTY: Salt Lake
 AFFILIATION: Ramsay Hlth Care BED SIZE: 80

| Patient Profile | Discharges | | |
|----------------------------|---------------|---------------|-----------------------|
| | Hospital # | Hospital % | Peer % State* % |
| GENDER | | | |
| Female | 501 | 59.0 | 50.9 |
| Male | 348 | 41.0 | 49.1 |
| Unknown | . | . | . |
| Not reported | . | . | 0.0 |
| AGE | | | |
| 1-28 days | . | . | . |
| 29-365 days | . | . | . |
| 1-4 years | . | . | 0.1 |
| 5-9 | . | . | 1.1 |
| 10-14 | 28 | 3.3 | 6.0 |
| 15-17 | 74 | 8.7 | 12.9 |
| 18-19 | 22 | 2.6 | 4.1 |
| 20-24 | 56 | 6.6 | 7.9 |
| 25-29 | 84 | 9.9 | 8.6 |
| 30-34 | 93 | 11.0 | 11.0 |
| 35-39 | 128 | 15.1 | 14.3 |
| 40-44 | 102 | 12.0 | 11.4 |
| 45-49 | 52 | 6.1 | 6.9 |
| 50-54 | 35 | 4.1 | 4.0 |
| 55-59 | 31 | 3.7 | 3.4 |
| 60-64 | 16 | 1.9 | 1.6 |
| 65-69 | 22 | 2.6 | 1.5 |
| 70-74 | 25 | 2.9 | 1.6 |
| 75-79 | 33 | 3.9 | 1.6 |
| 80-84 | 29 | 3.4 | 1.2 |
| 85-89 | 12 | 1.4 | 0.5 |
| 90 + | 7 | 0.8 | 0.2 |
| Unknown | . | . | 0.1 |
| TYPE OF ADMISSION | | | |
| Emergency | 845 | 99.5 | 86.9 |
| Urgent | 1 | 0.1 | 11.3 |
| Elective | 3 | 0.4 | 0.4 |
| Newborn | . | . | 0.0 |
| Unknown | . | . | 0.0 |
| Not reported | . | . | 1.3 |
| SOURCE OF ADMISSION | | | |
| Physician referral | . | . | 27.2 |
| Clinic referral | . | . | 3.6 |
| HMO Referral | . | . | 2.4 |
| Other hospital | . | . | 2.8 |
| Skilled nursing facility | . | . | 0.6 |
| Other health care facility | . | . | 2.3 |
| Emergency room | . | . | 7.8 |
| Court/law enforcement | . | . | 0.3 |
| Normal delivery | . | . | . |
| Premature delivery | . | . | . |
| Sick baby | . | . | . |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BENCHMARK SOUTH
 PEER GROUP: Psychiatric & substance abuse (n=7) COUNTY: Salt Lake
 AFFILIATION: Ramsay Hlth Care BED SIZE: 80

| Patient Profile | Discharges | | |
|----------------------------------|---------------|-----------|-------------|
| | Hospital # | Peer % | State* % |
| Extramural birth | . | . | . |
| Unknown | . | . | 29.6 |
| Not reported | 849 | 100.0 | 23.3 |
| DISCHARGE STATUS | | | |
| Home self care | 5 | 0.6 | 65.0 |
| Another hospital | 39 | 4.6 | 4.4 |
| Skilled nursing facility | 794 | 93.5 | 19.3 |
| Intermediate care | . | . | 0.0 |
| Another type of institution | 3 | 0.4 | 7.9 |
| Under care of home service | . | . | . |
| Left against medical advice | . | . | 3.0 |
| Under care of a home iv provider | . | . | . |
| Expired | . | . | 0.0 |
| Not reported | 8 | 0.9 | 0.4 |
| PRIMARY PAYER | | | |
| Medicare | 150 | 17.7 | 11.2 |
| Medicaid | 7 | 0.8 | 3.5 |
| Other government | 44 | 5.2 | 7.2 |
| Blue Cross/Blue Shield | 43 | 5.1 | 5.8 |
| Other commercial | 286 | 33.7 | 26.9 |
| Managed care | 205 | 24.1 | 14.0 |
| Self pay | 1 | 0.1 | 3.0 |
| Industrial/Worker's Comp | 2 | 0.2 | 0.1 |
| Charity & unclassified | 1 | 0.1 | 0.6 |
| Children's Health Insurance Plan | . | . | . |
| Not reported | 110 | 13.0 | 27.8 |
| LOCAL HEALTH DISTRICT | | | |
| Bear River | 8 | 0.9 | 0.8 |
| Central Utah | 2 | 0.2 | 0.5 |
| Davis County | 34 | 4.0 | 5.0 |
| Salt Lake County | 672 | 79.2 | 71.0 |
| Southeastern Utah | 2 | 0.2 | 0.7 |
| Southwest Utah | 5 | 0.6 | 0.3 |
| Summit County | 5 | 0.6 | 0.9 |
| Tooele County | 28 | 3.3 | 2.5 |
| Uintah Basin | 4 | 0.5 | 0.6 |
| Utah County | 20 | 2.4 | 2.4 |
| Wasatch County | 3 | 0.4 | 0.3 |
| Weber/Morgan | 11 | 1.3 | 1.7 |
| Unknown Utah | 12 | 1.4 | 0.4 |
| Outside Utah | 39 | 4.6 | 11.9 |
| Unknown | 4 | 0.5 | 0.9 |

* Not comparable with non-psychiatric/substance abuse hospitals.
 SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

HIGHLAND RIDGE HOSPITAL

PEER GROUP: Psychiatric & substance abuse (n=7)

COUNTY: Salt Lake

AFFILIATION: Am. Intl. Hlth. Sys.

BED SIZE: 34

| Patient Profile | Discharges | | |
|----------------------------|---------------|-----------|-------------|
| | Hospital # | Peer % | State* % |
| GENDER | | | |
| Female | 72 | 21.4 | 50.9 |
| Male | 265 | 78.6 | 49.1 |
| Unknown | . | . | . |
| Not reported | . | . | 0.0 |
| AGE | | | |
| 1-28 days | . | . | . |
| 29-365 days | . | . | . |
| 1-4 years | . | . | 0.1 |
| 5-9 | . | . | 1.1 |
| 10-14 | . | . | 6.0 |
| 15-17 | 2 | 0.6 | 12.9 |
| 18-19 | 12 | 3.6 | 4.1 |
| 20-24 | 28 | 8.3 | 7.9 |
| 25-29 | 37 | 11.0 | 8.6 |
| 30-34 | 58 | 17.2 | 11.0 |
| 35-39 | 62 | 18.4 | 14.3 |
| 40-44 | 71 | 21.1 | 11.4 |
| 45-49 | 35 | 10.4 | 6.9 |
| 50-54 | 16 | 4.7 | 4.0 |
| 55-59 | 16 | 4.7 | 3.4 |
| 60-64 | . | . | 1.6 |
| 65-69 | . | . | 1.5 |
| 70-74 | . | . | 1.6 |
| 75-79 | . | . | 1.6 |
| 80-84 | . | . | 1.2 |
| 85-89 | . | . | 0.5 |
| 90 + | . | . | 0.2 |
| Unknown | . | . | 0.1 |
| TYPE OF ADMISSION | | | |
| Emergency | 321 | 95.3 | 86.9 |
| Urgent | . | . | 11.3 |
| Elective | 16 | 4.7 | 0.4 |
| Newborn | . | . | 0.0 |
| Unknown | . | . | 0.0 |
| Not reported | . | . | 1.3 |
| SOURCE OF ADMISSION | | | |
| Physician referral | . | . | 27.2 |
| Clinic referral | . | . | 3.6 |
| HMO Referral | . | . | 2.4 |
| Other hospital | . | . | 2.8 |
| Skilled nursing facility | . | . | 0.6 |
| Other health care facility | . | . | 2.3 |
| Emergency room | . | . | 7.8 |
| Court/law enforcement | . | . | 0.3 |
| Normal delivery | . | . | . |
| Premature delivery | . | . | . |
| Sick baby | . | . | . |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

HIGHLAND RIDGE HOSPITAL

PEER GROUP: Psychiatric & substance abuse (n=7)

COUNTY: Salt Lake

AFFILIATION: Am. Intl. Hlth. Sys.

BED SIZE: 34

| Patient Profile | Discharges | | | State* % |
|----------------------------------|---------------|-------|-----------|-------------|
| | Hospital # | % | Peer % | |
| Extramural birth | . | . | . | |
| Unknown | 337 | 100.0 | 29.6 | |
| Not reported | . | . | 23.3 | |
| DISCHARGE STATUS | | | | |
| Home self care | 336 | 99.7 | 65.0 | |
| Another hospital | . | . | 4.4 | |
| Skilled nursing facility | . | . | 19.3 | |
| Intermediate care | . | . | 0.0 | |
| Another type of institution | . | . | 7.9 | |
| Under care of home service | . | . | . | |
| Left against medical advice | 1 | 0.3 | 3.0 | |
| Under care of a home iv provider | . | . | . | |
| Expired | . | . | 0.0 | |
| Not reported | . | . | 0.4 | |
| PRIMARY PAYER | | | | |
| Medicare | . | . | 11.2 | |
| Medicaid | . | . | 3.5 | |
| Other government | 16 | 4.7 | 7.2 | |
| Blue Cross/Blue Shield | 17 | 5.0 | 5.8 | |
| Other commercial | 171 | 50.7 | 26.9 | |
| Managed care | 67 | 19.9 | 14.0 | |
| Self pay | 38 | 11.3 | 3.0 | |
| Industrial/Worker's Comp | . | . | 0.1 | |
| Charity & unclassified | 7 | 2.1 | 0.6 | |
| Children's Health Insurance Plan | . | . | . | |
| Not reported | 21 | 6.2 | 27.8 | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 2 | 0.6 | 0.8 | |
| Central Utah | 3 | 0.9 | 0.5 | |
| Davis County | 5 | 1.5 | 5.0 | |
| Salt Lake County | 92 | 27.3 | 71.0 | |
| Southeastern Utah | 7 | 2.1 | 0.7 | |
| Southwest Utah | . | . | 0.3 | |
| Summit County | 5 | 1.5 | 0.9 | |
| Tooele County | 7 | 2.1 | 2.5 | |
| Uintah Basin | 2 | 0.6 | 0.6 | |
| Utah County | 11 | 3.3 | 2.4 | |
| Wasatch County | . | . | 0.3 | |
| Weber/Morgan | 1 | 0.3 | 1.7 | |
| Unknown Utah | 2 | 0.6 | 0.4 | |
| Outside Utah | 194 | 57.6 | 11.9 | |
| Unknown | 6 | 1.8 | 0.9 | |

* Not comparable with non-psychiatric/substance abuse hospitals.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

PRIMARY CHILDREN'S MEDICAL CENTER

PEER GROUP: None

COUNTY: Salt Lake

AFFILIATION: IHC, Inc.

BED SIZE: 232

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 3,882 | 45.3 | | |
| Male | 4,694 | 54.7 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | 856 | 10.0 | | |
| 29-365 days | 2,148 | 25.0 | | |
| 1-4 years | 2,011 | 23.4 | | |
| 5-9 | 1,272 | 14.8 | | |
| 10-14 | 1,332 | 15.5 | | |
| 15-17 | 713 | 8.3 | | |
| 18-19 | 171 | 2.0 | | |
| 20-24 | 59 | 0.7 | | |
| 25-29 | 12 | 0.1 | | |
| 30-34 | . | . | | |
| 35-39 | . | . | | |
| 40-44 | 1 | 0.0 | | |
| 45-49 | 1 | 0.0 | | |
| 50-54 | . | . | | |
| 55-59 | . | . | | |
| 60-64 | . | . | | |
| 65-69 | . | . | | |
| 70-74 | . | . | | |
| 75-79 | . | . | | |
| 80-84 | . | . | | |
| 85-89 | . | . | | |
| 90 + | . | . | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | 1,221 | 14.2 | | |
| Urgent | 6,466 | 75.4 | | |
| Elective | 858 | 10.0 | | |
| Newborn | 19 | 0.2 | | |
| Unknown | 12 | 0.1 | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 4,580 | 53.4 | | |
| Clinic referral | 38 | 0.4 | | |
| HMO Referral | . | . | | |
| Other hospital | 868 | 10.1 | | |
| Skilled nursing facility | 5 | 0.1 | | |
| Other health care facility | 110 | 1.3 | | |
| Emergency room | 2,942 | 34.3 | | |
| Court/law enforcement | 2 | 0.0 | | |
| Normal delivery | 3 | 0.0 | | |
| Premature delivery | . | . | | |
| Sick baby | . | . | | |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

PRIMARY CHILDREN'S MEDICAL CENTER

PEER GROUP: None

COUNTY: Salt Lake

AFFILIATION: IHC, Inc.

BED SIZE: 232

| Patient Profile | Discharges | | | |
|----------------------------------|------------|------|-------|--------|
| | Hospital | | Peer* | State* |
| | # | % | % | % |
| Extramural birth | 16 | 0.2 | | |
| Unknown | . | . | | |
| Not reported | 12 | 0.1 | | |
| DISCHARGE STATUS | | | | |
| Home self care | 7,696 | 89.7 | | |
| Another hospital | 97 | 1.1 | | |
| Skilled nursing facility | 26 | 0.3 | | |
| Intermediate care | 3 | 0.0 | | |
| Another type of institution | 111 | 1.3 | | |
| Under care of home service | 360 | 4.2 | | |
| Left against medical advice | 5 | 0.1 | | |
| Under care of a home iv provider | 185 | 2.2 | | |
| Expired | 93 | 1.1 | | |
| Not reported | . | . | | |
| PRIMARY PAYER | | | | |
| Medicare | 18 | 0.2 | | |
| Medicaid | 1,837 | 21.4 | | |
| Other government | 357 | 4.2 | | |
| Blue Cross/Blue Shield | 1,229 | 14.3 | | |
| Other commercial | 1,476 | 17.2 | | |
| Managed care | 3,398 | 39.6 | | |
| Self pay | 188 | 2.2 | | |
| Industrial/Worker's Comp | . | . | | |
| Charity & unclassified | 13 | 0.2 | | |
| Children's Health Insurance Plan | 9 | 0.1 | | |
| Not reported | 51 | 0.6 | | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 231 | 2.7 | | |
| Central Utah | 165 | 1.9 | | |
| Davis County | 790 | 9.2 | | |
| Salt Lake County | 4,305 | 50.2 | | |
| Southeastern Utah | 100 | 1.2 | | |
| Southwest Utah | 200 | 2.3 | | |
| Summit County | 153 | 1.8 | | |
| Tooele County | 168 | 2.0 | | |
| Uintah Basin | 100 | 1.2 | | |
| Utah County | 681 | 7.9 | | |
| Wasatch County | 38 | 0.4 | | |
| Weber/Morgan | 415 | 4.8 | | |
| Unknown Utah | 3 | 0.0 | | |
| Outside Utah | 1,222 | 14.2 | | |
| Unknown | 5 | 0.1 | | |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SOUTH DAVIS COMMUNITY HOSPITAL

PEER GROUP: None

AFFILIATION: Freestanding

COUNTY: Davis

BED SIZE: 39

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 17 | 48.6 | | |
| Male | 18 | 51.4 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | 2 | 5.7 | | |
| 15-17 | 1 | 2.9 | | |
| 18-19 | 3 | 8.6 | | |
| 20-24 | 1 | 2.9 | | |
| 25-29 | 8 | 22.9 | | |
| 30-34 | 1 | 2.9 | | |
| 35-39 | 1 | 2.9 | | |
| 40-44 | . | . | | |
| 45-49 | 1 | 2.9 | | |
| 50-54 | 1 | 2.9 | | |
| 55-59 | 2 | 5.7 | | |
| 60-64 | . | . | | |
| 65-69 | 2 | 5.7 | | |
| 70-74 | 2 | 5.7 | | |
| 75-79 | 4 | 11.4 | | |
| 80-84 | 1 | 2.9 | | |
| 85-89 | 4 | 11.4 | | |
| 90 + | 1 | 2.9 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | 5 | 14.3 | | |
| Urgent | 27 | 77.1 | | |
| Elective | 1 | 2.9 | | |
| Newborn | . | . | | |
| Unknown | . | . | | |
| Not reported | 2 | 5.7 | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 20 | 57.1 | | |
| Clinic referral | 3 | 8.6 | | |
| HMO Referral | 1 | 2.9 | | |
| Other hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | 2 | 5.7 | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery | . | . | | |
| Premature delivery | . | . | | |
| Sick baby | . | . | | |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

SOUTH DAVIS COMMUNITY HOSPITAL

PEER GROUP: None

AFFILIATION: Freestanding

COUNTY: Davis

BED SIZE: 39

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| Extramural birth | . | . | | |
| Unknown | 6 | 17.1 | | |
| Not reported | 3 | 8.6 | | |
| DISCHARGE STATUS | | | | |
| Home self care | . | . | | |
| Another hospital | 3 | 8.6 | | |
| Skilled nursing facility | 26 | 74.3 | | |
| Intermediate care | 1 | 2.9 | | |
| Another type of institution | 1 | 2.9 | | |
| Under care of home service | . | . | | |
| Left against medical advice | . | . | | |
| Under care of a home iv provider | . | . | | |
| Expired | 1 | 2.9 | | |
| Not reported | 3 | 8.6 | | |
| PRIMARY PAYER | | | | |
| Medicare | 15 | 42.9 | | |
| Medicaid | 20 | 57.1 | | |
| Other government | . | . | | |
| Blue Cross/Blue Shield | . | . | | |
| Other commercial | . | . | | |
| Managed care | . | . | | |
| Self pay | . | . | | |
| Industrial/Worker's Comp | . | . | | |
| Charity & unclassified | . | . | | |
| Children's Health Insurance Plan | . | . | | |
| Not reported | . | . | | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 2 | 5.7 | | |
| Central Utah | . | . | | |
| Davis County | 21 | 60.0 | | |
| Salt Lake County | 3 | 8.6 | | |
| Southeastern Utah | . | . | | |
| Southwest Utah | 5 | 14.3 | | |
| Summit County | . | . | | |
| Tooele County | . | . | | |
| Uintah Basin | 1 | 2.9 | | |
| Utah County | . | . | | |
| Wasatch County | . | . | | |
| Weber/Morgan | 2 | 5.7 | | |
| Unknown Utah | . | . | | |
| Outside Utah | . | . | | |
| Unknown | 1 | 2.9 | | |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BONNEVILLE HEALTH SYSTEMS
 PEER GROUP: None
 AFFILIATION: Bonneville Health

COUNTY: Salt Lake
 BED SIZE: 12

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 4 | 100.0 | | |
| Male | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | . | . | | |
| 18-19 | . | . | | |
| 20-24 | . | . | | |
| 25-29 | . | . | | |
| 30-34 | 1 | 25.0 | | |
| 35-39 | . | . | | |
| 40-44 | 1 | 25.0 | | |
| 45-49 | . | . | | |
| 50-54 | 1 | 25.0 | | |
| 55-59 | 1 | 25.0 | | |
| 60-64 | . | . | | |
| 65-69 | . | . | | |
| 70-74 | . | . | | |
| 75-79 | . | . | | |
| 80-84 | . | . | | |
| 85-89 | . | . | | |
| 90 + | . | . | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | . | . | | |
| Elective | 3 | 75.0 | | |
| Newborn | . | . | | |
| Unknown | . | . | | |
| Not reported | 1 | 25.0 | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 3 | 75.0 | | |
| Clinic referral | . | . | | |
| HMO Referral | . | . | | |
| Other hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery | . | . | | |
| Premature delivery | . | . | | |
| Sick baby | . | . | | |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

BONNEVILLE HEALTH SYSTEMS
 PEER GROUP: None
 AFFILIATION: Bonneville Health

COUNTY: Salt Lake
 BED SIZE: 12

| Patient Profile | Discharges | | | |
|----------------------------------|---------------|-------|------------|-------------|
| | Hospital # | % | Peer* % | State* % |
| Extramural birth | . | . | | |
| Unknown | . | . | | |
| Not reported | 1 | 25.0 | | |
| DISCHARGE STATUS | | | | |
| Home self care | 4 | 100.0 | | |
| Another hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Intermediate care | . | . | | |
| Another type of institution | . | . | | |
| Under care of home service | . | . | | |
| Left against medical advice | . | . | | |
| Under care of a home iv provider | . | . | | |
| Expired | . | . | | |
| Not reported | . | . | | |
| PRIMARY PAYER | | | | |
| Medicare | . | . | | |
| Medicaid | . | . | | |
| Other government | . | . | | |
| Blue Cross/Blue Shield | . | . | | |
| Other commercial | 2 | 50.0 | | |
| Managed care | . | . | | |
| Self pay | 2 | 50.0 | | |
| Industrial/Worker's Comp | . | . | | |
| Charity & unclassified | . | . | | |
| Children's Health Insurance Plan | . | . | | |
| Not reported | . | . | | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | | |
| Central Utah | . | . | | |
| Davis County | . | . | | |
| Salt Lake County | 2 | 50.0 | | |
| Southeastern Utah | . | . | | |
| Southwest Utah | . | . | | |
| Summit County | . | . | | |
| Tooele County | . | . | | |
| Uintah Basin | . | . | | |
| Utah County | . | . | | |
| Wasatch County | . | . | | |
| Weber/Morgan | . | . | | |
| Unknown Utah | 1 | 25.0 | | |
| Outside Utah | 1 | 25.0 | | |
| Unknown | . | . | | |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

HEALTHSOUTH
 PEER GROUP: None
 AFFILIATION: Rehab. Svcs. Corp.

COUNTY: Salt Lake
 BED SIZE: 50

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 223 | 64.5 | | |
| Male | 123 | 35.5 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | . | . | | |
| 10-14 | 1 | 0.3 | | |
| 15-17 | . | . | | |
| 18-19 | 4 | 1.2 | | |
| 20-24 | 3 | 0.9 | | |
| 25-29 | 3 | 0.9 | | |
| 30-34 | 8 | 2.3 | | |
| 35-39 | 4 | 1.2 | | |
| 40-44 | 8 | 2.3 | | |
| 45-49 | 6 | 1.7 | | |
| 50-54 | 6 | 1.7 | | |
| 55-59 | 11 | 3.2 | | |
| 60-64 | 16 | 4.6 | | |
| 65-69 | 40 | 11.6 | | |
| 70-74 | 51 | 14.7 | | |
| 75-79 | 71 | 20.5 | | |
| 80-84 | 68 | 19.7 | | |
| 85-89 | 27 | 7.8 | | |
| 90 + | 19 | 5.5 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | 1 | 0.3 | | |
| Urgent | . | . | | |
| Elective | 345 | 99.7 | | |
| Newborn | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 13 | 3.8 | | |
| Clinic referral | . | . | | |
| HMO Referral | . | . | | |
| Other hospital | 328 | 94.8 | | |
| Skilled nursing facility | 3 | 0.9 | | |
| Other health care facility | 2 | 0.6 | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery | . | . | | |
| Premature delivery | . | . | | |
| Sick baby | . | . | | |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

HEALTHSOUTH
 PEER GROUP: None COUNTY: Salt Lake
 AFFILIATION: Rehab. Svcs. Corp. BED SIZE: 50

| Patient Profile | Discharges | | | |
|----------------------------------|------------|------|-------|--------|
| | Hospital | | Peer* | State* |
| | # | % | % | % |
| Extramural birth | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| DISCHARGE STATUS | | | | |
| Home self care | 336 | 97.1 | | |
| Another hospital | 1 | 0.3 | | |
| Skilled nursing facility | 2 | 0.6 | | |
| Intermediate care | . | . | | |
| Another type of institution | . | . | | |
| Under care of home service | 5 | 1.4 | | |
| Left against medical advice | . | . | | |
| Under care of a home iv provider | 1 | 0.3 | | |
| Expired | . | . | | |
| Not reported | 1 | 0.3 | | |
| PRIMARY PAYER | | | | |
| Medicare | 259 | 74.9 | | |
| Medicaid | 6 | 1.7 | | |
| Other government | 2 | 0.6 | | |
| Blue Cross/Blue Shield | 13 | 3.8 | | |
| Other commercial | 13 | 3.8 | | |
| Managed care | 46 | 13.3 | | |
| Self pay | 1 | 0.3 | | |
| Industrial/Worker's Comp | 6 | 1.7 | | |
| Charity & unclassified | . | . | | |
| Children's Health Insurance Plan | . | . | | |
| Not reported | . | . | | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | . | . | | |
| Central Utah | 5 | 1.4 | | |
| Davis County | 2 | 0.6 | | |
| Salt Lake County | 293 | 84.7 | | |
| Southeastern Utah | 1 | 0.3 | | |
| Southwest Utah | 2 | 0.6 | | |
| Summit County | 1 | 0.3 | | |
| Tooele County | 5 | 1.4 | | |
| Uintah Basin | 1 | 0.3 | | |
| Utah County | 7 | 2.0 | | |
| Wasatch County | 1 | 0.3 | | |
| Weber/Morgan | 2 | 0.6 | | |
| Unknown Utah | . | . | | |
| Outside Utah | 26 | 7.5 | | |
| Unknown | . | . | | |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ORTHOPEDIC SPECIALTY HOSPITAL

PEER GROUP: None

AFFILIATION: Freestanding

COUNTY: Salt Lake

BED SIZE: 14

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 409 | 52.2 | | |
| Male | 374 | 47.8 | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | . | . | | |
| 1-4 years | . | . | | |
| 5-9 | 2 | 0.3 | | |
| 10-14 | 8 | 1.0 | | |
| 15-17 | 20 | 2.6 | | |
| 18-19 | 11 | 1.4 | | |
| 20-24 | 21 | 2.7 | | |
| 25-29 | 31 | 4.0 | | |
| 30-34 | 30 | 3.8 | | |
| 35-39 | 46 | 5.9 | | |
| 40-44 | 58 | 7.4 | | |
| 45-49 | 63 | 8.0 | | |
| 50-54 | 72 | 9.2 | | |
| 55-59 | 78 | 10.0 | | |
| 60-64 | 74 | 9.5 | | |
| 65-69 | 88 | 11.2 | | |
| 70-74 | 88 | 11.2 | | |
| 75-79 | 46 | 5.9 | | |
| 80-84 | 40 | 5.1 | | |
| 85-89 | 4 | 0.5 | | |
| 90 + | 3 | 0.4 | | |
| Unknown | . | . | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | . | . | | |
| Elective | 783 | 100.0 | | |
| Newborn | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | 783 | 100.0 | | |
| Clinic referral | . | . | | |
| HMO Referral | . | . | | |
| Other hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery | . | . | | |
| Premature delivery | . | . | | |
| Sick baby | . | . | | |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

ORTHOPEDIC SPECIALTY HOSPITAL

PEER GROUP: None

AFFILIATION: Freestanding

COUNTY: Salt Lake

BED SIZE: 14

| Patient Profile | Discharges | | | |
|----------------------------------|------------|------|-------|--------|
| | Hospital | | Peer* | State* |
| | # | % | % | % |
| Extramural birth | . | . | | |
| Unknown | . | . | | |
| Not reported | . | . | | |
| DISCHARGE STATUS | | | | |
| Home self care | 605 | 77.3 | | |
| Another hospital | 8 | 1.0 | | |
| Skilled nursing facility | 137 | 17.5 | | |
| Intermediate care | . | . | | |
| Another type of institution | . | . | | |
| Under care of home service | 32 | 4.1 | | |
| Left against medical advice | . | . | | |
| Under care of a home iv provider | . | . | | |
| Expired | . | . | | |
| Not reported | 1 | 0.1 | | |
| PRIMARY PAYER | | | | |
| Medicare | 232 | 29.6 | | |
| Medicaid | 6 | 0.8 | | |
| Other government | 48 | 6.1 | | |
| Blue Cross/Blue Shield | 76 | 9.7 | | |
| Other commercial | 203 | 25.9 | | |
| Managed care | 179 | 22.9 | | |
| Self pay | 5 | 0.6 | | |
| Industrial/Worker's Comp | 30 | 3.8 | | |
| Charity & unclassified | . | . | | |
| Children's Health Insurance Plan | . | . | | |
| Not reported | 4 | 0.5 | | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 12 | 1.5 | | |
| Central Utah | 7 | 0.9 | | |
| Davis County | 24 | 3.1 | | |
| Salt Lake County | 448 | 57.2 | | |
| Southeastern Utah | 11 | 1.4 | | |
| Southwest Utah | 7 | 0.9 | | |
| Summit County | 38 | 4.9 | | |
| Tooele County | 8 | 1.0 | | |
| Uintah Basin | 8 | 1.0 | | |
| Utah County | 38 | 4.9 | | |
| Wasatch County | 5 | 0.6 | | |
| Weber/Morgan | 28 | 3.6 | | |
| Unknown Utah | . | . | | |
| Outside Utah | 148 | 18.9 | | |
| Unknown | 1 | 0.1 | | |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

VETERANS ADMINISTRATION MEDICAL CENTER

PEER GROUP: None

AFFILIATION: Freestanding

COUNTY: Salt Lake

BED SIZE: 138

| Patient Profile | Discharges | | | |
|----------------------------|---------------|---------------|------------|-------------|
| | Hospital # | Hospital % | Peer* % | State* % |
| GENDER | | | | |
| Female | 171 | 2.8 | | |
| Male | 5,871 | 97.2 | | |
| Unknown | . | . | | |
| Not reported | 1 | 0.0 | | |
| AGE | | | | |
| 1-28 days | . | . | | |
| 29-365 days | 1 | 0.0 | | |
| 1-4 years | 6 | 0.1 | | |
| 5-9 | . | . | | |
| 10-14 | . | . | | |
| 15-17 | . | . | | |
| 18-19 | 3 | 0.0 | | |
| 20-24 | 8 | 0.1 | | |
| 25-29 | 42 | 0.7 | | |
| 30-34 | 80 | 1.3 | | |
| 35-39 | 168 | 2.8 | | |
| 40-44 | 306 | 5.1 | | |
| 45-49 | 618 | 10.2 | | |
| 50-54 | 660 | 10.9 | | |
| 55-59 | 521 | 8.6 | | |
| 60-64 | 661 | 10.9 | | |
| 65-69 | 712 | 11.8 | | |
| 70-74 | 966 | 16.0 | | |
| 75-79 | 836 | 13.8 | | |
| 80-84 | 335 | 5.5 | | |
| 85-89 | 92 | 1.5 | | |
| 90 + | 23 | 0.4 | | |
| Unknown | 5 | 0.1 | | |
| TYPE OF ADMISSION | | | | |
| Emergency | . | . | | |
| Urgent | . | . | | |
| Elective | . | . | | |
| Newborn | . | . | | |
| Unknown | . | . | | |
| Not reported | 6,043 | 100.0 | | |
| SOURCE OF ADMISSION | | | | |
| Physician referral | . | . | | |
| Clinic referral | . | . | | |
| HMO Referral | . | . | | |
| Other hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Other health care facility | . | . | | |
| Emergency room | . | . | | |
| Court/law enforcement | . | . | | |
| Normal delivery | . | . | | |
| Premature delivery | . | . | | |
| Sick baby | . | . | | |

ST 1-4
 UTAH HOSPITAL FINANCIAL AND UTILIZATION PROFILE
 INPATIENT DISCHARGES FROM JANUARY 1 TO DECEMBER 31, 1998
 (PATIENT PROFILE)

VETERANS ADMINISTRATION MEDICAL CENTER

PEER GROUP: None

AFFILIATION: Freestanding

COUNTY: Salt Lake

BED SIZE: 138

| Patient Profile | Discharges | | | |
|----------------------------------|------------|-------|-------|--------|
| | Hospital | | Peer* | State* |
| | # | % | % | % |
| Extramural birth | . | . | | |
| Unknown | . | . | | |
| Not reported | 6,043 | 100.0 | | |
| DISCHARGE STATUS | | | | |
| Home self care | 5,485 | 90.8 | | |
| Another hospital | . | . | | |
| Skilled nursing facility | . | . | | |
| Intermediate care | . | . | | |
| Another type of institution | 273 | 4.5 | | |
| Under care of home service | . | . | | |
| Left against medical advice | 77 | 1.3 | | |
| Under care of a home iv provider | . | . | | |
| Expired | 206 | 3.4 | | |
| Not reported | 2 | 0.0 | | |
| PRIMARY PAYER | | | | |
| Medicare | . | . | | |
| Medicaid | . | . | | |
| Other government | 6,041 | 100.0 | | |
| Blue Cross/Blue Shield | . | . | | |
| Other commercial | . | . | | |
| Managed care | . | . | | |
| Self pay | . | . | | |
| Industrial/Worker's Comp | . | . | | |
| Charity & unclassified | . | . | | |
| Children's Health Insurance Plan | . | . | | |
| Not reported | 2 | 0.0 | | |
| LOCAL HEALTH DISTRICT | | | | |
| Bear River | 102 | 1.7 | | |
| Central Utah | 173 | 2.9 | | |
| Davis County | 250 | 4.1 | | |
| Salt Lake County | 2,933 | 48.5 | | |
| Southeastern Utah | 95 | 1.6 | | |
| Southwest Utah | 94 | 1.6 | | |
| Summit County | 27 | 0.4 | | |
| Tooele County | 115 | 1.9 | | |
| Uintah Basin | 122 | 2.0 | | |
| Utah County | 270 | 4.5 | | |
| Wasatch County | 11 | 0.2 | | |
| Weber/Morgan | 296 | 4.9 | | |
| Unknown Utah | 4 | 0.1 | | |
| Outside Utah | 1,545 | 25.6 | | |
| Unknown | 6 | 0.1 | | |

* No comparable hospitals.

SOURCE: Utah Hospital Discharge Data Base, Utah Health Data Committee.